

BM 360152-1 Ryan CompaniesNEW_Medtronic T1 MEP_2021.rvt



GENERAL NOTES

A. REFER TO SHEET P-1-000 FOR PLUMBING LEGENDS, NOTES, AND ABBREVIATIONS.

3300 S. HWY 287 - BUILDING 1
3500 S. HWY 287 - BUILDING 2
LAFAYETTE, CO 80026

1225 17th Street
Suite 150
Denver, CO 80202
United States

Tel 303.595.6585
Fax 303.825.6823

WSP
5613 DTC Parkway
Suite 500
Greenwood Village, CO 80111
Tel 303.694.4755

Compass Studio
1 Huntington Quadrangle
Suite 203
Melville, NY 11747

| △ | Date | Description |
|---|------------|---------------------------------|
| | 11/20/2020 | ISSUE FOR SCHEMATIC DESIGN |
| | 02/26/2021 | ISSUE FOR DESIGN DEVELOPMENT |
| | 05/21/2021 | ISSUE FOR PERMIT & CONSTRUCTION |

Seal / Signature



Project Name

MEDTRONIC

Project Number

003.7799.000


Scale

1/8" = 1'-0"

Description

PLUMBING UNDERFLOOR PLAN - BUILDING 1 - LEVEL 1 - SEGMENT A1

P.1-101-A1




© 2020 Gensler

| | |
|------------------|--|
| Seal / Signature | |
|------------------|--|



| | |
|--------------|--|
| Scale | |
| 1/8" = 1'-0" | |

P.1-101-A2 

A. REFER TO SHEET P.1-000 FOR PLUMBING LEGENDS, NOTES, AND ABBREVIATIONS

1 DOMESTIC WATER UP TO HOT/COLD PAN(S). PROVIDE ASSE 1024-LISTED DUAL CHECK VALVE ABOVE SLAB UPSTREAM OF HOT/COLD PAN CONNECTION(S).

2 FILTERED WATER UP TO C6, C9, C10, & C11. ROUTE 1/2" PIPING INSIDE CASEWORK TO EACH PIECE OF EQUIPMENT.

