Validations Quiz

Due No due date	Points 7	Questions 7	Time Limit None	
Allowed Attempts 3				

Instructions

It's time to check your knowledge! Use this quiz to create a custom study guide. Note any answers that were marked incorrect, so you can study the relevant material and try this quiz again.

If you don't know the answer to a question, please do not guess. Instead, select "I don't know". It's OK not to know everything and to admit when we're unsure.

Check the <u>Active Record Validations docs</u>
(https://guides.rubyonrails.org/active_record_validations.html) if you need help!

Take the Quiz Again

Attempt History

	Attempt	Time	Score	
KEPT	Attempt 2	2 minutes	7 out of 7	
LATEST	Attempt 2	2 minutes	7 out of 7	
	Attempt 1	17 minutes	5.75 out of 7	

(!) Answers will be shown after your last attempt

Score for this attempt: **7** out of 7 Submitted Aug 31 at 6:52pm This attempt took 2 minutes.

Question 1	1 / 1 pts
Which of the following Active Record methods will trigger model validations?	

.create	
destroy	
.new	
update	
.valdiate	
errors	
✓ .valid?	
save .save	

Question 2	1 / 1 pts
At what point in time in a model's lifecycle do validations run?	
Before an existing record in the database is updated	
When an existing record is found in the database	
☑ Before a new record is saved to the database	
Before an existing record is deleted from the database	
Before a new instance of the model is created	

Question 3 1 / 1 pts

Which of these validations is most appropriate for making sure that a model's name is not empty?

Check the Active Record Validations docs

(https://guides.rubyonrails.org/active_record_validations.html#validation-helpers)_if you need help!

validates :name, acceptance: true

validates :name, length: { minimum: 0 }

validates :name, inclusion: 1..10

Question 4	1 / 1 pts
Which of these validations is most appropriate for making sure to model's category must be either "Fruit" or "Vegetable"? Check the <u>Active Record Validations docs</u> (<a "vegetable"]="" fruit",="" href="https://guides.rubyonrails.org/active_record_validations.html#val</th><th></th></tr><tr><td>helpers) if you need help! validates :category, presence: { in: [" td="" }<=""><td></td>	
validates :category, must_be: ["Fruit", "Vegetable"]	
validates :category, inclusion: { in: ["Fruit", "Vegetable" }	
validates :category, one_of: ["Fruit", "Vegetable"]	

Question 5 1 / 1 pts

Which of these validations is most appropriate for making sure that a model's **title** is at least 20 letters long?

Check the <u>Active Record Validations docs</u>
(https://guides.rubyonrails.org/active_record_validations.html#validation-helpers) if you need help!

- validates :title, at_least: 20
- validates :title, minimum: 20
- validates :title, length: { minimum: 20 }
- validates :title, letters: { minimum: 20 }

Question 6 1 / 1 pts

```
Fill in the blank. What code would you need to write to return an arra
y of pre-formatted error messages if the dog is not valid?

def create
   dog = Dog.create(name: "Fezzik")
   if dog.valid?
     render json: dog, status: :created
   else
     render json: { errors: [blank] }, status: :unprocessable_entity
   end
end
```

dog.errors.full messages

Question 7	1 / 1 pts
Which of the following HTTP status codes should be returned to controller if a model's data is not valid?	from the
422 (Unprocessable Entity)	
404 (Not Found)	
500 (Internal Server Error)	
418 (I'm a teapot)	

Quiz Score: 7 out of 7

How do you feel about this lesson?



Have specific feedback?

<u>Tell us here! _(https://flatironschoolforms.formstack.com/forms/canvas_feedback?</u>
<u>CourseID=262&LessonID=1229&LessonType=quizzes&CanvasUserID=1914&Course=None)</u>