

2. Simulate the following scenario: the programmer submits the function to the tester. When the tester thinks there is no problem, he submits it to the technical director. When the technical director thinks there is no problem, he will notify the boss. After the boss is satisfied, the function can be online. the handle() method can be written like this:

```
void handle(String program) {  
    if("no bug".equals(program)){  
        //what to do  
    }else {  
        //what to do  
    }  
}
```

Please use the simple descriptive output to make the program clearer.

Boss

```
package experiment22_2;  
  
class Boss extends ReviewPerson{  
    private String NAME = "Boss";  
  
    @Override  
    public void handle(String program) {  
        if("no bug".equals(program)){  
            System.out.println(NAME + " thinks there is no  
problem. Going online!");  
            if(person != null){  
                person.handle(program);  
            }  
        }else{  
            System.out.println(NAME + ": Program has  
issues. Rejecting submission.");  
        }  
    }  
}
```

```
}  
  
}  
  
}
```

CTO

```
package experiment22_2;  
  
class CTO extends ReviewPerson{  
    private String NAME = "CTO";  
    @Override  
    public void handle(String program) {  
        if("no bug".equals(program)){  
            System.out.println(NAME + " thinks there is no  
problem, he will notify the boss.");  
            if(person != null){  
                person.handle(program);  
            }  
        }else{  
            System.out.println(NAME + ": Program has  
issues. Rejecting submission.");  
        }  
    }  
}
```

```
}  
}
```

ReviewPerson

```
package experiment22_2;  
  
abstract class ReviewPerson {  
    protected ReviewPerson person;  
  
    public void setPerson(ReviewPerson person) {  
        this.person = person;  
    }  
  
    public ReviewPerson getPerson() {  
        return person;  
    }  
  
    public abstract void handle(String program);  
}
```

Test

```
package experiment22_2;  
  
public class Test {  
    public static void main(String[] args) {  
        ReviewPerson tester = new Tester();  
    }  
}
```

```

        ReviewPerson cto = new CTO();

        ReviewPerson boss = new Boss();

        tester.setPerson(cto);

        cto.setPerson(boss);

        tester.handle("bug");

        tester.handle("no bug");

    }
}

```

Tester

```

package experiment22_2;

class Tester extends ReviewPerson{

    private String NAME = "Tester";

    @Override

    public void handle(String program) {

        if("no bug".equals(program)){

            System.out.println(NAME + " thinks there is no
problem, he will notify the cto.");

            if(person != null){

```

```
        person.handle(program);  
    }  
    }else{  
        System.out.println(NAME + ": Program has  
issues. Rejecting submission.");  
    }  
  
    }  
}
```

Output

```
D:\JDK\bin\java.exe "-javaagent:D:\idea\IntelliJ IDEA 2021.2.1  
Tester: Program has issues. Rejecting submission.  
Tester thinks there is no problem, he will notify the cto.  
CTO thinks there is no problem, he will notify the boss.  
Boss thinks there is no problem. Going online!  
  
Process finished with exit code 0
```