UX BLUEPRINT ENGINE V0.3.24 · REVISION 97

Jtech Website Blueprint Review Dossier

A human-readable and AI-ready snapshot of the product model, decisions, navigation, flows, screens, low-fidelity wireframes and unresolved work.

14 requirements	4 flows
7 screens	8 open questions
23 open findings	

Review stale screens · 0 pending proposals · 7 stale screens

Generated 2026-10-31T12:32:52.122Z. This dossier is a review snapshot; blueprint.json remains the re-importable source of truth.

01 · PRODUCT UNDERSTANDING

Executive overview

Problem

Prospective Jtech customers may lack the product knowledge and verified information needed to distinguish machine types, understand model suitability and supplied configurations, assess support availability, and choose a reliable next step toward buying.

Vision

A premium, product-led Jtech website that presents sewing machines authentically, makes technical differences understandable, and builds trust through clear product, business, configuration, and support information.

Primary outcome

A visitor identifies a potentially suitable machine, understands the available verified information and unresolved conditions, and submits a model-specific enquiry as the prototype buying handoff.

MVP boundary

A responsive public website architecture covering homepage, compact machine catalogue, one representative product-detail pattern, short model-specific enquiry, basic support/contact information, and lightweight location discovery. The first wireframe pass should prioritize the homepage and one product detail page. Transactions and operational service systems remain outside the MVP.

Status	Draft
Phase	Review
Platforms	web
Target users	Household buyers who may be unfamiliar with machine categories, stitch terminology, and model differences, Experienced sewing users evaluating specific capabilities, Existing owners seeking learning or support information, Retailers or wholesale buyers using the shared public journey
Constraints	The existing Jtech logo must be preserved., Brand-registration wording must remain owner-reported and must not be presented as a verified legal fact., Actual Jtech catalogue, specifications, configurations, prices, inventory, media, origin information, and capabilities await owner confirmation., Mock content and fictional locations must be visibly identified as such., Competitor content may be used only as labeled reference material and must not be relabeled as Jtech., Generated or reference imagery must not be treated as evidence of actual product performance., Machine head-only offers must be distinguished from packages containing a table, stand, motor, case, or accessories., Included components must be driven by verified data rather than inferred from photographs., Prototype enquiry submissions must be simulated., Motion must preserve navigation and actions, include a still-image fallback, and support reduced-motion and mobile use., Essential product, price-status, configuration, and support information must remain available without watching media or opening every disclosure., The current website must not imply that the proposed repair-partner or warranty network already exists.
Non-goals	Customer accounts, Direct checkout, cart, or payment processing, Coupons and wishlists, Retailer or wholesale portals, Repair-partner dashboards, Warranty verification or claim administration, A large learning-management system, Unsupported comparisons with competing brands, Claims that Jtech manufactures every machine component, Unverified reviews, ratings, certifications, guarantees, customer counts, or popularity claims
Approved versions	0

02 · DECISIONS AND UNCERTAINTY

What is settled and what still needs judgment

Confirmed decisions

Which primary sales route should the production website support?

Confirmed

[PROPOSED — PROTOTYPE ONLY] Use model-specific enquiry as the primary prototype route, carrying the selected model and configuration into the enquiry. Allow a secondary external-marketplace action as a candidate. The production sales route remains undecided until owner confirmation. Defer direct checkout infrastructure.

Reason: Answered by project owner

Which Jtech models, configurations, and intended buyer segments belong in the initial catalogue?

Confirmed

[ASSUMPTION — PROTOTYPE ONLY] Use a small curated sample catalogue of three clearly labeled demo models to test browsing and comparison. Include one example with different package configurations to test how included components are explained. Start with household buyers; preserve trade/wholesale interest as a secondary enquiry intent. Actual models, categories, configurations and audiences remain unconfirmed. Do not invent a broad catalogue or complex filters.

Reason: Answered by project owner

What verified data is available for each launch model?

Confirmed

[CONFIRMED — CURRENT KNOWLEDGE] No complete verified Jtech product dataset is available for this project yet. Use clearly labeled mock content during wireframing. Competitor material may serve as identified reference content, never as Jtech specifications. Actual capabilities, contents, limitations, origin and media require verification.

Reason: Answered by project owner

Will launch pages show prices, taxes, stock, delivery charges, and delivery coverage?

Confirmed

[PROPOSED — PROTOTYPE ONLY] Include clearly labeled mock prices and configuration-specific price changes so we can design a useful buying experience. Reserve fields for tax treatment, stock, delivery charges and coverage, with unknown/unavailable states. Whether production displays exact prices, indicative prices or price on enquiry remains undecided. Mock values must not become production facts.

Reason: Answered by project owner

Who receives production enquiries, through which channel, and what response should the visitor expect?

Confirmed

[ASSUMPTION — PROTOTYPE ONLY] Simulate phone or messaging follow-up. Collect a name, contact number, selected model/configuration and optional question. Request a pincode only when needed for a location-dependent enquiry. Do not send real messages. The production recipient, channel, routing and response time require owner confirmation; do not promise a response deadline.

Reason: Answered by project owner

What warranty, setup, repair, and local service coverage can Jtech currently verify?

Confirmed

[CONFIRMED — CURRENT KNOWLEDGE] Warranty, setup assistance, repair arrangements and authorized service coverage have not yet been documented for this project. Design a support summary and general contact route using explicit placeholders. Preserve the proposed local repair-partner network as deferred work. Do not publish invented warranty durations or service promises.

Reason: Answered by project owner

Which languages are required at launch, and which verified tutorials exist in those languages?

Confirmed

[ASSUMPTION — PROTOTYPE ONLY] Use English for the first wireframes and visual prototype. Keep the content structure ready for later localization. Kannada and Hindi are candidates, not confirmed launch requirements. No verified Jtech tutorial library has been supplied; use labeled media placeholders. Production languages and tutorial availability remain open.

Reason: Answered by project owner

How many verified sales or service locations will the initial website contain?

Confirmed

[CONFIRMED — CURRENT KNOWLEDGE] No production-ready list of verified locations and their capabilities has been supplied. For the prototype, use a few clearly fictional locations to explore list/map presentation and distinctions between sales, demonstrations and service. Do not imply actual authorization, coverage or distances. Verify real locations before publication.

Reason: Answered by project owner

Assumptions

The household buyer is the initial primary visitor for architecture and content prioritization.

Medium

No rationale recorded.

Experienced users, existing owners, and trade buyers can use the same public navigation and contact framework during the MVP.

Medium

No rationale recorded.

A model-specific enquiry is the safest temporary primary conversion path until the sales channel is confirmed.

High

No rationale recorded.

The initial catalogue can be browsed effectively without filters or a dedicated comparison tool.

Low

No rationale recorded.

The first structural pass can use one working language while preserving fields for future language variants.

Medium

No rationale recorded.

A lightweight location list or simple lookup is sufficient before verified service coverage and location volume are known.

Medium

No rationale recorded.

The representative product-detail wireframe may use visibly labeled mock fields or competitor reference structure without presenting the reference product as Jtech.

High

No rationale recorded.

The private prototype will simulate enquiry outcomes and will not send customer data to a live business system.

High

No rationale recorded.

Open questions

What primary sales route will the production website support?

Important

Follows from question_sales_route and decision_mumrs2r9_g4e8g4. Production confirmation is pending and will determine the primary action, destination behavior, operational ownership, and integrations; it does not block the private prototype using a simulated model-specific enquiry.

Options: Model-specific enquiry · Retailer or showroom route · External marketplace · Direct website checkout

Which models, configurations, and buyer segments are approved for the production launch catalogue?

Important

Follows from question_catalogue and decision_mumrs9se_gbiele. Production confirmation is pending and will determine catalogue structure, category depth, configuration presentation, and audience guidance; it does not block the private prototype using three clearly labeled demo models.

Options: Small verified range · Broad consumer range · Consumer and trade range

What verified product facts, suitability guidance, package contents, limitations, origin information, and approved media are available for each production launch model?

Important

Follows from question_product_truth and decision_mumrsfkr_jsa46y. Production confirmation is pending and is required to prevent mock, competitor, or generated material from becoming Jtech claims; it does not block the private prototype using explicitly labeled placeholders and reference content.

Options: Complete verified model records · Partially verified records · No verified records yet

What pricing policy, tax treatment, stock status, delivery charges, and delivery coverage will apply in production?

Important

Follows from question_commercial_terms and decision_mumrslrw_wr3mhk. Production confirmation is pending and will determine what commercial information appears near product actions and how it is maintained; it does not block the private prototype using clearly labeled mock values and unknown states.

Options: Verified full pricing · Indicative pricing · Price on enquiry

Who will receive production enquiries, through which channel, under what routing rules, and with what response expectations?

Important

Follows from question_enquiry_process and decision_mumrsqyg_l1mxvc. Production confirmation is pending and will determine form fields, consent language, delivery integration, routing, ownership, and success messaging; it does not block the private prototype using a simulated submission without a response-time promise.

Options: Central phone or messaging follow-up · Central email follow-up · Location-based routing

What warranty, setup assistance, repair arrangements, and service coverage can Jtech verify for production publication?

Important

Follows from question_support_coverage and decision_mumrsxaq_n892m9. Production confirmation is pending and is necessary to avoid unsupported service promises or implying that a proposed partner network exists; it does not block the private prototype using explicit pending placeholders and a general contact route.

Options: Verified service network · Verified limited direct support · Coverage remains undocumented

Which languages are required at production launch, and which tutorials are verified and approved in each language?

Safe Assumption

Follows from question_languages and decision_mumrt1z8_fs3l8s. Production confirmation is pending and will determine localization scope, content workflow, navigation, forms, media alternatives, and learning coverage; it does not block the English private prototype with labeled media placeholders.

Options: English only at launch · English plus selected local languages · Phased localization

Which production locations are verified, what capabilities does each provide, and what authorization may the website claim?

Important

Follows from question_location_scope and decision_mumrt87c_9cwkb7. Production confirmation is pending and will determine whether locations can be presented for sales, demonstrations, repairs, or authorized warranty service; it does not block the private prototype using clearly fictional examples.

Options: Few verified locations · Many verified locations · No publishable locations


Pending proposals

No pending proposals.

03 · INFORMATION ARCHITECTURE

Navigation and product areas

The proposed navigation keeps the MVP centered on discovery, decision support, enquiry, and service information. Choosing guidance begins on the homepage rather than creating a large separate content system. Support and locations remain distinct because visitors must be able to distinguish general help from location-specific service availability. Trade visitors use the shared public journey.



Primary

Machines

Machines

Destination: screen_machine_listing · 3 directly linked flows

Primary

Choosing Help

Homepage

Destination: screen_home → block_home_guided_entry · 1 directly linked flow

Documented behavior

- SamePageSectionNavigation: When activated from screen_home, access block_home_guided_entry directly.
- CrossPageSectionNavigation: When activated from another screen, navigate to screen_home and then access block_home_guided_entry.
- MobileMenuClosure: On mobile, close the navigation menu before navigation begins.
- StickyHeaderPositioning: Position block_home_guided_entry so its section heading remains visible below the sticky header.
- AccessibleFocusHandling: After navigation, move focus to the target section heading using accessible focus management.
- ReducedMotionBehavior: When reduced motion is requested, move immediately to the target section instead of using smooth scrolling.
- MissingSectionFallback: If block_home_guided_entry is unavailable, navigate to the top of screen_home and keep the homepage usable.

Annotations are documentation; the low-fidelity preview does not execute them.

Primary

Support

Support and Contact

Destination: screen_support · 1 directly linked flow

Primary

Locations

Locations

Destination: screen_locations · 1 directly linked flow

04 · USER JOURNEYS


Goal-directed flows

FLOW_DISCOVER_AND_ENQUIRE · ACTOR_HOUSEHOLD_BUYER

Discover a suitable machine and submit an enquiry

Proposed

Explore a representative demo machine and complete a simulated enquiry while the production model-and-configuration handoff remains a requirement.



Completion: The visitor sees a simulated enquiry outcome with clear recovery or browsing choices; production still requires selected model and configuration to carry from listing to detail to enquiry.

Conditions and recovery

Understand the offer: When Hero media may use a labeled placeholder; essential context and actions remain visible without playback. The interest examples are non-interactive demo guidance pending catalogue validation and do not recommend or map to particular models.. Recovery: If video is unavailable, fails, or motion is reduced, show the still-image fallback and preserve the same text and actions.

Scan the demo catalogue: When Cards show suitability, configuration type, mock price status, availability status, and verification labels without complex filters. The current prototype does not establish executable selected-model transfer.. Recovery: If the catalogue is empty or cannot load, explain that product information is unavailable and offer the general enquiry route.

Evaluate the representative machine: When All product facts are visibly labeled mock or pending until owner verification; one demo product may illustrate multiple package configurations. Production must carry the selected model and configuration onward, but that handoff is not established in this prototype.. Recovery: If media fails, retain text and fallback imagery. If the representative model is unavailable, disable misleading purchase language and offer alternatives or a general enquiry.

Submit a simulated enquiry: When The current prototype does not receive executable selected-model or configuration context. Pincode appears only for a location-dependent request; the interface states that prototype submission is simulated and is not an order.. Recovery: Identify invalid fields with text, preserve entered values, and allow correction. On simulated submission failure, retain all values and provide Retry or Contact support.


Review simulated confirmation: When No response deadline, live message delivery, selected-model transfer, payment, reservation, or order is implied.. Recovery: If confirmation details are unavailable, offer routes back to the enquiry and the demo catalogue without asserting automatic context detection.

FLOW_EXPERIENCED_EVALUATION · ACTOR_EXPERIENCED_BUYER

Evaluate technical suitability

Proposed

Inspect representative capability, setup, limitation, and configuration information before using the simulated enquiry.



Completion: The visitor submits a simulated enquiry after reviewing representative technical content, without unsupported claims or an implied executable model/configuration handoff.

Conditions and recovery

Browse models: When Only comparable, structured mock fields are shown; competitor reference data is not presented as Jtech data. The current prototype does not establish executable model selection.. Recovery: When a technical fact is missing, show Pending verification rather than substituting an inferred value.

Inspect details: When Essential facts remain visible without requiring media playback or opening every disclosure.. Recovery: If a specification or support term is unknown, provide an enquiry route; production must carry selected-model context, but this prototype does not establish that handoff.


Request clarification: When Selected-model and configuration transfer is a production requirement and is not executable in the current prototype.. Recovery: Preserve entered form values after validation or simulated submission failure; do not claim preservation of product context that was not transferred.

FLOW_FIND_SUPPORT · ACTOR_EXISTING_OWNER

Find an appropriate support route

Proposed

Distinguish available support purposes and find an appropriate contact or location route without assuming warranty coverage.



Completion: The visitor reaches the most appropriate available contact route while unverified service and warranty conditions remain explicit.

Conditions and recovery

Review support guidance: When Warranty, setup, repair arrangements, and authorized coverage are marked pending where not verified; no topic-selection behavior is assumed.. Recovery: If no verified route exists for the visitor's need, explain the limitation and offer general contact without promising service.

Review location availability: When Prototype entries explicitly state that they are fictional and do not establish authorization, coverage, or distance.. Recovery: If no location matches or location data is unavailable, return to general support contact and optionally collect a pincode in the enquiry.


Contact for clarification: When No warranty eligibility or service outcome is promised.. Recovery: On invalid input or simulated failure, preserve entries and allow retry or return to support guidance.

FLOW_TRADE_ENQUIRY · ACTOR_TRADE_BUYER

Submit a trade-interest enquiry

Proposed

Review the public range and identify the enquiry as trade or wholesale interest.



Completion: A simulated enquiry is confirmed with trade intent; no selected-model or configuration handoff is implied.

Conditions and recovery

Review the public range: When No separate pricing, permissions, trade portal, or executable selected-model transfer is assumed.. Recovery: If catalogue information is insufficient, use the direct Trade Enquiry navigation item, which enters the declared trade_enquiry state with enquiryIntent set to trade.

Identify trade intent: When nav_trade_enquiry preserves its trade_enquiry destination state and enquiryIntent="trade" form binding. The production recipient, commercial terms, routing, and response time remain unconfirmed.. Recovery: Retain form data after validation or simulated submission failure and allow retry.

05 · SCREEN MAP

Screen inventory and coverage

1 Proposed Stale

Homepage

Create a strong product impression, explain the Jtech offer, and provide immediate routes into machine discovery, choosing guidance, support, and locations.

screen_home · 11 states · 15 transitions

2 Proposed Stale

Machines

Present a compact catalogue of three clearly labeled demo models and help visitors choose a detail page without unsupported filters or comparisons.

screen_machine_listing · 7 states · 2 transitions

3 Proposed Stale

Representative Machine Detail

Help visitors determine whether a selected demo machine and configuration fit their intended work before starting an enquiry.

screen_product_detail · 11 states · 6 transitions

4 Proposed Stale

Product and Contact Enquiry

Collect the minimum information needed for a simulated phone or messaging follow-up while preserving selected product and configuration context.

screen_enquiry · 10 states · 4 transitions

5 Proposed Stale

Enquiry Confirmation

Confirm a successful simulated submission without implying an order, live delivery, or response deadline.

screen_enquiry_confirmation · 2 states · 2 transitions

6 Proposed Stale

Support and Contact

Distinguish sales, demonstrations, general repairs, and authorized warranty service while presenting unverified coverage as pending.

screen_support · 5 states · 2 transitions

7 Proposed Stale

Locations

Demonstrate lightweight location discovery and service-type distinctions using clearly fictional prototype entries.

screen_locations · 7 states · 2 transitions

06 · WIREFRAME CONTRACTS

Rendered screens and states

These are semantic low-fidelity contracts. They communicate responsibility, hierarchy, information, actions, states and transitions—not final branding or pixel-perfect UI.

SCREEN 1 · SCREEN_HOME

Homepage

Proposed


Needs refresh


Rendered

Create a strong product impression, explain the Jtech offer, and provide immediate routes into machine discovery, choosing guidance, support, and locations.

DEFAULT

LOADING




‹
Jtech website navigation
•••
Machines
→ screen_machine_listing
Media placeholder
Product Media With Still Fallback
Find your next sewing machine
Explore machines, understand what's included, and find out what to consider before choosing.
Private prototype — sample products and details.
Explore machines
→ screen_machine_listing
Help me choose
→ screen_home → block_home_guided_entry
What would you like to sew?
Start with the projects you have in mind.
Everyday repairs and alterations
Learning to sew
Creative sewing projects
Illustrative interests; model suitability is not yet verified.
Explore all machines
→ screen_machine_listing
Explore the demo range
Three sample models for exploring the catalogue.
Demo model 1
Sample product — details awaiting confirmation.
Demo model 2
Sample product — details awaiting confirmation.
Demo model 3
Sample product — details awaiting confirmation.
View machine details
→ screen_product_detail
See the details in action
Product demonstrations will appear here.

Media placeholder — no verified demonstration is currently available.

See product details

→ screen_product_detail

Know what you're choosing

Product details, package contents and support information are awaiting confirmation.

View support information

→ screen_support

View locations

→ screen_locations

EMPTY

Machine information is not available

No demo machine summaries are available. Visitors can use the support route while catalogue information is prepared.

Contact support

→ screen_support

ERROR

Homepage information could not be loaded


Product information is temporarily unavailable. Continue to support information.

View support information


→ screen_support

MEDIA LOADING


MEDIA PLAYING




MEDIA PAUSED




MEDIA FAILED WITH STILL FALLBACK




MISSING MEDIA




REDUCED MOTION


Product media is pending
No verified product media has been supplied. Show a clearly labeled placeholder without making product-performance claims.

MOBILE


Static demo machine presentation



Media placeholder
Product Media With Still Fallback

Find your next sewing machine

Explore machines, understand what's included, and find out what to consider before choosing.

Private prototype — sample products and details.

Explore machines

→ screen_machine_listing

Help me choose

→ screen_home → block_home_guided_entry

What would you like to sew?
Start with the projects you have in mind.

- **Everyday repairs and alterations**
- **Learning to sew**
- **Creative sewing projects**
- **Illustrative interests; model suitability is not yet verified.**

Explore all machines

→ screen_machine_listing

Explore the demo range

Three sample models for exploring the catalogue.

Demo model 1
Sample product — details awaiting confirmation.

Demo model 2
Sample product — details awaiting confirmation.

Demo model 3
Sample product — details awaiting confirmation.

View machine details


→ screen_product_detail

See the details in action
Product demonstrations will appear here.

Media placeholder — no verified demonstration is currently available.

See product details

→ screen_product_detail



Route	/
Platform	responsive
Primary action	action_explore_machines
States	default, loading, empty, error, media_loading, media_playing, media_paused, media_failed_with_still_fallback, missing_media, reduced_motion, mobile
Requirements	req_product_discovery, req_product_led_home, req_suitability, req_configuration, req_trust, req_reference_integrity, req_resilience, req_accessibility
Flows	Discover a suitable machine and submit an enquiry
Actors	actor_household_buyer, actor_experienced_buyer, actor_existing_owner, actor_trade_buyer

Transitions

1. **Explore machines** → screen_machine_listing
2. **Explore all machines** → screen_machine_listing
3. **View machine details** → screen_product_detail
4. **See product details** → screen_product_detail
5. **View support information** → screen_support
6. **View locations** → screen_locations
7. **Machines** → screen_machine_listing
8. **Support** → screen_support
9. **Locations** → screen_locations
10. **Contact support** → screen_support
11. **View support information** → screen_support
12. **Machines** → screen_machine_listing
13. **Support** → screen_support
14. **Locations** → screen_locations
15. **Help me choose** → screen_home → block_home_guided_entry

Section target is represented and highlighted by the workspace preview; scrolling, sticky-header offsets, animation and focus movement are not executed.

Contract blocks

topbar:Jtech website navigation · hero:Find your next sewing machine · button:Help me choose · card:What would you like to sew? · list:Explore the demo range · card:See the details in action · banner:Know what you're choosing · button:View locations · loading:Loading homepage information · empty:Machine information is not available · error:Homepage information could not be loaded ·

loading:Loading product media · action_bar:Product media is playing · action_bar:Product media is paused · error:Product media could not play · empty:Product media is pending · image:Static demo machine presentation · bottom_nav:Mobile navigation

SCREEN 2 · SCREEN_MACHINE_LISTING

Machines


Proposed

Needs refresh


Rendered

Present a compact catalogue of three clearly labeled demo models and help visitors choose a detail page without unsupported filters or comparisons.

DEFAULT



LOADING



EMPTY

PARTIAL DATA

No machine information available

The prototype catalogue is currently unavailable. You can still make a general enquiry using the prototype form.

Contact Jtech


→ screen_enquiry

UNAVAILABLE PRODUCT


Partial Data


State declared, but no custom blocks are defined.

MISSING MEDIA


Unavailable Product
State declared, but no custom blocks are defined.

MOBILE


Missing Media
State declared, but no custom blocks are defined.



Route	/machines
Platform	responsive
Primary action	action_view_machine
States	default, loading, empty, partial_data, unavailable_product, missing_media, mobile
Requirements	req_product_discovery, req_suitability, req_configuration, req_content_reuse, req_reference_integrity, req_resilience, req_accessibility, req_catalogue_controls
Flows	Discover a suitable machine and submit an enquiry, Evaluate technical suitability, Submit a trade-interest enquiry
Actors	actor_household_buyer, actor_experienced_buyer, actor_trade_buyer

Transitions

1. **View details** → screen_product_detail
2. **Contact Jtech** → screen_enquiry

Contract blocks

page_intro:Explore the demo machines · lightweight_guidance:Before choosing a machine · product_card_collection:Product Card Collection · empty_state:No machine information available

SCREEN 3 · SCREEN_PRODUCT_DETAIL

Representative Machine Detail

Proposed


Needs refresh

Rendered

Help visitors determine whether a selected demo machine and configuration fit their intended work before starting an enquiry.

DEFAULT

LOADING



Product breadcrumb

Home → Machines → Current demo model

- **Home**
- **Machines**
- **Current demo model**

Home

→ screen_home

Explore all machines

→ screen_machine_listing

Demo machine overview

Preview the information a machine detail page will provide before making an enquiry.

- **Private prototype — sample product details.**
- **Model selection is not available in this preview.**
- **Suitability and specifications: awaiting confirmation.**
- **Configuration and included items: awaiting confirmation.**
- **Price, tax, availability and delivery: awaiting confirmation.**
- **Warranty and support terms: awaiting confirmation.**

Ask about this machine

→ screen_enquiry

A closer look

Product photos and videos will appear here. Verified media is not yet available in this prototype.

What comes with the machine?

Available configurations and package contents are awaiting confirmation. A table, stand, motor, case or accessories should not be assumed to be included. Configuration selection is not available in this prototype.

Is it right for your sewing?

Suitable projects, experience level, limitations and setup requirements are awaiting confirmation. Describe what you would like to sew in your enquiry.

Machine specifications

Verified technical specifications are not yet available.

Learning to use your machine

Verified demonstrations, setup guides and tutorials are not yet available. You can include a usage question in the prototype enquiry form.

Ask a product question

→ screen_enquiry

Support and service

Warranty terms, setup assistance, repair arrangements and service coverage are awaiting confirmation. Explore the support and locations pages for the current prototype information.

View support options

→ screen_support

View locations

→ screen_locations

Other machines to consider


Model differences and suitability are awaiting confirmation. No model-specific alternatives are recommended in this prototype.

Explore all machines


→ screen_machine_listing

PARTIAL DATA

MISSING MEDIA



MEDIA FAILED WITH STILL FALLBACK



REDUCED MOTION

Media Failed With Still Fallback


State declared, but no custom blocks are defined.

CONFIGURATION SELECTED


Reduced Motion

State declared, but no custom blocks are defined.


CONFIGURATION UNAVAILABLE




PRODUCT UNAVAILABLE



PRODUCT NOT FOUND


Product Unavailable
State declared, but no custom blocks are defined.

MOBILE


Product Not Found
State declared, but no custom blocks are defined.

Product breadcrumb

Home → Machines → Current demo model

- **Home**
- **Machines**
- **Current demo model**

Home

→ screen_home

Explore all machines

→ screen_machine_listing

Demo machine overview

Preview the information a machine detail page will provide before making an enquiry.

- **Private prototype — sample product details.**
- **Model selection is not available in this preview.**
- **Suitability and specifications: awaiting confirmation.**
- **Configuration and included items: awaiting confirmation.**
- **Price, tax, availability and delivery: awaiting confirmation.**
- **Warranty and support terms: awaiting confirmation.**

Ask about this machine

→ screen_enquiry

A closer look

Product photos and videos will appear here. Verified media is not yet available in this prototype.

What comes with the machine?

Available configurations and package contents are awaiting confirmation. A table, stand, motor, case or accessories should not be assumed to be included. Configuration selection is not available in this prototype.


Is it right for your sewing?

Suitable projects, experience level, limitations and setup requirements are awaiting confirmation. Describe what you would like to sew in your enquiry.

Machine specifications

Verified technical specifications are not yet available.

Learning to use your machine



Route	/machines/:modelId
Platform	responsive
Primary action	action_ask_about_machine
States	default, loading, partial_data, missing_media, media_failed_with_still_fallback, reduced_motion, configuration_selected, configuration_unavailable, product_unavailable, product_not_found, mobile
Requirements	req_suitability, req_configuration, req_product_detail, req_enquiry, req_support_clarity, req_local_service, req_trust, req_content_reuse, req_reference_integrity, req_resilience, req_accessibility
Flows	Discover a suitable machine and submit an enquiry, Evaluate technical suitability
Actors	actor_household_buyer, actor_experienced_buyer, actor_existing_owner, actor_trade_buyer

Transitions

1. **Ask about this machine** → screen_enquiry
2. **View support options** → screen_support
3. **View locations** → screen_locations
4. **Explore all machines** → screen_machine_listing
5. **Ask a product question** → screen_enquiry
6. **Home** → screen_home

Contract blocks

card:Product breadcrumb · product_decision_summary:Demo machine overview · product_media_gallery:A closer look · configuration_selector:What comes with the machine? · suitability_and_limitations:Is it right for your sewing? · structured_specifications:Machine

specifications · demonstration_and_learning:Learning to use your machine · support_summary:Support and service · related_jtech_models:Other machines to consider

SCREEN 4 · SCREEN_ENQUIRY

Product and Contact Enquiry

Proposed

Needs refresh

Rendered

Collect the minimum information needed for a simulated phone or messaging follow-up while preserving selected product and configuration context.

DEFAULT

About your enquiry.
You can ask a general or trade question without choosing a machine or configuration.

Change machine

→ screen_machine_listing

Contact Jtech

Ask about machines, trade enquiries or support.

Notice: Private prototype — use sample contact details. Nothing will be sent to Jtech. This enquiry is not an order.

Name
text · required · max 100

Contact number
tel · required · format phone

What would you like help with?
select · required · context enquiryIntent
Options: General enquiry (general), Machine enquiry (product), Support enquiry (support), Trade enquiry (trade)

Your question or intended use
textarea · optional · max 1000

Pincode (optional)
text · optional · format pincode
For questions about delivery or local support.

I understand this is a simulated enquiry and no contact request will be sent.
checkbox · required

Submit simulated enquiry

Success destination: screen_enquiry_confirmation

Preview behavior: simulated; invalid=invalid_input; submitting=submitting; failure=submission_failed; preserve values=true. The dossier documents this contract but does not execute it. Entered preview values are never included.

GENERAL ENQUIRY

PRODUCT CONTEXT LOADED

Contact Jtech

Ask about machines, trade enquiries or support.

Notice: Private prototype — use sample contact details. Nothing will be sent to Jtech. This enquiry is not an order.

Name
text · required · max 100

Contact number
tel · required · format phone

What would you like help with?
select · required · context enquiryIntent
Options: General enquiry (general), Machine enquiry (product), Support enquiry (support), Trade enquiry (trade)

Your question or intended use
textarea · optional · max 1000

Pincode (optional)
text · optional · format pincode
For questions about delivery or local support.

I understand this is a simulated enquiry and no contact request will be sent.
checkbox · required

Submit simulated enquiry

Success destination: screen_enquiry_confirmation

Preview behavior: simulated; invalid=invalid_input; submitting=submitting; failure=submission_failed; preserve values=true. The dossier documents this contract but does not execute it. Entered preview values are never included.

SUPPORT ENQUIRY

Contact Jtech

Ask about machines, trade enquiries or support.

Notice: Private prototype — use sample contact details. Nothing will be sent to Jtech. This enquiry is not an order.

Name
text · required · max 100

Contact number
tel · required · format phone

What would you like help with?
select · required · context enquiryIntent
Options: General enquiry (general), Machine enquiry (product), Support enquiry (support), Trade enquiry (trade)

Your question or intended use
textarea · optional · max 1000

Pincode (optional)
text · optional · format pincode
For questions about delivery or local support.

I understand this is a simulated enquiry and no contact request will be sent.
checkbox · required

Submit simulated enquiry

Success destination: screen_enquiry_confirmation

Preview behavior: simulated; invalid=invalid_input; submitting=submitting; failure=submission_failed; preserve values=true. The dossier documents this contract but does not execute it. Entered preview values are never included.

TRADE ENQUIRY

Contact Jtech

Ask about machines, trade enquiries or support.

Notice: Private prototype — use sample contact details. Nothing will be sent to Jtech. This enquiry is not an order.

Name
text · required · max 100

Contact number
tel · required · format phone

What would you like help with?
select · required · context enquiryIntent
Options: General enquiry (general), Machine enquiry (product), Support enquiry (support), Trade enquiry (trade)

Your question or intended use
textarea · optional · max 1000

Pincode (optional)
text · optional · format pincode
For questions about delivery or local support.


I understand this is a simulated enquiry and no contact request will be sent.
checkbox · required

Submit simulated enquiry


Success destination: screen_enquiry_confirmation

Preview behavior: simulated; invalid=invalid_input; submitting=submitting; failure=submission_failed; preserve values=true. The dossier documents this contract but does not execute it. Entered preview values are never included.


LOCATION DEPENDENT




INVALID INPUT




SUBMITTING




SUBMISSION FAILED



MOBILE





Route	/enquiry
Platform	responsive
Primary action	action_submit_enquiry
States	default, product_context_loaded, general_enquiry, support_enquiry, trade_enquiry, location_dependent, invalid_input, submitting, submission_failed, mobile
Requirements	req_enquiry, req_support_clarity, req_trust, req_resilience, req_accessibility
Flows	Discover a suitable machine and submit an enquiry, Evaluate technical suitability, Find an appropriate support route, Submit a trade-interest enquiry
Actors	actor_household_buyer, actor_experienced_buyer, actor_existing_owner, actor_trade_buyer

Transitions

1. **Submit simulated enquiry** → screen_enquiry_confirmation
2. **action_retry_enquiry** → screen_enquiry
3. **Change machine** → screen_machine_listing
4. **View contact guidance** → screen_support

Contract blocks

enquiry_summary:About your enquiry. · form:Contact Jtech · card:Need help with your enquiry? · error:The simulated enquiry could not be completed.

SCREEN 5 · SCREEN_ENQUIRY_CONFIRMATION

Enquiry Confirmation

Proposed Needs refresh

Rendered

Confirm a successful simulated submission without implying an order, live delivery, or response deadline.

SUCCESS

Simulation complete
No enquiry was sent and no order was placed.

Continue browsing

→ screen_machine_listing

MISSING CONFIRMATION CONTEXT

No confirmation details are available.
Return to the enquiry or browse the demo machines.

Return to enquiry

→ screen_enquiry

Browse machines

→ screen_machine_listing

Route	/enquiry/confirmation
Platform	responsive
Primary action	action_confirmation_continue
States	success, missing_confirmation_context
Requirements	req_enquiry, req_resilience, req_accessibility
Flows	Discover a suitable machine and submit an enquiry, Evaluate technical suitability, Find an appropriate support

	route, Submit a trade-interest enquiry
Actors	actor_household_buyer, actor_experienced_buyer, actor_existing_owner, actor_trade_buyer

Transitions

1. **Continue browsing** → screen_machine_listing
2. **Return to enquiry** → screen_enquiry

Contract blocks

success_summary:Simulation complete · empty:No confirmation details are available.

SCREEN 6 · SCREEN_SUPPORT

Support and Contact

Proposed

Needs refresh

Rendered

Distinguish sales, demonstrations, general repairs, and authorized warranty service while presenting unverified coverage as pending.

DEFAULT

How can we help?
Ask about buying a machine, demonstrations, repairs, warranty or trade enquiries. Service availability and terms are awaiting confirmation.

Contact about this

→ screen_enquiry

Support information
Warranty terms, setup assistance, repair arrangements and authorized service coverage are awaiting confirmation. A repair-partner network is not currently confirmed.

Learning resources
Verified tutorials are not yet available in this prototype. Resource languages are awaiting confirmation.

Locations and available services
Location details and the services available at each location are awaiting confirmation.

View locations


→ screen_locations

PARTIAL VERIFIED INFORMATION


Partial Verified Information
State declared, but no custom blocks are defined.


NO VERIFIED COVERAGE

LOADING


No Verified Coverage
State declared, but no custom blocks are defined.

MOBILE


Loading
State declared, but no custom blocks are defined.



Route	/support
Platform	responsive
Primary action	action_contact_support
States	default, partial_verified_information, no_verified_coverage, loading, mobile
Requirements	req_support_clarity, req_local_service, req_trust, req_resilience, req_accessibility
Flows	Find an appropriate support route
Actors	actor_household_buyer, actor_experienced_buyer, actor_existing_owner, actor_trade_buyer

Transitions

1. **Contact about this** → screen_enquiry
2. **View locations** → screen_locations

Contract blocks

support_route_selector:How can we help? · coverage_disclosure:Support information · learning_resource_links:Learning resources · location_route:Locations and available services

SCREEN 7 · SCREEN_LOCATIONS

Locations

Proposed Needs refresh

Rendered

Demonstrate lightweight location discovery and service-type distinctions using clearly fictional prototype entries.

DEFAULT

Prototype locations

These fictional examples demonstrate the page layout. They are not real Jtech locations or confirmed service points.

Example locations

Real location details and available services are awaiting confirmation.

Demo location A — fictional example. Address, opening hours and available services are not provided.

Demo location B — fictional example. Address, opening hours and available services are not provided.

Ask about service near me

→ screen_enquiry

Map preview

This is a non-interactive placeholder. No real locations or directions are shown.


LOADING

Loading


State declared, but no custom blocks are defined.

EMPTY

PARTIAL DATA




LIST VIEW



MAP PLACEHOLDER


List View
State declared, but no custom blocks are defined.
Map Placeholder
State declared, but no custom blocks are defined.

MOBILE



Route	/locations
Platform	responsive
Primary action	action_location_contact
States	default, loading, empty, partial_data, list_view, map_placeholder, mobile
Requirements	req_local_service, req_support_clarity, req_trust, req_resilience, req_accessibility
Flows	Find an appropriate support route
Actors	actor_household_buyer, actor_existing_owner

Transitions

1. **Ask about service near me** → screen_enquiry
2. **Contact support** → screen_enquiry

Contract blocks

prototype_disclosure:Prototype locations · location_list:Example locations · optional_map_placeholder:Map preview · empty_state:No location information available

SEO and platform handoff

SEO, ASO and platform handoff

Project: jtech-website_mumoh81i_qeb89e · revision 97 · engine 0.3.24
Platform mode: website. Engine operating guidance; not an approved product decision.

Page inventory

Page / ID	Question or job	Surface / search role	Query / evidence	Intent / type	Route	Parent
Homepage / screen_home	What does Jtech offer, and where should I start when choosing a sewing machine?	public_web / targeted	UNVERIFIED / unverified	find_us / pillar	/	None recorded
Machines / screen_machine_listing	Which Jtech sewing machine might suit my intended work and required configuration?	public_web / targeted	UNVERIFIED / unverified	compare / pillar	/machines	None recorded
Representative Machine Detail / screen_product_detail	Is this specific Jtech machine and configuration suitable for the work I intend to do?	public_web / targeted	UNVERIFIED / unverified	buy / product_screen	/machines/:modelId	screen_machine_listing
Product and Contact Enquiry / screen_enquiry	How can I submit a product, support, general, or trade enquiry?	public_web / not_applicable	N/A — no search target / not_applicable	product_task / standalone	/enquiry	None recorded
Enquiry Confirmation / screen_enquiry_confirmation	Was my simulated enquiry completed, and what can I do next?	public_web / not_applicable	N/A — no search target / not_applicable	product_task / standalone	/enquiry/confirmation	None recorded
Support and Contact / screen_support	Which Jtech contact or support route fits my sales, demonstration, repair, warranty, or trade need?	public_web / targeted	UNVERIFIED / unverified	learn / standalone	/support	None recorded
Locations / screen_locations	Where can I find verified Jtech sales, demonstration, or service locations and understand what each provides?	public_web / targeted	UNVERIFIED / unverified	local / standalone	/locations	None recorded

Ordered section delivery plans

Homepage (screen_home)
- block_home_hero: heading 1; text; no-JavaScript delivery: required; verification pending. Intended opening answer and primary route into machine discovery; current sample content is not production-ready evidence.
- block_home_guided_entry: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_home_featured_models: heading 2; text; no-JavaScript delivery: required; verification pending. Demo products must remain visibly identified until verified production records replace them.
- block_home_product_story: heading 2; image; no-JavaScript delivery: required; verification pending. Provide a still and text equivalent; media is currently unverified.
- block_home_trust: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_home_locations_action: heading none; interactive; no-JavaScript delivery: not_required — FLAG: review for public search content; verification pending. Existing action routes to the fictional prototype locations screen.
Machines (screen_machine_listing)
- block_listing_intro: heading 1; text; no-JavaScript delivery: required; verification pending. Current entries are samples and are not approved production SEO content.
- block_listing_guidance: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_listing_cards: heading 2; text; no-JavaScript delivery: required; verification pending. Keep model links crawlable in production. No filter, sort, pagination, canonical, or page-2 policy is currently required for the three-item prototype.
- block_listing_empty_recovery: heading 2; interactive; no-JavaScript delivery: not_required — FLAG: review for public search content; verification pending.
Representative Machine Detail (screen_product_detail)
- block_detail_summary: heading 1; text; no-JavaScript delivery: required; verification pending. The current /machines/:modelId route remains unchanged. Future production model URLs should use stable, unique, lowercase, hyphenated model-name slugs. Route generation, identifier mapping, canonical handling, and any redirects remain subject to implementation review. Production also needs unique verified content, unavailable-model behavior, and an indexing decision for each instance.

- block_detail_media: heading 2; image; no-JavaScript delivery: required; verification pending. Media must remain labeled as unverified until approved.
- block_detail_configuration: heading 2; interactive; no-JavaScript delivery: required; verification pending. Core configuration and included-item information must be present without requiring interaction. Head-only and package choices stay on the same product URL and do not create separate indexable URLs.
- block_detail_suitability: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_detail_specs: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_detail_learning: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_detail_support: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_detail_alternatives: heading 2; text; no-JavaScript delivery: required; verification pending.
Product and Contact Enquiry (screen_enquiry)
- block_enquiry_context: heading 1; text; no-JavaScript delivery: required; verification pending. The page remains public_web; proposed non-indexability is deferred and not persisted.
- block_enquiry_form: heading 2; interactive; no-JavaScript delivery: not_required — FLAG: review for public search content; verification pending. Existing contracts describe simulated submission and some context fields, but production data binding and delivery are not verified.
- block_enquiry_error: heading 2; interactive; no-JavaScript delivery: not_applicable; verification pending.
- block_enquiry_submission_failed: heading 2; interactive; no-JavaScript delivery: not_applicable; verification pending.
Enquiry Confirmation (screen_enquiry_confirmation)
- block_confirmation_summary: heading 1; text; no-JavaScript delivery: not_applicable; verification pending. Proposed non-indexability is deferred and not persisted. The page must not imply a real submission, order, or response deadline.
Support and Contact (screen_support)
- block_support_route_types: heading 1; interactive; no-JavaScript delivery: required; verification pending. Support choices and their explanations should remain understandable without interaction.
- block_support_pending_terms: heading 2; text; no-JavaScript delivery: required; verification pending. Warranty, setup, repair, service coverage, and authorization remain unverified.
- block_support_learning: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_support_locations: heading 2; text; no-JavaScript delivery: required; verification pending.
Locations (screen_locations)
- block_locations_notice: heading 1; text; no-JavaScript delivery: required; verification pending. Current entries are fictional and are not approved production SEO content. Production indexing remains conditional on verified locations, capabilities, and authorization.
- block_locations_list: heading 2; text; no-JavaScript delivery: required; verification pending.
- block_locations_map: heading 2; image; no-JavaScript delivery: not_required — FLAG: review for public search content; verification pending. The map is a non-interactive placeholder and does not establish real geographic information.
- block_locations_empty: heading 2; interactive; no-JavaScript delivery: not_required — FLAG: review for public search content; verification pending.

Gaps and review checks

- screen_home: Search target is unverified; demand is not established.
- screen_machine_listing: Search target is unverified; demand is not established.
- screen_product_detail: Search target is unverified; demand is not established.
- screen_support: Search target is unverified; demand is not established.
- screen_locations: Search target is unverified; demand is not established.

Guardrails for the idea chat and UI Studio

SEO STARTER TEMPLATE HANDOFF — only when seo-starter is the chosen web implementation target:
Use optional screen.pagePlan.starterPack and the supplied schema. Keep path in screen.route, query/evidence in pagePlan, and hierarchy in parentScreenId. Do not invent registry values or rewrite approved routes to satisfy the template. Use template-specific intent/pageType classifications when the general page plan has no exact mapping. UNVERIFIED and N/A are planning markers, never final unique search queries ready for lib/routes.ts.
The corrected template brief reports these nine requirements: search content delivered in initial HTML; one H1 conveying the query subject naturally without exact-string matching; direct opening answer; independently understandable sections; one semantic instance

of content; images via Img.tsx with alt and reserved dimensions, hero priority; real anchor navigation; structured data limited to real visible content; distinct value or product job for every page. Apply them to web handoff planning, not native app UI.
Carry the five registry fields plus draft title/description, opening answer, ordered section headings, image slots, internal links and interactive leaves. Draft title maximum 60 and description 140..160 are supplied template constraints, not universal SEO laws. Never fabricate keywords to pass unique-query checks. A private_web page always exports indexable false. Non-indexable placeholder queries (UNVERIFIED or N/A) export as null; real query text is preserved. Never invent a query for login, checkout or account. An unknown public query stays unverified, never silently becomes not_applicable. Metadata exports are drafts for review, not approved publication values.
Duplicate query wording is a conflict for intent review, not authority to merge pages or rewrite keywords to pass a gate. clusterParent creates neither a visible breadcrumb nor a real link. Identify the existing visible breadcrumb via starterPack.breadcrumbBlockId, and plan parent/child anchors in saved blocks/actions as well as link annotations. Plan 404 recovery and meaningful empty states with existing screen/state contracts, not an artificial separate page for every empty state.
For listing screens set pagePlan.parameterizedFamily when pagination, filters or sorts form a URL family. In existing section notes document parameter combinations, canonical destinations, indexing/noindex choices, page 2+ policy and crawlable pagination links; keep unresolved policy explicit. This flag does not generate routes or executable canonicals.
Sections use existing pagePlan.sections; heading may record intended semantic copy without changing rendered block labels. Image slots and internalLinks are annotations, not assets or executable transitions. Interactive leaves describe client boundaries and server-delivered content; runtime widgets may still need JavaScript. Existing navigation and transitions remain the executable preview source.
The supplied starter source was inspected on 24 October 2026. Static checks accept null queries only on non-indexable routes; descriptions below 140 warn, above 160 fail. The render check skips non-indexable routes and checks nonempty H1 count, not literal query matching. Per-project gate execution is recorded separately; source inspection is not production proof. Do not assert that this preview is production HTML, that metadata is generated correctly, or that field/performance targets have passed. Verify lib/routes.ts, Img.tsx and actual build gates in the implementation repository. Do not hand-write duplicate SEO infrastructure. Preserve routes; any proposed route change needs an explicit redirect plan. No quantified AI citation claim or guaranteed ranking loss from a route change is established by this brief.
DISCOVERY AND PLATFORM GUARDRAILS — apply throughout planning, discussion and review:
Minimize owner coordination: recommend a coherent journey and sensible reversible defaults, labelled proposed, rather than a questionnaire about routine choices. Ask only about material business, privacy, safety, platform or irreversible tradeoffs. Never silently convert assumptions into approved decisions.
Separate responsive website, installed app, both and undecided. Legacy mobile/tablet flags indicate device targets, not proof of an installed app. Infer a proposed direction from the brief when needed; do not invent approval. Both does not imply a WebView or identical layouts.
Before drawing new contracts, plan each page's user question/product job, surface, search role, intent, route, parent relationship and search evidence in optional screen.pagePlan. Use the supplied schema. Reuse screen IDs, purpose and route. Missing plans on old projects are review gaps, not permission to regenerate. Complete a coherent initial journey in one request where possible.
Public search-facing pages: answer the main question early in real text; use one clear H1 as a house convention and logical headings. Use meaningful parent/child groupings only where useful. Plan parent-to-child links, child breadcrumbs/backlinks and relevant cross-links using existing navigation/transitions; a parentScreenId alone does not execute a link. Avoid orphan pages and overlapping purposes. Never make filler pages to populate navigation or one thin page per keyword.
Search targets: unresearched candidates remain unverified; use UNVERIFIED when unknown. User-supplied is not researched demand. Never invent volume, popularity, citations, testimonials, prices or ratings. Product-task/private/app screens may use N/A and product_task instead of SEO targeting. Do not impose website headings, URLs or no-JavaScript rules on native app screens.
URLs: descriptive, stable, lowercase/hyphenated where appropriate. Three-to-five words, folder depth and no IDs/dates are preferences, not hard SEO laws. Do not rename existing routes without an inspected change and old-to-new redirect requirement. Redirects are implementation tasks, not executed by this engine.
Content: reuse the same semantic content across responsive presentations; do not duplicate desktop/mobile bodies. Tabs/accordions may organize existing content; important search content must not require interaction to fetch. Long searchable lists need crawlable pagination requirements. Navigation on the production web uses real links; local actions such as Submit/Retry use controls, not artificial navigation.
Sections: after blocks exist, supply pagePlan.sections in order with blockId, headingLevel (0 for no heading), contentType and noJsRequirement. For public search content prefer required; for app-only use not_applicable. These are intended delivery requirements, never verified claims. Asset notes describe the actual needed image and aspect ratio; labelled wireframe placeholders are allowed. Reserve media space; prefer a still-first hero and optional playback, but do not overturn approved video decisions silently.
Web plus app: review direct arrival, shared data/identity, cross-surface links, authentication, missing app fallback, receiving bindings

and back/cancel behavior together. A route or prose data-passing description does not establish executable handoff.
ASO handoff: distinguish store listing promises/screenshots from in-app UX. Plan honest onboarding, meaningful permission timing, task completion and recovery. Do not imply engagement or retention guarantees rankings. No ASO dashboard is needed here.
Evidence: this engine represents discovery requirements. Production SSR/SSG, semantic HTML, metadata, canonical URLs, sitemaps, robots, redirects, structured data, accessibility and performance require separate implementation checks. Never infer SEO compliance from the JavaScript wireframe preview, a saved route, or passing repository tests. A stale flag calls for impact assessment, not automatic regeneration. Preserve accepted edits.

Starter template handoff

Project jtech-website_mumoh81i_qeb89e · revision 97 · engine 0.3.24

Corrected Starter_Pack_Brief_For_Wireframing(2).md and seo-starter source inspected 24 October 2026; see release evidence for gate runs, not evidence for this project
Only pages explicitly carrying pagePlan.starterPack. Absence is not a failed project or authorization to migrate.

screen_home


```json
{
  "screenId": "screen_home",
  "registry": {
    "path": "/",
    "targetQuery": null,
    "indexable": false,
    "intent": "navigational",
    "pageType": "pillar",
    "clusterParent": null,
    "title": "Jtech Sewing Machines | Find Your Next Sewing Machine",
    "description": "Explore Jtech sewing machines, understand what's included and what to consider before choosing, then ask about a machine. Private prototype with sample content."
  },
  "metadataReview": {
    "title": "draft_for_review",
    "description": "draft_for_review",
    "publicationApproval": "not_recorded"
  },
  "breadcrumbPlan": {
    "blockId": null,
    "initialState": "default",
    "visibleInSavedComposition": false,
    "productionAnchorVerified": false
  },
  "parameterizedFamily": {
    "declared": null,
    "policyNotes": [],
    "execution": "not_implemented_by_handoff"
  },
  "queryEvidence": {
    "status": "unverified",
    "source": null
  },
  "openingAnswer": "Explore machines, understand what's included, and find out what to consider before choosing.",
  "uniqueValue": "Brand entry point: product-led introduction and routes into machine discovery, choosing guidance, support and
```

```
 locations.",
  "sections": [
    {
      "blockId": "block_home_hero",
      "headingLevel": 1,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Jtech homepage",
      "notes": "Intended opening answer and primary route into machine discovery; current sample content is not production-ready
 evidence."
    },
    {
      "blockId": "block_home_guided_entry",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "What would you like to sew?"
    },
    {
      "blockId": "block_home_featured_models",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Explore the demo range",
      "notes": "Demo products must remain visibly identified until verified production records replace them."
    },
    {
      "blockId": "block_home_product_story",
      "headingLevel": 2,
      "contentType": "image",
      "noJsRequirement": "required",
      "heading": "See the details in action",
      "notes": "Provide a still and text equivalent; media is currently unverified."
    },
    {
      "blockId": "block_home_trust",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Know what you’re choosing"
    },
    {
      "blockId": "block_home_locations_action",
      "headingLevel": 0,
      "contentType": "interactive",
      "noJsRequirement": "not_required",
      "notes": "Existing action routes to the fictional prototype locations screen.",
      "heading": "View locations"
    }
  ],
  "imageSlots": [
    {
      "slotId": "slot_home_hero",
      "blockId": "block_home_hero",
```

```
      "aspectRatio": "16:9",
      "alt": "Conceptual image of a demo electric sewing machine",
      "priority": true
    },
    {
      "slotId": "slot_home_featured",
      "blockId": "block_home_featured_models",
      "aspectRatio": "4:3",
      "alt": "Conceptual image of a demo sewing machine model",
      "priority": false
    },
    {
      "slotId": "slot_home_story",
      "blockId": "block_home_product_story",
      "aspectRatio": "16:9",
      "alt": "Conceptual still of hands guiding fabric beneath a sewing-machine needle",
      "priority": false
    }
  ],
  "internalLinks": [
    {
      "label": "Explore machines",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Explore all machines",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "View machine details",
      "targetScreenId": "screen_product_detail",
      "path": "/machines/:modelId",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "See product details",
      "targetScreenId": "screen_product_detail",
      "path": "/machines/:modelId",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "View support information",
      "targetScreenId": "screen_support",
      "path": "/support",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "View locations",
      "targetScreenId": "screen_locations",
      "path": "/locations",
```

```
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Machines",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Support",
      "targetScreenId": "screen_support",
      "path": "/support",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Locations",
      "targetScreenId": "screen_locations",
      "path": "/locations",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Contact support",
      "targetScreenId": "screen_support",
      "path": "/support",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "View support information",
      "targetScreenId": "screen_support",
      "path": "/support",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Machines",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Support",
      "targetScreenId": "screen_support",
      "path": "/support",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Locations",
      "targetScreenId": "screen_locations",
      "path": "/locations",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Help me choose",
      "targetScreenId": "screen_home",
      "targetBlockId": "block_home_guided_entry",
```

```
      "path": "/",
      "source": "planned_anchor_annotation"
    }
  ],
  "interactiveLeaves": [
    {
      "blockId": "block_home_product_story",
      "purpose": "Play/pause product media",
      "serverContent": "Poster still, caption, placeholder label and text equivalent"
    }
  ],
  "existingTransitions": [
    {
      "id": "transition_home_to_listing",
      "actionId": "action_explore_machines",
      "label": "Explore machines",
      "targetScreenId": "screen_machine_listing",
      "condition": "Navigate to the full clearly labeled demo catalogue."
    },
    {
      "id": "transition_home_guidance_to_listing",
      "actionId": "action_browse_by_use",
      "label": "Explore all machines",
      "targetScreenId": "screen_machine_listing",
      "condition": "Navigate without treating illustrative interests as model recommendations."
    },
    {
      "id": "transition_home_to_detail",
      "actionId": "action_view_featured_model",
      "label": "View machine details",
      "targetScreenId": "screen_product_detail",
      "condition": "Carry the selected demo-model identifier when available."
    },
    {
      "id": "transition_home_story_to_detail",
      "actionId": "action_view_story_product",
      "label": "See product details",
      "targetScreenId": "screen_product_detail",
      "condition": "Open the relevant demo product while preserving mock and pending-verification labels."
    },
    {
      "id": "transition_home_to_support",
      "actionId": "action_home_support",
      "label": "View support information",
      "targetScreenId": "screen_support",
      "condition": "Support coverage and terms remain explicitly pending verification."
    },
    {
      "id": "transition_home_to_locations",
      "actionId": "action_home_locations",
      "label": "View locations",
      "targetScreenId": "screen_locations",
      "condition": "Locations are identified as fictional prototype content until verified."
    },
```

```
    {
      "id": "transition_nav_machines",
      "actionId": "action_nav_machines",
      "label": "Machines",
      "targetScreenId": "screen_machine_listing",
      "condition": "Close the mobile menu first when applicable."
    },
    {
      "id": "transition_nav_support",
      "actionId": "action_nav_support",
      "label": "Support",
      "targetScreenId": "screen_support",
      "condition": "Close the mobile menu first when applicable."
    },
    {
      "id": "transition_nav_locations",
      "actionId": "action_nav_locations",
      "label": "Locations",
      "targetScreenId": "screen_locations",
      "condition": "Close the mobile menu first when applicable."
    },
    {
      "id": "transition_empty_to_support",
      "actionId": "action_empty_support",
      "label": "Contact support",
      "targetScreenId": "screen_support",
      "condition": "Use when no machine summaries are available."
    },
    {
      "id": "transition_error_to_support",
      "actionId": "action_error_support",
      "label": "View support information",
      "targetScreenId": "screen_support",
      "condition": "Use when homepage product data cannot be recovered."
    },
    {
      "id": "transition_mobile_machines",
      "actionId": "action_mobile_machines",
      "label": "Machines",
      "targetScreenId": "screen_machine_listing",
      "condition": "Close the mobile menu before navigation."
    },
    {
      "id": "transition_mobile_support",
      "actionId": "action_mobile_support",
      "label": "Support",
      "targetScreenId": "screen_support",
      "condition": "Close the mobile menu before navigation."
    },
    {
      "id": "transition_mobile_locations",
      "actionId": "action_mobile_locations",
      "label": "Locations",
      "targetScreenId": "screen_locations",
```

```
      "condition": "Close the mobile menu before navigation."
    },
    {
      "id": "transition_home_to_guided_entry",
      "actionId": "action_get_choosing_help",
      "label": "Help me choose",
      "targetScreenId": "screen_home",
      "targetBlockId": "block_home_guided_entry",
      "condition": "Open the Choosing Help section from the homepage."
    }
  ],
  "gaps": [
    "Review initial-HTML content boundary for block_home_locations_action.",
    "Image slot_home_hero: aspect ratio recorded; implementation dimensions still needed.",
    "Image slot_home_featured: aspect ratio recorded; implementation dimensions still needed.",
    "Image slot_home_story: aspect ratio recorded; implementation dimensions still needed."
  ],
  "verification": "Saved planning representation only. Production HTML, metadata, assets, gate execution and runtime performance unverified."
}
```


screen_machine_listing


```json
{
  "screenId": "screen_machine_listing",
  "registry": {
    "path": "/machines",
    "targetQuery": null,
    "indexable": false,
    "intent": "comparison",
    "pageType": "pillar",
    "clusterParent": null,
    "title": "Jtech Machine Range | Sewing Machines",
    "description": "Browse the Jtech sewing machine range, compare demo models and their configuration status, and read what to consider before choosing a machine for your work."
  },
  "metadataReview": {
    "title": "draft_for_review",
    "description": "draft_for_review",
    "publicationApproval": "not_recorded"
  },
  "breadcrumbPlan": {
    "blockId": null,
    "initialState": "default",
    "visibleInSavedComposition": false,
    "productionAnchorVerified": false
  },
  "parameterizedFamily": {
    "declared": false,
    "policyNotes": [],
    "execution": "not_implemented_by_handoff"
  },
  "queryEvidence": {
```

```
    "status": "unverified",
    "source": null
  },
  "openingAnswer": "Browse three sample models and explore their product pages.",
  "uniqueValue": "Compare the Jtech range and each model's configuration status before opening a machine.",
  "sections": [
    {
      "blockId": "block_listing_intro",
      "headingLevel": 1,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Jtech machine range",
      "notes": "Current entries are samples and are not approved production SEO content."
    },
    {
      "blockId": "block_listing_guidance",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Before choosing a machine"
    },
    {
      "blockId": "block_listing_cards",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Machine range",
      "notes": "Keep model links crawlable in production. No filter, sort, pagination, canonical, or page-2 policy is currently required for the three-item prototype."
    },
    {
      "blockId": "block_listing_empty_recovery",
      "headingLevel": 2,
      "contentType": "interactive",
      "noJsRequirement": "not_required",
      "heading": "No machine information available"
    }
  ],
  "imageSlots": [
    {
      "slotId": "slot_listing_card",
      "blockId": "block_listing_cards",
      "aspectRatio": "4:3",
      "alt": "Conceptual image of the demo machine named on the card",
      "priority": false
    }
  ],
  "internalLinks": [
    {
      "label": "View details",
      "targetScreenId": "screen_product_detail",
      "path": "/machines/:modelId",
      "source": "planned_anchor_annotation"
    },
```

```
    {
      "label": "Contact Jtech",
      "targetScreenId": "screen_enquiry",
      "path": "/enquiry",
      "source": "planned_anchor_annotation"
    }
  ],
  "interactiveLeaves": [],
  "existingTransitions": [
    {
      "id": "transition_listing_to_detail",
      "actionId": "action_view_machine",
      "toScreenId": "screen_product_detail",
      "contextPassed": [
        "product identifier"
      ],
      "targetScreenId": "screen_product_detail"
    },
    {
      "id": "transition_listing_to_enquiry",
      "actionId": "action_listing_general_enquiry",
      "toScreenId": "screen_enquiry",
      "contextPassed": [
        "general product enquiry intent"
      ],
      "targetScreenId": "screen_enquiry"
    }
  ],
  "gaps": [
    "Review initial-HTML content boundary for block_listing_empty_recovery.",
    "Image slot_listing_card: aspect ratio recorded; implementation dimensions still needed."
  ],
  "verification": "Saved planning representation only. Production HTML, metadata, assets, gate execution and runtime performance unverified."
}
```


screen_product_detail


```json
{
  "screenId": "screen_product_detail",
  "registry": {
    "path": "/machines/:modelId",
    "targetQuery": null,
    "indexable": false,
    "intent": "commercial",
    "pageType": "child",
    "clusterParent": "/machines",
    "title": "[Model name] | Jtech Sewing Machines",
    "description": "See what comes with this Jtech sewing machine, whether it suits your sewing, its specifications and support details, and ask a question about the machine."
  },
  "metadataReview": {
    "title": "draft_for_review",
```

```
    "description": "draft_for_review",
    "publicationApproval": "not_recorded"
  },
  "breadcrumbPlan": {
    "blockId": "block_detail_breadcrumb",
    "initialState": "default",
    "visibleInSavedComposition": true,
    "productionAnchorVerified": false
  },
  "parameterizedFamily": {
    "declared": null,
    "policyNotes": [],
    "execution": "not_implemented_by_handoff"
  },
  "queryEvidence": {
    "status": "unverified",
    "source": null
  },
  "openingAnswer": "Preview the information a machine detail page will provide before making an enquiry.",
  "uniqueValue": "One machine's configuration, suitability, specifications and support status next to the enquiry action.",
  "sections": [
    {
      "blockId": "block_detail_summary",
      "headingLevel": 1,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "[Model name]",
      "notes": "The current /machines/:modelId route remains unchanged. Future production model URLs should use stable, unique, lowercase, hyphenated model-name slugs. Route generation, identifier mapping, canonical handling, and any redirects remain subject to implementation review. Production also needs unique verified content, unavailable-model behavior, and an indexing decision for each instance."
    },
    {
      "blockId": "block_detail_media",
      "headingLevel": 2,
      "contentType": "image",
      "noJsRequirement": "required",
      "heading": "A closer look",
      "notes": "Media must remain labeled as unverified until approved."
    },
    {
      "blockId": "block_detail_configuration",
      "headingLevel": 2,
      "contentType": "interactive",
      "noJsRequirement": "required",
      "heading": "What comes with the machine?",
      "notes": "Core configuration and included-item information must be present without requiring interaction. Head-only and package choices stay on the same product URL and do not create separate indexable URLs."
    },
    {
      "blockId": "block_detail_suitability",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
```

```
      "heading": "Is it right for your sewing?"
    },
    {
      "blockId": "block_detail_specs",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Machine specifications"
    },
    {
      "blockId": "block_detail_learning",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Learning to use your machine"
    },
    {
      "blockId": "block_detail_support",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Support and service"
    },
    {
      "blockId": "block_detail_alternatives",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Other machines to consider"
    }
  ],
  "imageSlots": [
    {
      "slotId": "slot_detail_primary",
      "blockId": "block_detail_media",
      "aspectRatio": "4:3",
      "alt": "Conceptual image of the demo machine",
      "priority": true
    }
  ],
  "internalLinks": [
    {
      "label": "Ask about this machine",
      "targetScreenId": "screen_enquiry",
      "path": "/enquiry",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "View support options",
      "targetScreenId": "screen_support",
      "path": "/support",
      "source": "planned_anchor_annotation"
    },
    {
```

```
      "label": "View locations",
      "targetScreenId": "screen_locations",
      "path": "/locations",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Explore all machines",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Ask a product question",
      "targetScreenId": "screen_enquiry",
      "path": "/enquiry",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Home",
      "targetScreenId": "screen_home",
      "path": "/",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Machines",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    }
  ],
  "interactiveLeaves": [
    {
      "blockId": "block_detail_configuration",
      "purpose": "Switch between head-only and package views",
      "serverContent": "All configuration and included-item text for every option"
    }
  ],
  "existingTransitions": [
    {
      "id": "transition_detail_to_enquiry",
      "actionId": "action_ask_about_machine",
      "toScreenId": "screen_enquiry",
      "contextPassed": [
        "product identifier",
        "selected configuration identifier",
        "mock price context"
      ],
      "targetScreenId": "screen_enquiry"
    },
    {
      "id": "transition_detail_to_support",
      "actionId": "action_view_product_support",
      "toScreenId": "screen_support",
      "contextPassed": [
```

```
        "product identifier"
      ],
      "targetScreenId": "screen_support"
    },
    {
      "id": "transition_detail_to_locations",
      "actionId": "action_view_product_locations",
      "toScreenId": "screen_locations",
      "contextPassed": [
        "product identifier",
        "support intent"
      ],
      "targetScreenId": "screen_locations"
    },
    {
      "id": "transition_detail_to_alternative",
      "actionId": "action_view_alternative",
      "toScreenId": "screen_machine_listing",
      "targetScreenId": "screen_machine_listing",
      "label": "Explore all machines"
    },
    {
      "id": "transition_detail_usage_help_to_enquiry",
      "actionId": "action_contact_for_usage_help",
      "label": "Ask a product question",
      "targetScreenId": "screen_enquiry"
    },
    {
      "id": "transition_detail_breadcrumb_home",
      "actionId": "action_detail_breadcrumb_home",
      "label": "Home",
      "targetScreenId": "screen_home",
      "condition": "Return to the homepage from the product breadcrumb."
    }
  ],
  "gaps": [
    "Path does not match supplied lowercase hyphenated no-trailing-slash convention; do not rename automatically.",
    "Image slot_detail_primary: aspect ratio recorded; implementation dimensions still needed."
  ],
  "verification": "Saved planning representation only. Production HTML, metadata, assets, gate execution and runtime performance unverified."
}
```


screen_enquiry


```json
{
  "screenId": "screen_enquiry",
  "registry": {
    "path": "/enquiry",
    "targetQuery": null,
    "indexable": false,
    "intent": null,
    "pageType": "utility",
```

```
    "clusterParent": null,
    "title": "Contact Jtech | Sewing Machine Enquiry",
    "description": "Ask Jtech about a sewing machine, support, a general question or a trade enquiry. In this private prototype the enquiry is simulated and nothing is sent."
  },
  "metadataReview": {
    "title": "draft_for_review",
    "description": "draft_for_review",
    "publicationApproval": "not_recorded"
  },
  "breadcrumbPlan": {
    "blockId": null,
    "initialState": "default",
    "visibleInSavedComposition": false,
    "productionAnchorVerified": false
  },
  "parameterizedFamily": {
    "declared": null,
    "policyNotes": [],
    "execution": "not_implemented_by_handoff"
  },
  "queryEvidence": {
    "status": "not_applicable",
    "source": null
  },
  "openingAnswer": null,
  "uniqueValue": null,
  "sections": [
    {
      "blockId": "block_enquiry_context",
      "headingLevel": 1,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "About your enquiry",
      "notes": "The page remains public_web; proposed non-indexability is deferred and not persisted."
    },
    {
      "blockId": "block_enquiry_form",
      "headingLevel": 2,
      "contentType": "interactive",
      "noJsRequirement": "not_required",
      "heading": "Contact Jtech",
      "notes": "Existing contracts describe simulated submission and some context fields, but production data binding and delivery are not verified."
    },
    {
      "blockId": "block_enquiry_error",
      "headingLevel": 2,
      "contentType": "interactive",
      "noJsRequirement": "not_applicable",
      "heading": "Need help with your enquiry?"
    },
    {
      "blockId": "block_enquiry_submission_failed",
```

```
      "headingLevel": 2,
      "contentType": "interactive",
      "noJsRequirement": "not_applicable",
      "heading": "The simulated enquiry could not be completed"
    }
  ],
  "imageSlots": [],
  "internalLinks": [
    {
      "label": "Submit simulated enquiry",
      "targetScreenId": "screen_enquiry_confirmation",
      "path": "/enquiry/confirmation",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Change machine",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "View contact guidance",
      "targetScreenId": "screen_support",
      "path": "/support",
      "source": "planned_anchor_annotation"
    }
  ],
  "interactiveLeaves": [
    {
      "blockId": "block_enquiry_form",
      "purpose": "Simulated form validation, submission, failure and retry",
      "serverContent": "Form labels, help text, intent options and the simulation notice"
    }
  ],
  "existingTransitions": [
    {
      "id": "transition_enquiry_to_confirmation",
      "actionId": "action_submit_enquiry",
      "toScreenId": "screen_enquiry_confirmation",
      "condition": "Required fields are valid and simulated submission succeeds.",
      "targetScreenId": "screen_enquiry_confirmation"
    },
    {
      "id": "transition_enquiry_retry",
      "actionId": "action_retry_enquiry",
      "toScreenId": "screen_enquiry",
      "condition": "Preserve all valid entered values and selected context.",
      "targetScreenId": "screen_enquiry"
    },
    {
      "id": "transition_enquiry_to_listing",
      "actionId": "action_change_enquiry_product",
      "toScreenId": "screen_machine_listing",
      "targetScreenId": "screen_machine_listing"
```

```
    },
    {
      "id": "transition_enquiry_to_support",
      "actionId": "action_enquiry_support",
      "toScreenId": "screen_support",
      "targetScreenId": "screen_support"
    }
  ],
  "gaps": [
    "Registry intent not recorded.",
    "Review initial-HTML content boundary for block_enquiry_form.",
    "Review initial-HTML content boundary for block_enquiry_error.",
    "Review initial-HTML content boundary for block_enquiry_submission_failed.",
    "openingAnswer not recorded.",
    "uniqueValue not recorded."
  ],
  "verification": "Saved planning representation only. Production HTML, metadata, assets, gate execution and runtime performance unverified."
}
```


screen_enquiry_confirmation


```json
{
  "screenId": "screen_enquiry_confirmation",
  "registry": {
    "path": "/enquiry/confirmation",
    "targetQuery": null,
    "indexable": false,
    "intent": null,
    "pageType": "utility",
    "clusterParent": null,
    "title": "Enquiry Confirmation | Jtech",
    "description": "Your simulated Jtech enquiry is complete. No enquiry was sent and no order was placed. Continue browsing machines or return to the enquiry form."
  },
  "metadataReview": {
    "title": "draft_for_review",
    "description": "draft_for_review",
    "publicationApproval": "not_recorded"
  },
  "breadcrumbPlan": {
    "blockId": null,
    "initialState": "success",
    "visibleInSavedComposition": false,
    "productionAnchorVerified": false
  },
  "parameterizedFamily": {
    "declared": null,
    "policyNotes": [],
    "execution": "not_implemented_by_handoff"
  },
  "queryEvidence": {
    "status": "not_applicable",
```

```
    "source": null
  },
  "openingAnswer": null,
  "uniqueValue": null,
  "sections": [
    {
      "blockId": "block_confirmation_summary",
      "headingLevel": 1,
      "contentType": "text",
      "noJsRequirement": "not_applicable",
      "heading": "Simulation complete",
      "notes": "Proposed non-indexability is deferred and not persisted. The page must not imply a real submission, order, or response deadline."
    }
  ],
  "imageSlots": [],
  "internalLinks": [
    {
      "label": "Continue browsing",
      "targetScreenId": "screen_machine_listing",
      "path": "/machines",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Return to enquiry",
      "targetScreenId": "screen_enquiry",
      "path": "/enquiry",
      "source": "planned_anchor_annotation"
    }
  ],
  "interactiveLeaves": [],
  "existingTransitions": [
    {
      "id": "transition_confirmation_to_listing",
      "actionId": "action_confirmation_continue",
      "toScreenId": "screen_machine_listing",
      "targetScreenId": "screen_machine_listing"
    },
    {
      "id": "transition_confirmation_to_enquiry",
      "actionId": "action_confirmation_return_to_enquiry",
      "targetScreenId": "screen_enquiry",
      "condition": "Confirmation details are unavailable and the visitor chooses to return to the enquiry."
    }
  ],
  "gaps": [
    "Registry intent not recorded.",
    "Review initial-HTML content boundary for block_confirmation_summary.",
    "openingAnswer not recorded.",
    "uniqueValue not recorded."
  ],
  "verification": "Saved planning representation only. Production HTML, metadata, assets, gate execution and runtime performance unverified."
}
```

```
## screen_support

```json
{
  "screenId": "screen_support",
  "registry": {
    "path": "/support",
    "targetQuery": null,
    "indexable": false,
    "intent": "informational",
    "pageType": "utility",
    "clusterParent": null,
    "title": "Jtech Support and Contact",
    "description": "Find the right Jtech contact route for buying, demonstrations, repairs, warranty or trade questions. Service availability and terms are awaiting confirmation."
  },
  "metadataReview": {
    "title": "draft_for_review",
    "description": "draft_for_review",
    "publicationApproval": "not_recorded"
  },
  "breadcrumbPlan": {
    "blockId": null,
    "initialState": "default",
    "visibleInSavedComposition": false,
    "productionAnchorVerified": false
  },
  "parameterizedFamily": {
    "declared": null,
    "policyNotes": [],
    "execution": "not_implemented_by_handoff"
  },
  "queryEvidence": {
    "status": "unverified",
    "source": null
  },
  "openingAnswer": "Ask about buying a machine, demonstrations, repairs, warranty or trade enquiries. Service availability and terms are awaiting confirmation.",
  "uniqueValue": "Routes each sales, demonstration, repair, warranty or trade question to an available contact route, with pending terms visible.",
  "sections": [
    {
      "blockId": "block_support_route_types",
      "headingLevel": 1,
      "contentType": "interactive",
      "noJsRequirement": "required",
      "heading": "Jtech support",
      "notes": "Support choices and their explanations should remain understandable without interaction."
    },
    {
      "blockId": "block_support_pending_terms",
      "headingLevel": 2,
      "contentType": "text",
```
```

```
      "noJsRequirement": "required",
      "heading": "Support information",
      "notes": "Warranty, setup, repair, service coverage, and authorization remain unverified."
    },
    {
      "blockId": "block_support_learning",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Learning resources"
    },
    {
      "blockId": "block_support_locations",
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Locations and available services"
    }
  ],
  "imageSlots": [],
  "internalLinks": [
    {
      "label": "Contact about this",
      "targetScreenId": "screen_enquiry",
      "path": "/enquiry",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "View locations",
      "targetScreenId": "screen_locations",
      "path": "/locations",
      "source": "planned_anchor_annotation"
    }
  ],
  "interactiveLeaves": [],
  "existingTransitions": [
    {
      "id": "transition_support_to_enquiry",
      "actionId": "action_contact_support",
      "toScreenId": "screen_enquiry",
      "contextPassed": [
        "selected support or contact intent"
      ],
      "targetScreenId": "screen_enquiry"
    },
    {
      "id": "transition_support_to_locations",
      "actionId": "action_support_locations",
      "toScreenId": "screen_locations",
      "targetScreenId": "screen_locations"
    }
  ],
  "gaps": [],
  "verification": "Saved planning representation only. Production HTML, metadata, assets, gate execution and runtime performance
```

unverified."
}
```

## screen_locations

```json
{
  "screenId": "screen_locations",
  "registry": {
    "path": "/locations",
    "targetQuery": null,
    "indexable": false,
    "intent": "local",
    "pageType": "utility",
    "clusterParent": null,
    "title": "Jtech Sales and Service Locations",
    "description": "Find Jtech sales, demonstration and service locations and what each one offers. This private prototype shows clearly fictional example locations only."
  },
  "metadataReview": {
    "title": "draft_for_review",
    "description": "draft_for_review",
    "publicationApproval": "not_recorded"
  },
  "breadcrumbPlan": {
    "blockId": null,
    "initialState": "default",
    "visibleInSavedComposition": false,
    "productionAnchorVerified": false
  },
  "parameterizedFamily": {
    "declared": null,
    "policyNotes": [],
    "execution": "not_implemented_by_handoff"
  },
  "queryEvidence": {
    "status": "unverified",
    "source": null
  },
  "openingAnswer": "These fictional examples demonstrate the page layout. They are not real Jtech locations or confirmed service points.",
  "uniqueValue": "Where to buy, see a demonstration or get service, with each location's available services.",
  "sections": [
    {
      "blockId": "block_locations_notice",
      "headingLevel": 1,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Jtech locations",
      "notes": "Current entries are fictional and are not approved production SEO content. Production indexing remains conditional on verified locations, capabilities, and authorization."
    },
    {
      "blockId": "block_locations_list",

```
      "headingLevel": 2,
      "contentType": "text",
      "noJsRequirement": "required",
      "heading": "Example locations"
    },
    {
      "blockId": "block_locations_map",
      "headingLevel": 2,
      "contentType": "image",
      "noJsRequirement": "not_required",
      "heading": "Map preview",
      "notes": "The map is a non-interactive placeholder and does not establish real geographic information."
    },
    {
      "blockId": "block_locations_empty",
      "headingLevel": 2,
      "contentType": "interactive",
      "noJsRequirement": "not_required",
      "heading": "No location information available"
    }
  ],
  "imageSlots": null,
  "internalLinks": [
    {
      "label": "Ask about service near me",
      "targetScreenId": "screen_enquiry",
      "path": "/enquiry",
      "source": "planned_anchor_annotation"
    },
    {
      "label": "Contact support",
      "targetScreenId": "screen_enquiry",
      "path": "/enquiry",
      "source": "planned_anchor_annotation"
    }
  ],
  "interactiveLeaves": [],
  "existingTransitions": [
    {
      "id": "transition_locations_to_enquiry",
      "actionId": "action_location_contact",
      "toScreenId": "screen_enquiry",
      "contextPassed": [
        "location-dependent support intent",
        "pincode requested conditionally"
      ],
      "targetScreenId": "screen_enquiry"
    },
    {
      "id": "transition_locations_empty_to_enquiry",
      "actionId": "action_locations_general_support",
      "toScreenId": "screen_enquiry",
      "contextPassed": [
        "general support intent"
```

```
      ],
      "targetScreenId": "screen_enquiry"
    }
  ],
  "gaps": [
    "Review initial-HTML content boundary for block_locations_map.",
    "Review initial-HTML content boundary for block_locations_empty.",
    "imageSlots not assessed; use [] only after confirming none."
  ],
  "verification": "Saved planning representation only. Production HTML, metadata, assets, gate execution and runtime performance unverified."
}
```


Unassessed screens: None

Operating rules

SEO STARTER TEMPLATE HANDOFF — only when seo-starter is the chosen web implementation target:
Use optional screen.pagePlan.starterPack and the supplied schema. Keep path in screen.route, query/evidence in pagePlan, and hierarchy in parentScreenId. Do not invent registry values or rewrite approved routes to satisfy the template. Use template-specific intent/pageType classifications when the general page plan has no exact mapping. UNVERIFIED and N/A are planning markers, never final unique search queries ready for lib/routes.ts.
The corrected template brief reports these nine requirements: search content delivered in initial HTML; one H1 conveying the query subject naturally without exact-string matching; direct opening answer; independently understandable sections; one semantic instance of content; images via Img.tsx with alt and reserved dimensions, hero priority; real anchor navigation; structured data limited to real visible content; distinct value or product job for every page. Apply them to web handoff planning, not native app UI.
Carry the five registry fields plus draft title/description, opening answer, ordered section headings, image slots, internal links and interactive leaves. Draft title maximum 60 and description 140..160 are supplied template constraints, not universal SEO laws. Never fabricate keywords to pass unique-query checks. A private_web page always exports indexable false. Non-indexable placeholder queries (UNVERIFIED or N/A) export as null; real query text is preserved. Never invent a query for login, checkout or account. An unknown public query stays unverified, never silently becomes not_applicable. Metadata exports are drafts for review, not approved publication values.
Duplicate query wording is a conflict for intent review, not authority to merge pages or rewrite keywords to pass a gate. clusterParent creates neither a visible breadcrumb nor a real link. Identify the existing visible breadcrumb via starterPack.breadcrumbBlockId, and plan parent/child anchors in saved blocks/actions as well as link annotations. Plan 404 recovery and meaningful empty states with existing screen/state contracts, not an artificial separate page for every empty state.
For listing screens set pagePlan.parameterizedFamily when pagination, filters or sorts form a URL family. In existing section notes document parameter combinations, canonical destinations, indexing/noindex choices, page 2+ policy and crawlable pagination links; keep unresolved policy explicit. This flag does not generate routes or executable canonicals.
Sections use existing pagePlan.sections; heading may record intended semantic copy without changing rendered block labels. Image slots and internalLinks are annotations, not assets or executable transitions. Interactive leaves describe client boundaries and server-delivered content; runtime widgets may still need JavaScript. Existing navigation and transitions remain the executable preview source.
The supplied starter source was inspected on 24 October 2026. Static checks accept null queries only on non-indexable routes; descriptions below 140 warn, above 160 fail. The render check skips non-indexable routes and checks nonempty H1 count, not literal query matching. Per-project gate execution is recorded separately; source inspection is not production proof. Do not assert that this preview is production HTML, that metadata is generated correctly, or that field/performance targets have passed. Verify lib/routes.ts, Img.tsx and actual build gates in the implementation repository. Do not hand-write duplicate SEO infrastructure. Preserve routes; any proposed route change needs an explicit redirect plan. No quantified AI citation claim or guaranteed ranking loss from a route change is established by this brief.

Template build, no-JavaScript crawl and project runtime execution: not verified. This is a planning handoff, not generated lib/routes.ts.

Verification boundary

Not performed. No crawlability, indexing, SSR, deep-link or ASO outcome is certified.

---

07 · REVIEWER EVIDENCE SUMMARY

What is saved, supported and actually evidenced

Evidence boundary
Saved representation, engine support and observed project execution are separate. Repository tests never prove that this project journey was executed.

Saved intent and contract

saved_product_intent

Represented In Saved Blueprint

Product intent, constraints and boundaries are saved contract data. Their presence does not prove implementation or runtime behavior.

/product · blueprint r97

saved_contract_inventory

Represented In Saved Blueprint

Requirements, flows, screens, blocks, states and transitions are represented by the saved blueprint at the stated revision.

/ · blueprint r97

Runtime-owned controls activated here

Fail next simulated submission

Available When Form Is Inspected

Reviewer-only control. It schedules one valid local simulated submission to enter the saved failure state.

/screens/3/blocks/1/previewBehavior · blueprint r97

Structured-form Retry

Available After Simulated Failure

Retry is supplied by the preview runtime; it is not required as an action on an explanatory error block.

/screens/3/blocks/1/previewBehavior · blueprint r97

Engine support and limits

semantic_low_fidelity_rendering

Engine Supported

The renderer can produce low-fidelity screen/state representations from supported saved contracts. Capability support alone is not a project-specific observation.

public/app.js, lib/review-pack.js · engine v0.3.24

navigation_section_target

Engine Supported

The preview can open the saved destination screen and identify/highlight the saved target block.

/navigation/primary/1/targetBlockId · blueprint r97

navigation_destination_state_and_scalar_context

Engine Supported

The preview can select the saved destination state and bind declared scalar context once to compatible structured-form fields.

/navigation/secondary/1/handoff · blueprint r97

transition_section_target

Engine Supported

The preview can follow the saved screen transition and identify/highlight its saved target block.

/screens/0/transitions/14/targetBlockId · blueprint r97

structured_form_local_simulation

Engine Supported

The preview supports saved field validation, preserving entered values after simulated failure, Retry, and navigation through the saved success transition. No network request is made.

/screens/3/blocks/1/previewBehavior · blueprint r97

navigation_behavior_annotations

Documentation Only

The saved annotations describe intended behavior; they are not proof that scrolling, focus, motion, menu closure or fallback behavior executed.

/navigation/primary/1/behaviorAnnotations · blueprint r97

production_form_submission

Unsupported By Preview

The saved form represents product intent and supports a local simulation only. It does not prove production submission, storage, delivery or backend integration.

/screens/3/blocks/1/previewBehavior · blueprint r97

Project-specific evidence

Available

The saved blueprint is project-specific evidence of what is represented, not evidence that the journey executed.

saved_blueprint · blueprint r97

Available When Review Pack Is Generated

The Review Pack contains a deterministic rendering of supported saved contracts. No screenshot comparison, human observation or stored render-run result is attached by this summary.

review_pack_renderer · blueprint r97

Missing

No project-specific manual or automated runtime journey-test evidence is stored in the current project schema. Do not claim that this project journey was executed.

project_record · blueprint r97

Outdated

An older internal AI review record exists. It is review evidence, not proof that a project journey was rendered or executed.

/reviewRuns/0 · blueprint r82

Coverage Declared Execution Not Embedded

Repository tests cover engine behavior. Their presence—or a passing test run—must never be treated as proof that this project journey was manually or automatically tested.

tests/core.test.js, tests/dom-smoke.test.js, tests/prompts.test.js, tests/review-pack.test.js · engine v0.3.24

08 · REVIEW FINDINGS

Findings and unresolved risk

Catalogue-to-detail journey does not establish the selected machine

Major

The primary discovery flow requires visitors to open and enquire about a specific machine, but all catalogue cards use the same action and the saved transition does not provide an executable selected-product binding. The detail screen consequently states that model selection is unavailable, while later flow steps assume a selected model and configuration are present.

Recommendation: For the private prototype, either implement a supported selected-product binding through listing, detail and enquiry, or explicitly redefine the journey as a representative generic-detail demonstration without claiming model-specific completion. · Ux Architect

Homepage mobile state contains navigation without the homepage journey

Major

The homepage models mobile as a separate state containing only block_home_mobile, while the essential hero, guidance, catalogue previews and support routes belong to default. The saved contract does not establish that default content and mobile navigation are composed together.

Recommendation: Treat mobile as a responsive layout of the default homepage with the mobile navigation added, and verify that the rendered mobile presentation retains the hero, both discovery actions, guidance and downstream routes without duplicating content. · Ux Architect

Confirmation has no recovery content for missing context

Medium

The confirmation screen declares missing_confirmation_context but provides content only for success. A direct arrival, refresh or lost simulated-submission context therefore has no saved explanation or route back to the enquiry.

Recommendation: Add a concise missing-context state using existing enquiry recovery: explain that no confirmation details are available and provide a route back to screen_enquiry or safe continuation to Machines. · Ux Architect

Support flow describes a purpose selection that the screen does not provide

Medium

The support flow says visitors select sales, demonstration, general repair or authorized warranty guidance, but the support screen presents these only as informational text with one generic contact action. No selected topic or topic-specific route exists.

Recommendation: Align the flow wording with the implemented generic guidance-and-contact journey, or later add supported topic selection only if routing by support purpose becomes necessary. · Ux Architect

Machines breadcrumb reuses a differently named shared action

Minor

The visible breadcrumb item is labeled "Machines," but its block-level control reuses action_view_alternative, whose saved transition label is "Explore all machines." Depending on action resolution, the breadcrumb control may be announced or rendered inconsistently with its hierarchy label.

Recommendation: Runtime-check the breadcrumb label and accessible name. If the shared transition label is exposed, use a dedicated Machines breadcrumb action and transition while preserving the existing alternatives control. · Ux Architect

Product detail is fragmented into too many empty sections

Major

The representative product page uses eight content sections even though nearly every section contains only pending or unavailable information. Separate blocks for media, configuration, suitability, specifications, learning, support and alternatives create a long decision journey without adding distinct usable evidence in the current prototype.

Recommendation: For the private-prototype presentation, consolidate related pending material into fewer decision-oriented groups, such as suitability and specifications, package and setup, and support and learning. Retain the underlying content fields for later verified data without requiring every field group to appear as a separate prominent section now. · Simplicity

The required simulation acknowledgement duplicates the form notice

Medium

The enquiry form requires visitors to check a box confirming that the enquiry is simulated even though the form already displays a prominent notice stating that nothing will be sent and the enquiry is not an order. This adds a required decision that is useful only to the prototype implementation, not to the visitor's enquiry task.

Recommendation: Keep the persistent prototype notice and remove the required acknowledgement checkbox unless explicit consent testing is a stated research objective. Production consent requirements remain unresolved and should not be represented by this simulation-specific field. · Simplicity

The enquiry form asks for pincode before it is demonstrably needed

Medium

Pincode is displayed as a general optional field for every enquiry even though the saved product direction says it should be requested only when needed for delivery or local support. No saved screen-action handoff proves that the form can identify those cases.

Recommendation: For the smallest reliable prototype, omit pincode from the general form and let visitors include location details in the optional question. Add a dedicated conditional field only after the triggering context is represented and verified. · Simplicity

Fictional map content adds premature complexity to location discovery

Medium

The Locations page includes a separate map section even though it is explicitly non-interactive, contains no real locations or directions and supports no geographic decision. The fictional list and enquiry route already demonstrate the lightweight location pattern.

Recommendation: Remove the map placeholder from the immediate private-prototype presentation. Retain the location list, fictional-data disclosure and enquiry recovery; revisit a map only when verified locations and a geographic user need exist. · Simplicity

Global navigation gives secondary trade intent disproportionate prominence

Minor

Trade Enquiry is a dedicated secondary navigation item even though trade buyers use the same public form and constitute a proposed secondary audience. The shared enquiry form already lets visitors choose Trade enquiry, so the additional global control duplicates an existing choice.

Recommendation: Keep one general Contact or Enquiry navigation entry and let trade visitors select Trade enquiry within the shared form. Retain the dedicated shortcut only if evidence shows trade traffic or business priority warrants persistent global prominence. · Simplicity

Product breadcrumb exposes conflicting control names and lacks confirmed breadcrumb semantics

Major

The visible breadcrumb item is labeled “Machines,” but its reused action resolves through a transition labeled “Explore all machines.” The card variant also does not establish semantic breadcrumb markup, current-page indication, or an accessible navigation label.

Recommendation: Give the breadcrumb’s Machines control one consistent accessible name without silently changing other controls that share action_view_alternative. In production, implement it as a labeled breadcrumb navigation region with Home and Machines links and a programmatically identified non-linked current page. · Accessibility

Choosing Help focus management is documented but not demonstrated

Major

Choosing Help can target the homepage guidance block, but moving keyboard focus to the destination heading, keeping it clear of a sticky header, and applying immediate reduced-motion navigation exist only as annotations.

Recommendation: Implement and keyboard-test focus transfer to a programmatically focusable guidance heading for both same-page and cross-page entry. Verify visible focus, sticky-header clearance, mobile-menu closure, and immediate movement under reduced motion. · Accessibility

Cinematic media blocks do not contain concrete non-visual alternatives

Medium

The blueprint promises captions, text equivalents, still fallbacks, and alternative text, but the actual homepage hero and product-story blocks contain only general copy and placeholder statements rather than a defined alternative description or transcript linked to the media.

Recommendation: Before real media is introduced, supply asset-specific alternative text and a concise transcript or equivalent description of every informational demonstration. Keep decorative imagery explicitly decorative and ensure all actions and product context remain outside the media. · Accessibility

Reduced-motion equivalence is represented but not verified

Medium

A reduced-motion state and still fallback are saved, but there is no evidence that the preview or production implementation responds to the user’s motion preference, prevents autoplay, or preserves equivalent content and controls.

Recommendation: Verify with prefers-reduced-motion enabled that cinematic motion and smooth scrolling do not start automatically, the still-first presentation is used, and all text and actions remain equivalent. Keep Play and Pause keyboard operable if motion can be started manually. · Accessibility

Page heading hierarchy is planning metadata rather than verified semantics

Medium

All seven pages have pagePlan heading annotations, but these do not prove that rendered pages expose one programmatic H1 and a logical heading hierarchy. Several rendered block labels intentionally differ from the planned H1 text.

Recommendation: During implementation, map each planned H1 to an actual semantic heading, retain logical H2 ordering, and inspect the accessibility tree on all seven routes. Do not infer heading levels from block size, type, or visual styling. · Accessibility

Visible focus, contrast, and target-size requirements have no project-specific evidence

Medium

The accessibility requirement calls for visible focus, sufficient contrast, and keyboard-operable controls, but the low-fidelity contract supplies no measurable contrast values, focus indicators, target dimensions, or completed project accessibility test evidence.

Recommendation: Treat these as mandatory visual-design and implementation acceptance checks: verify WCAG contrast, clearly visible focus in every state, keyboard reachability, non-color error/selection cues, and appropriately sized pointer targets on desktop and mobile. · Accessibility

Core catalogue-to-enquiry context handoff is not executable

Major

The main journey depends on a selected product and configuration reaching Product Detail and Enquiry, but the saved transitions contain only descriptive contextPassed metadata. No supported binding identifies which catalogue item was selected or populates the enquiry summary.

Recommendation: Define and verify one supported product/configuration data-binding contract before treating this journey as model-specific. Until then, keep the detail and enquiry explicitly generic and revise flow completion claims accordingly. · Technical Feasibility

Current revision has no project-specific journey execution evidence

Medium

The engine supports rendering, navigation targets, navigation handoffs, and simulated-form recovery, but there is no stored execution result showing that the revision-82 Jtech journeys actually run end to end.

Recommendation: Run and record focused revision-82 checks for homepage-to-catalogue navigation, detail-to-enquiry navigation, trade handoff, simulated failure/Retry/success, support navigation, location recovery, and breadcrumb controls. · Technical Feasibility

Mobile content composition is not represented by the saved contract

Major

Homepage content blocks belong to default while block_home_mobile alone belongs to mobile. The supplied evidence does not establish a responsive composition mechanism that renders the default content together with mobile navigation.

Recommendation: Verify the mobile preview at revision 82. If state filtering hides the default content, implement viewport-owned responsive composition so the same semantic homepage content is reused with mobile navigation, without duplicating blocks. · Technical Feasibility

Several data-dependent screens lack explicit load-failure recovery contracts

Medium

The catalogue, product detail, support, and locations screens are marked dataDependent, but their saved blocks do not consistently represent network or data-load failure with a usable recovery route. Empty, unavailable, and pending-data states do not fully specify behavior for transient failure or offline access.

Recommendation: For each production data source, define the minimum transient-failure behavior using existing journeys: preserve navigation, distinguish unavailable data from an empty catalogue, and provide retry or a general enquiry/support route. Do not add offline-first infrastructure unless business needs justify it. · Technical Feasibility

Reusable product content has no implementation source or publication workflow

Major

The blueprint defines reusable product, configuration, media, support, location, and claim entities, but no production source of truth, permissions model, approval workflow, or propagation mechanism is selected. Updating a fact cannot yet be shown to update cards, detail pages, enquiries, or future comparisons consistently.

Recommendation: Before production implementation, select one authoritative product-data source and define field-level verification status, editor/approver permissions, publication rules, and how shared facts are consumed by listing, detail, enquiry, support, and location surfaces. · Technical Feasibility

A live enquiry implementation lacks privacy and operational dependencies

Major

The saved form collects a name, phone number, optional pincode, intent, and message, but only supports a local simulation. No production recipient, delivery integration, retention policy, consent basis, access permissions, abuse protection, or failure-monitoring contract is defined.

Recommendation: Keep the current prototype strictly simulated. Before enabling live submission, resolve the operational owner and channel, minimize collected data, define consent and retention handling, restrict staff access, add abuse controls, and verify delivery and failure monitoring. · Technical Feasibility

All current screens and requirements remain marked stale

Medium

Every screen, flow, and requirement in scope is listed as stale after numerous applied revisions, so traceability between the final contracts and their acceptance criteria has not been revalidated.

Recommendation: Perform a focused impact review against revision 82, reconcile contradictory flow statements such as model-specific context transfer, and clear stale markers only where the saved contract still satisfies the requirement. · Technical Feasibility

09 · DURABLE DISCUSSION MEMORY

Scope conclusions

Global overview discussion

Active

Confirmed direction: seo-starter is the chosen implementation baseline for all seven Jtech website screens at blueprint revision 90. Planned starterPack coverage includes template intent/pageType and draft metadata for public pages; enquiry and confirmation remain product-task pages with indexable false; target queries remain UNVERIFIED or not_applicable as already saved; routes remain unchanged; /machines/:modelId remains the route family and production slug handling stays an implementation-review item. No proposal was created because exact starterPack/pagePlan field targets are absent and compliant whole-screen replacements require complete raw clones. After an accepted proposal, a new Review Pack must show no screens under STARTER-TEMPLATE-HANDOFF unassessed.

Global overview · 39 messages

Navigation and tabs discussion

Active

NAV-01 is represented in the proposed navigation by nav_choosing_help targeting block_home_guided_entry with documented section-navigation annotations; those annotations are not executed by the low-fidelity preview. NAV-02 now has an inspectable, unapplied proposal at blueprint revision 22: add a handoff to nav_trade_enquiry requesting the existing screen_enquiry state trade_enquiry and passing enquiryIntent=trade. The global entry intentionally carries no product or configuration context. Existing navigation ID, label, and screen destination remain unchanged. Preview handoff selects a declared state and represents context but does not execute production routing, form initialization, data binding, or submission behavior.

Navigation and tabs · 10 messages

Support discussion

Active

No rolling summary yet.

Support · 0 messages

Choosing Help discussion

Active

HOME-01 now favors static introductory guidance in block_home_guided_entry for the private prototype: three non-interactive, clearly illustrative interests—Everyday repairs and alterations, Learning to sew, and Creative sewing projects—help visitors recognize possible needs before browsing the full demo range. action_browse_by_use retains its stable ID and screen_machine_listing destination but is proposed to use the label “Explore all machines.” All three demo models remain visible through ordinary catalogue browsing; no selection state, context transfer, model mapping, filtering, ranking, suitability scoring, or verified recommendation is introduced. The earlier interactive intended-use handoff is deferred because it requires action-context support and validated catalogue guidance, while static guidance is sufficient for the current prototype. Homepage order, confirmed decisions, NAV-01, and NAV-02 remain preserved.

Choosing Help · 6 messages

Homepage discussion

Active

At blueprint revision 90, the owner confirmed seo-starter as the web implementation baseline and supplied starter settings for all seven screens to be proposed and accepted one page at a time. Current scope is Homepage only. The homepage proposal is unapplied, has no active overlap, preserves route / and targetQuery UNVERIFIED, and adds only pagePlan.starterPack with indexable false, navigational/pillar classification, supplied draft metadata, opening answer, unique value, three conceptual image annotations, links corresponding to every saved homepage transition, and one product-media interactive leaf. Public pages should remain non-indexable in this private prototype until real target queries are researched. Production SEO behavior and starter gates remain unverified.

Homepage · 26 messages

Machines discussion

Active

At revision 66 of project `jtech-website_mumoh81i_qeb89e`, the Machines listing contains three clearly labeled demo display entries and customer-facing intro/guidance copy. The demo item IDs do not implement selected-model context handoff; that remains unresolved. `block_listing_empty_recovery` is assigned to the `empty` state. A new copy-only proposal is prepared but unapplied to label the empty state, explain catalogue unavailability, direct visitors to the general prototype enquiry, and remove its old instructional content inventory. No active proposal overlaps `block_listing_empty_recovery`.

Machines · 11 messages

Representative Machine Detail discussion

Active

At revision 92, seo-starter is owner-confirmed as the web implementation baseline. Homepage and Machines already carry saved starterPack plans. Current page direction: add starterPack only to screen_product_detail while preserving /machines/:modelId, UNVERIFIED query status, all content and interactions. The private prototype remains non-indexable. Configuration selection and marketplace routing remain deferred; starterPack interactive-leaf wording is planning annotation only and does not make configuration switching operational. Production still needs verified per-model content, real search evidence, indexing decisions, slug/canonical implementation review, and verified enquiry context handoff.

Representative Machine Detail · 12 messages

Product and Contact Enquiry discussion

Active

At blueprint revision 94, the owner confirmed seo-starter as the implementation baseline. For screen_enquiry, propose a guarded whole-screen replacement that preserves the saved screen exactly and adds only pagePlan.starterPack: non-indexable utility page, supplied draft title/description, no image slots, internal-link annotations for the three transitions leaving the screen, and one interactive leaf for the simulated form. Preserve pagePlan.intent=product_task. The self-retry transition is a form recovery control, not an internal link. Production submission operations and implementation verification remain unresolved.

Product and Contact Enquiry · 17 messages

Machines discussion

Active

Owner confirmed seo-starter as the implementation baseline. Current direction is to add starterPack settings one screen at a time through guarded whole-screen replacements that preserve all other saved properties. For screen_machine_listing, retain /machines, parameterizedFamily false, targetQuery UNVERIFIED, and all existing structure; propose a non-indexable comparison/pillar starter handoff with existing intro copy, one conceptual card image slot, existing outbound links, and no interactive leaves. Public indexing remains deferred until a real target query is researched.

Machines · 2 messages

Enquiry Confirmation discussion

Active

At revision 93, the owner confirmed seo-starter as the web implementation baseline. A guarded whole-screen replacement is proposed for screen_enquiry_confirmation at /screens/4, adding only pagePlan.starterPack with indexable false, utility classification, owner-supplied draft metadata, no image slots, two internal-link annotations based on existing action labels and transition targets, and no interactive leaves. The product_task intent is preserved. No active proposal overlaps the screen. The supplied description is below the template’s 140-character readiness threshold, so implementation review may warn. Proposal remains unapplied.

Enquiry Confirmation · 16 messages

Support and Contact discussion

Active

At project jtech-website_mumoh81i_qeb89e revision 95, the owner confirmed seo-starter as the implementation baseline. For screen_support, propose adding pagePlan.starterPack while preserving the complete saved screen otherwise exactly. The Support page remains non-indexable for the private prototype because its target query is UNVERIFIED; production indexability is deferred until a real query is researched. The starter handoff uses informational intent, utility page type, existing support-route copy as the opening answer, no image slots or interactive leaves, and annotations for the two existing outbound routes: Contact about this to screen_enquiry and View locations to screen_locations. No overlapping active proposal exists for screen_support. Production HTML, metadata, anchor behavior, and template gates remain unverified.

Support and Contact · 6 messages

Locations discussion

Active

At revision 96, the owner confirmed seo-starter as the implementation baseline. Locations remains a private-prototype-ready responsive web screen with two clearly fictional static examples, a non-interactive map placeholder, an empty-state block persisted to empty, and two enquiry-bound actions that do not establish executable location-context transfer. A single unapplied guarded proposal now adds only pagePlan.starterPack to screen_locations. The proposed starter pack is non-indexable because locations are fictional, classifies the page as local/utility, uses the saved prototype disclosure verbatim as its opening answer, omits imageSlots pending a map-placeholder decision, and records the two existing outbound enquiry links. Production locations, capabilities, authorization, search demand, metadata publication, HTML delivery, and implementation gates remain unverified.

Locations · 8 messages

10 · EXTERNAL REVIEW INSTRUCTIONS

How another AI or reviewer should use this dossier

1. Use blueprint.json as the source of truth and this dossier as the readable visual explanation.
2. Use the Reviewer Evidence Summary to distinguish saved representation, engine support and observed execution.
3. Preserve confirmed decisions, rejected directions and IDs. Do not silently redesign the entire product.
4. Identify evidence-backed problems before recommending changes.
5. Separate factual defects, product questions and optional improvements.
6. For every recommendation, name the affected requirements, flows, screens and states.
7. Return proposed changes for discussion; do not present them as already applied.

A more detailed reusable prompt is included in AI-REVIEW-PROMPT.md inside the review pack.

Jtech Website · revision 97 · generated by UX Blueprint Engine v0.3.24