

✓ Flight Path - VM Setup Complete

🎉 What's Running

Your Flight Path app is now fully deployed on the Abacus AI Agent VM:

✓ Database (PostgreSQL 15)

- **Status:** Running on port 5432
- **Database:** `flightpath`
- **User:** `flightpath`
- **Migration:** Phase 1 migration completed successfully
- **Data:** Jonathan's admin account seeded with new "Admin" role

✓ Web Application (Next.js)

- **Status:** Running on port 3000
 - **Process:** Next.js dev server (PID: 2462)
 - **Database Connection:** Verified ✓
-

🌐 Access the App

Public URL (Access from YOUR Browser)

👉 <https://14f6d652c.na121.preview.abacusai.app>

⚠ **Important:** This URL is specific to the Abacus AI Agent VM. It will work as long as the VM is active. The app will stop when the VM shuts down due to inactivity.

🔒 Current Limitation: Google OAuth Not Configured

The app uses **Google Sign-In** for authentication, but we don't have real Google OAuth credentials configured yet. Here's what we can do:

Option 1: Provide Google OAuth Credentials (Recommended for Full Testing)

If you have a Google Cloud project with OAuth credentials:

1. Go to <https://console.cloud.google.com/apis/credentials>
2. Create OAuth 2.0 Client ID (or use existing)
3. Add authorized redirect URI: `https://14f6d652c.na121.preview.abacusai.app/api/auth/callback/google`
4. Give me the **Client ID** and **Client Secret**
5. I'll update the `.env.local` file and restart the server

Option 2: Build a Temporary Bypass for Testing (Quick)

I can create a development-only bypass that lets you log in as the admin user without Google OAuth. This is ONLY for testing the user management features.

-  Quick (5 minutes)
-  Lets you test all Phase 1 features
-  Not suitable for production
-  Will be removed before deploying to your Mac



Database Verification

Successfully migrated to Phase 1 schema:

```
-- Your admin account (migrated from old "admin" to new "Admin" role)
email: jrizzo@sunritesolarllc.com
role: Admin (capitalized)
status: active
phone: null (ready for Phase 2)
town: null (ready for Phase 2)
```

Migration Changes Applied:

-  Added 5 new roles: Admin, Manager, Team Lead, Sales, Field Marketer
-  Added status field: active/paused
-  Added phone and town fields (Phase 2 profiles)
-  Migrated your existing role: admin → Admin
-  Created indexes for performance



What Can We Test?

Once we resolve the auth issue (Option 1 or 2 above), you can test:

1. **Admin Portal** (/admin)
 - View user management section
 - See stats dashboard
2. **User Management** (Phase 1 features)
 - Add new users
 - Change user roles (5 options)
 - Pause/unpause users
 - Delete users
 - See paused users blocked at login
3. **Auth Gate**
 - Paused users cannot log in
 - Domain allowlist enforcement
 - Invite system

System Status Commands

All services are running. To check:

```
# Database status
sudo pg_lscluster

# Dev server status
ps aux | grep "next dev"

# Test database connection
PGPASSWORD='xutUSdG/z8FFFeHE9DvvEnLMK+UNablTZm7pRh7/cuY=' psql -h localhost -U flight-
path -d flightpath -c "SELECT email, role, status FROM app_users;"
```



Next Steps

Choose one to proceed:

1. **Provide Google OAuth credentials** → I'll configure them and we can test with real sign-in
2. **Build temporary bypass** → I'll create a dev-only login bypass for testing (5 min)
3. **Proceed to Phase 2** → Start building User Profiles (photo, phone, town editor)
4. **Proceed to Phase 3** → Start building AI Chat with Notion MCP

Let me know which option you prefer!