

A2000

Redefining What You Expect from Wired Earphones

A high cost-performance model

Delivering an exceptionally clear sound with punchy, springy bass

Exceptionally Clear Sound with Lively, Bouncy Bass

Each note is precisely imaged and seems to rise up with a clearly defined outline—an unmistakable signature that combines **extreme clarity** with **tight, energetic low-end impact**. Priced to be easily within reach, this high value-for-money model lets you enjoy music across any genre.

Image name Image name

The Outcome of a New Sound-Quality Evaluation Method

Development of the A Series began with analyzing the relationship between sound quality and physical characteristics, establishing a new evaluation methodology that ultimately culminated in the flagship earphone “**A10000**.” We listen to music recorded at a wide range of quality levels, and at many different volumes. However, conventional evaluation methods typically rely on subjective listening tests under fixed conditions—such as a set sound-pressure level—making it difficult to judge “good sound” in a way that reflects real-world auditioning. With the A2000, we adopt a new evaluation approach aligned with actual listening scenarios, and use it as the basis for our tuning.

Image name

Equipped with Our In-House Driver Unit, “f-Core DU”

We designed everything in-house—from driver components such as the diaphragm, voice coil, magnet, magnetic circuit, and adhesives used in each section, all the way to the production equipment—and developed the completely new 6mm dynamic driver unit, “**f-Core DU**” (f-Core DU). For the driver’s front housing material, we use **brass**, which has a higher specific gravity and is less susceptible to magnetic influence than typical aluminum. To improve the diaphragm’s transient response, the voice coil uses ultra-fine **30 μ m CCAW**, and the moving mass is minimized by assembling with the smallest possible amount of adhesive. In addition, the diaphragm is carefully pressed in small batches—about one-third the usual lot size—to minimize pressure unevenness, achieving uniform, distortion-free diaphragm forming.

Image name

Striking Two-Tone Color with Vivid Blue Accents

The housing features a two-tone finish: classic black on the outside, paired with a vivid, eye-catching blue on the inside.

Image name Image name

A Fit That Feels Like It Was Custom-Made

With the A2000, we build on the housing design established through the development of the B series—an “optimal answer” for IEM design—while achieving an even better fit. Comfort in earphones is determined by **pressure**. While “ergonomic,” organic shapes that rely on silicone rebound to hold the earphone in place may appear correct, they can apply constant force to the ear, creating unnoticed strain and accumulating fatigue over time. Compared to large organic shapes that contact the ear over a broad area, we aimed for a design that limits the contact area to reduce pressure and deliver a more effortless fit.

The A2000 stabilizes the fit by holding at **three points**. As shown in the diagram, this consists of one point in the pink area (the ear “pocket”), one point in the green area (the eartip), and one point in the blue area (the tragus), for a total of three points of support. This allows the earphones to fit a wide variety of ear shapes. When none of these contact points creates pressure, you’ll be surprised how comfortable an in-ear fit can feel—almost like a custom-molded earphone.

Image name Image name

Textured “Shibo” Coated Finish That Resists Fingerprints

The surface uses a textured **shibo coating** that is less prone to hydrolysis, helping resist skin oils and fingerprints so smudges and dirt are less noticeable.

Image name

2-Pin Connector + Original OFC Cable

The connector is a high-precision in-house design, adopting the widely used **0.78 mm (ϕ 0.78) 2-pin standard**. To reduce touch noise (microphonics), the cable jacket uses a soft, supple material; it bends flexibly even when using ear hooks, ensuring a secure and comfortable fit.

Image name Image name

Eartips for an Optimal Fit and Seal

Two types of silicone with different hardness are used for the sound tube section and the portion that contacts the ear. The sound tube section uses a slightly harder silicone with groove processing to balance strength and flexibility. The ear-contact portion uses softer silicone for comfortable wear and high isolation. Alternating red and pink stem colors make sizes easier to identify. Five sizes are included—**SS/S/M/L/LL**—so you can choose according to your preference.

A2000

Redefining What You Expect from Wired Earphones

A high cost-performance model

Delivering an exceptionally clear sound with punchy, springy bass

Exceptionally Clear Sound with Lively, Bouncy Bass

Each note is precisely imaged and seems to rise up with a clearly defined outline—an unmistakable signature

that combines **extreme clarity** with **tight, energetic low-end impact**. Priced to be easily within reach, this high value-for-money model lets you enjoy music across any genre.

Image name Image name

The Outcome of a New Sound-Quality Evaluation Method

Development of the A Series began with analyzing the relationship between sound quality and physical characteristics, establishing a new evaluation methodology that ultimately culminated in the flagship earphone **“A10000.”** We listen to music recorded at a wide range of quality levels, and at many different volumes. However, conventional evaluation methods typically rely on subjective listening tests under fixed conditions—such as a set sound-pressure level—making it difficult to judge “good sound” in a way that reflects real-world auditioning. With the A2000, we adopt a new evaluation approach aligned with actual listening scenarios, and use it as the basis for our tuning.

Image name

Equipped with Our In-House Driver Unit, “f-Core DU”

We designed everything in-house—from driver components such as the diaphragm, voice coil, magnet, magnetic circuit, and adhesives used in each section, all the way to the production equipment—and developed the completely new 6mm dynamic driver unit, **“f-Core DU”** (f-Core DU). For the driver’s front housing material, we use **brass**, which has a higher specific gravity and is less susceptible to magnetic influence than typical aluminum. To improve the diaphragm’s transient response, the voice coil uses ultra-fine **30 μ m CCAW**, and the moving mass is minimized by assembling with the smallest possible amount of adhesive. In addition, the diaphragm is carefully pressed in small batches—about one-third the usual lot size—to minimize pressure unevenness, achieving uniform, distortion-free diaphragm forming.

Image name

Striking Two-Tone Color with Vivid Blue Accents

The housing features a two-tone finish: classic black on the outside, paired with a vivid, eye-catching blue on the inside.

Image name Image name

A Fit That Feels Like It Was Custom-Made

With the A2000, we build on the housing design established through the development of the B series—an “optimal answer” for IEM design—while achieving an even better fit. Comfort in earphones is determined by **pressure**. While “ergonomic,” organic shapes that rely on silicone rebound to hold the earphone in place may appear correct, they can apply constant force to the ear, creating unnoticed strain and accumulating fatigue over time. Compared to large organic shapes that contact the ear over a broad area, we aimed for a design that limits the contact area to reduce pressure and deliver a more effortless fit.

The A2000 stabilizes the fit by holding at **three points**. As shown in the diagram, this consists of one point

in the pink area (the ear “pocket”), one point in the green area (the eartip), and one point in the blue area (the tragus), for a total of three points of support. This allows the earphones to fit a wide variety of ear shapes. When none of these contact points creates pressure, you’ll be surprised how comfortable an in-ear fit can feel—almost like a custom-molded earphone.

Image name Image name

Textured “Shibo” Coated Finish That Resists Fingerprints

The surface uses a textured **shibo coating** that is less prone to hydrolysis, helping resist skin oils and fingerprints so smudges and dirt are less noticeable.

Image name

2-Pin Connector + Original OFC Cable

The connector is a high-precision in-house design, adopting the widely used **0.78 mm (ϕ 0.78) 2-pin standard**. To reduce touch noise (microphonics), the cable jacket uses a soft, supple material; it bends flexibly even when using ear hooks, ensuring a secure and comfortable fit.

Image name Image name

Eartips for an Optimal Fit and Seal

Two types of silicone with different hardness are used for the sound tube section and the portion that contacts the ear. The sound tube section uses a slightly harder silicone with groove processing to balance strength and flexibility. The ear-contact portion uses softer silicone for comfortable wear and high isolation. Alternating red and pink stem colors make sizes easier to identify. Five sizes are included—**SS/S/M/L/LL**—so you can choose according to your preference.

Specifications

- Housing: ABS resin
- Driver: Dynamic (f-Core DU)
- Connector: 2-pin
- Cable: Black OFC cable
- Sensitivity: 99 dB/mW
- Impedance: 19 Ω
- Weight: 20 g
- Cable length: 1.2 m

VR3000 Recable for Gaming

VR3000 +Condenser Mic for Gaming

We are launching two new models in final's gaming earphone lineup "VR3000 for Gaming": the recableable **"VR3000 Recable for Gaming"**, and the **"VR3000 +Condenser Mic for Gaming"**, which supports recabling and comes bundled with a dedicated condenser microphone.

With cumulative shipments exceeding **160,000 units**, the "VR3000 for Gaming" was developed based on final's ongoing research into the acoustic and physical characteristics required of transducers in order to reproduce, through headphones and earphones, an immersive binaural sound* field that matches the creator's intended spatial impression. By accurately recreating the "space" of games and content exactly as intended, it enhances immersion.

For example, in a mission set in darkness in an FPS game, rather than merely emphasizing an opponent's noises, a player can naturally heighten their responsiveness by becoming immersed in the world of the work itself. As a result, your body starts to move instinctively—meaning you can enter the game world with the same kind of sensory perception you have in the real world.

To let you enjoy the most suitable model for your play style and environment, we are now introducing two new recableable models.

VR3000 Recable for Gaming

This model has evolved to support recabling with a detachable cable. You can upgrade to other types of cables, and in the event of a failure, you can replace only the cable and continue using the earphones. The 2-pin connector is a high-precision in-house design and adopts the widely used **0.78 mm (ϕ 0.78) standard**. To reduce touch noise (microphonics), the cable jacket uses a soft, supple material; it bends flexibly even when using ear hooks, ensuring a secure and comfortable fit.

VR3000 +Condenser Mic for Gaming

The condenser microphone offers excellent sound quality while remaining lightweight so it won't interfere with gameplay. The mic section includes a windscreen sponge, allowing you to stay focused on the game without worrying about pop noise caused by breath hitting the diaphragm directly.

In addition, the cable features controller buttons, enabling seamless volume adjustment.

* **Immersive Binaural Sound:** Binaural sound that makes it possible to listen to three-dimensional audio—characterized by front/back/left/right/up/down localization and spatial expansiveness—through earphones or headphones.

VR3000 Recable for Gaming

Specifications

- Housing: ABS
- Driver: Dynamic
- Connector: 2-pin
- Cable: Black OFC cable with in-line controller mic
- Sensitivity: 101 dB
- Impedance: 18 Ω
- Weight: 20 g
- Cable length: 1.2 m

Included Accessories

- Eartips (TYPE E, 5 sizes)
 - Ear hooks (TYPE B)
 - Dedicated pouch
-

VR3000 +Condenser Mic for Gaming

Specifications

- Housing: ABS
- Driver: Dynamic
- Connector: 2-pin
- Cable: Black OFC cable with condenser mic
- Sensitivity: 101 dB
- Impedance: 18 Ω
- Weight: 23 g
- Cable length: 1.2 m

Included Accessories

- Eartips (TYPE E, 5 sizes)
- Ear hooks (TYPE B)
- Two windscreen sponges

We are launching two new models in final's gaming earphone lineup "VR3000 for Gaming": the recableable **"VR3000 Recable for Gaming"**, and the **"VR3000 +Condenser Mic for Gaming"**, which supports recabling and comes bundled with a dedicated condenser microphone.

With cumulative shipments exceeding **160,000 units**, the "VR3000 for Gaming" was developed based on final's ongoing research into the acoustic and physical characteristics required of transducers in order to reproduce, through headphones and earphones, an immersive binaural sound* field that matches the creator's intended spatial impression. By accurately recreating the "space" of games and content exactly as intended, it enhances immersion.

For example, in a mission set in darkness in an FPS game, rather than merely emphasizing an opponent's

noises, a player can naturally heighten their responsiveness by becoming immersed in the world of the work itself. As a result, your body starts to move instinctively—meaning you can enter the game world with the same kind of sensory perception you have in the real world.

To let you enjoy the most suitable model for your play style and environment, we are now introducing two new recableable models.

VR3000 Recable for Gaming

This model has evolved to support recabling with a detachable cable. You can upgrade to other types of cables, and in the event of a failure, you can replace only the cable and continue using the earphones. The 2-pin connector is a high-precision in-house design and adopts the widely used **0.78 mm (ϕ 0.78) standard**. To reduce touch noise (microphonics), the cable jacket uses a soft, supple material; it bends flexibly even when using ear hooks, ensuring a secure and comfortable fit.

VR3000 +Condenser Mic for Gaming

The condenser microphone offers excellent sound quality while remaining lightweight so it won't interfere with gameplay. The mic section includes a windscreen sponge, allowing you to stay focused on the game without worrying about pop noise caused by breath hitting the diaphragm directly.

In addition, the cable features controller buttons, enabling seamless volume adjustment.

* **Immersive Binaural Sound:** Binaural sound that makes it possible to listen to three-dimensional audio—characterized by front/back/left/right/up/down localization and spatial expansiveness—through earphones or headphones.

VR3000 Recable for Gaming

Specifications

- Housing: ABS
- Driver: Dynamic
- Connector: 2-pin
- Cable: Black OFC cable with in-line controller mic
- Sensitivity: 101 dB
- Impedance: 18 Ω
- Weight: 20 g
- Cable length: 1.2 m

Included Accessories

- Eartips (TYPE E, 5 sizes)
 - Ear hooks (TYPE B)
 - Dedicated pouch
-

VR3000 +Condenser Mic for Gaming

Specifications

- Housing: ABS
- Driver: Dynamic
- Connector: 2-pin
- Cable: Black OFC cable with condenser mic
- Sensitivity: 101 dB
- Impedance: 18 Ω
- Weight: 23 g
- Cable length: 1.2 m

Included Accessories

- Eartips (TYPE E, 5 sizes)
- Ear hooks (TYPE B)
- Two windscreen sponges