# 01\_ListsAndArrays

July 20, 2021

## 1 Lists and Arrays in Python

```
[18]: import array import numpy as np
```

### 1.1 Python List

```
[19]: my_list = [True, "Hello", 42.0, 420, None]
print([type(val) for val in my_list])
```

[<class 'bool'>, <class 'str'>, <class 'float'>, <class 'int'>, <class
'NoneType'>]

# 1.2 Python Array

```
[20]: my_array_range = list(range(10))
my_array = array.array('i', my_array_range)
print(my_array)
```

array('i', [0, 1, 2, 3, 4, 5, 6, 7, 8, 9])

#### 1.2.1 Array Dtypes

Type code	C Type	Python Type	Minimum size in bytes
'b'	signed char	int	1
'B'	unsigned char	int	1
ʻu'	$wchar\_t$	Unicode character	2
h'	signed short	int	2
'H'	unsigned short	int	2
ʻi'	signed int	int	2
'I'	unsigned int	int	2
<b>'</b> 1'	signed long	int	4
$^{\iota}\mathrm{L}^{\prime}$	unsigned long	int	4
$^{\prime}\mathrm{q}^{\prime}$	signed long long	int	8
$^{\prime}\mathrm{Q}^{\prime}$	unsigned long long	int	8

'f'	float	float	4	
'd'	double	float	8	

```
[21]: my_array_range = list(range(10))
my_array = array.array('d', my_array_range)
print(my_array)
```

array('d', [0.0, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0])

### 1.3 Numpy Array

NumPy is the fundamental package for scientific computing in Python.

It is a Python library that provides a multidimensional array object, various derived objects, and an assortment of routines for fast operations on arrays.

At the core of the NumPy package, is the ndarray object.

This encapsulates n-dimensional arrays of homogeneous data types, with many operations being performed in compiled code for performance.

```
[22]: def array_info(array: np.ndarray) -> None:
    print(f"ndim: {array.ndim}")
    print(f"shape: {array.shape}")
    print(f"size: {array.size}")
    print(f"dtype: {array.dtype}")
    print(f"values:\n{array}\n")
```

```
[23]: my_np_array = np.array([1, 4, 2, 5, 3])
array_info(my_np_array)
```

ndim: 1
shape: (5,)
size: 5
dtype: int64
values:
[1 4 2 5 3]

```
[24]: my_np_array = np.array([3.14, 4, 2, 3])
array_info(my_np_array)
```

ndim: 1
shape: (4,)
size: 4
dtype: float64
values:
[3.14 4. 2. 3.]

```
[25]: my_np_array = np.array([1, 2, 3, 4], dtype='float32')
      array_info(my_np_array)
     ndim: 1
     shape: (4,)
     size: 4
     dtype: float32
     values:
     [1. 2. 3. 4.]
     1.4 Intrinsic Arrays
[26]: my_np_array = np.zeros(shape=10, dtype=int)
      array_info(my_np_array)
     ndim: 1
     shape: (10,)
     size: 10
     dtype: int64
     values:
     [0 0 0 0 0 0 0 0 0]
[27]: my_np_array = np.ones(shape=(3, 5), dtype=float)
      array_info(my_np_array)
     ndim: 2
     shape: (3, 5)
     size: 15
     dtype: float64
     values:
     [[1. 1. 1. 1. 1.]
      [1. 1. 1. 1. 1.]
      [1. 1. 1. 1. 1.]]
[28]: my_np_array = np.full(shape=(3, 5), fill_value=3.14)
      array_info(my_np_array)
     ndim: 2
     shape: (3, 5)
     size: 15
     dtype: float64
     values:
     [[3.14 3.14 3.14 3.14 3.14]
      [3.14 3.14 3.14 3.14 3.14]
      [3.14 3.14 3.14 3.14 3.14]]
```

```
[29]: my_np_array = np.arange(start=0, stop=20, step=2)
      array_info(my_np_array)
     ndim: 1
     shape: (10,)
     size: 10
     dtype: int64
     values:
     [ 0 2 4 6 8 10 12 14 16 18]
[30]: my_np_array = np.linspace(start=0, stop=1, num=5)
      array_info(my_np_array)
     ndim: 1
     shape: (5,)
     size: 5
     dtype: float64
     values:
     [0. 0.25 0.5 0.75 1. ]
[31]: my_np_array = np.eye(N=3)
     array_info(my_np_array)
     ndim: 2
     shape: (3, 3)
     size: 9
     dtype: float64
     values:
     [[1. 0. 0.]
     [0. 1. 0.]
      [0. 0. 1.]]
[32]: my_np_array = np.diag([1, 2, 3])
     array_info(my_np_array)
     ndim: 2
     shape: (3, 3)
     size: 9
     dtype: int64
     values:
     [[1 0 0]
      [0 2 0]
      [0 0 3]]
```

#### 1.5 Random Functions

```
[33]: my_np_array = np.random.randint(low=0, high=10, size=(3, 3))
      array_info(my_np_array)
     ndim: 2
     shape: (3, 3)
     size: 9
     dtype: int64
     values:
     [[9 4 1]
      [0 1 0]
      [4 5 9]]
[34]: my_np_array = np.random.random(size=(3, 3))
      array_info(my_np_array)
     ndim: 2
     shape: (3, 3)
     size: 9
     dtype: float64
     values:
     [[0.57251015 0.29443258 0.65427338]
      [0.4649484 0.2354763 0.37508406]
      [0.01208271 0.56577211 0.51645418]]
```