

Quarto reveal.js clean

A minimalist and elegant presentation theme

Grant McDermott



gmcd@amazon.com

Amazon.com

May 19, 2024

Kyle Butts



kyle.butts@colorado.edu

UC Boulder

Example slide

This is a subtitle

Before we dive a bit deeper, here is a simple example of the **clean theme** in action.

- No pictures or anything fancy. Just text for the moment.

Next, we'll take a brief tour of some theme components.

- We'll use the same basic structure as the **original LaTeX slides**.
- Note that the **full suite** of Reveal.js features are available for this Quarto implementation, even if we don't cover everything here.

Before you proceed...

Requirements for the coding examples in this demo

The **clean theme** is language agnostic. Use it with R, Python, Julia, etc. Or none of the above.

However, this demo uses R code to highlight advanced theme features.

You'll need to install some software if you'd like to render the demo “as-is”.

Required software (this demo only)

R packages

```
1 install.packages(c("modelsummary", "fixest", "pdftools", "tinytex", "threejs"))
```

TinyTex

```
1 quarto install tinytex
```

While reveal.js presentations are HTML format, we will show an example

of how to embed LaTeX tables as images. This requires a working Tex distribution, of which TinyTex provides by far the easiest and lightest integration with Quarto. More details [here](#).

Components

Components

Ordered and Unordered Lists

Here we have an unordered list.

- first item
 - sub-item
- second item

And next we have an ordered one.

1. first item
 - i. sub-item
2. second item

Components

Alerts & Cross-refs

To emphasize specific words or text, you can:

- Use the default `.alert` class, e.g. **important note**.
- Use the `.fg` class for custom colour, e.g. **important note**.
- Use the `.bg` class for custom background, e.g. **important note**.

To cross-reference, you have several options, for example:

- Beamer-like `.button` class provided by this theme, e.g. ► Appendix
- Quarto's native cross-ref syntax, e.g., "See **Section 5.3**."

Components

Citations

Citations follow the standard **Quarto format** and be sourced from BibLaTeX, BibTeX, or CLS files. For example:

- **Topic 1:** Spatial Frictions (**Fajgelbaum et al. 2018; Hsieh and Moretti 2019; Moretti 2011**)
- **Topic 2:** Blah (**Suárez Serrato and Zidar 2016**)

Components

Blocks

Quarto provides **dedicated environments** for theorems, lemmas, and so forth.

But in presentation format, it's arguably more effective just to use a **Callout Block**.

Regression Specification

The main specification is as follows:

$$y_{it} = X_{it}\beta + \mu_i + \varepsilon_{it}$$

Components

Multicolumn 1: Text only

COLUMN 1

Here is a long sentence that will wrap onto the next line as it hits the column width, and continue this way until it stops.

COLUMN 2

Some other text in another column.

A second paragraph.

Multicolumn support is very flexible and we can continue with a single full span column in the same slide.

Components

Multicolumn II: Text and figures

.

- A point about the figure that is potentially important.
- Another point about the figure that is also potentially important.

Note that sub- and multi-panel figures are also natively supported by Quarto. See [**here**](#).

Components

Multicolumn III: Code and output

```
1 palette("Classic Tableau")
2
3 par(
4   family = "HersheySans",
5   las = 1, pch = 19, cex = 1.5
6 )
7
8 pairs(
9   iris[,1:4],
10  col=iris$Species
11 )
```

Figure 1: Pairwise scatterplot

Tables

1. Details [here](#). You need to (install the [tinypdf](#) & [pdfcrowd](#) packages first.

Markdown tables

Default table styling

The **clean** theme rolls its own minimalist aesthetic for tables. This should interface directly with Quarto's excellent **table support**.

```
1 | fruit | price |  
2 |-----|-----:|  
3 | apple | 2.05 |  
4 | pear  | 1.37 |  
5 | orange| 3.09 |  
6  
7 : Fruit prices {tbl-colwidths=
```

FRUIT PRICES

fruit	price
apple	2.05
pear	1.37
orange	3.09

Regression tables

Regression example

These aesthetics should carry over to any computation-based tables too. Let's take a few slides to illustrate via a simple regression example:

```
1 library(fixest)
2
3 mods = feols(
4   rating ~ complaints + privileges + learning + csw0(raises + critica
5   data = attitude
6 )
7
8 dict = c("rating"      = "Overall Rating",
9         "complaints" = "Handling of Complaints",
10        "privileges"  = "No Special Priviledges",
11        "learning"    = "Opportunity to Learn",
12        "raises"      = "Performance-Based Raises",
13        "critical"    = "Too Critical")
```

Regression tables

modelsummary

Popular regression table software should play nicely with this theme out of the box. Here's an example using **modelsummary** (with the default **tinytable** backend¹). See the next slide for the resulting table.

```
1 library(modelsummary) # Make sure you have >=v2.0.0
2
3 modelsummary(
4   setNames(mods, c("(1)", "(2)")),
5   coef_map = dict, stars = TRUE,
6   gof_map = NA
7 ) |>
8 # some optional stylistic tweaks
9 tinytable::group_tt(j = list("Dep. variable: Overall Rating" = 2:3)
10  tinytable::style_tt(i = 1:2, j = 2:3, background = "pink")
```

Regression tables

	Dep. variable: Overall Rating	
	(1)	(2)
Handling of Complaints	0.682*** (0.129)	0.692*** (0.149)
No Special Privileges	-0.103 (0.129)	-0.104 (0.135)
Opportunity to Learn	0.238+ (0.139)	0.249 (0.160)
Performance-Based Raises		-0.033 (0.202)
Too Critical		0.015

+ $p < 0.1$, * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

Dep. variable: Overall Rating

(1)**(2)**

(0.147)

+ $p < 0.1$, * $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

Regression tables

fixest::etable

Aside: We used the fantastic **fixest** package to estimate our regression models. `fixest` bundles its own powerful tabling functions. These were designed for LaTeX output, but can work with this (HTML) theme too.¹

- Set the **output: asis** R chunk option in your Quarto doc.
- Set the **markdown = TRUE** `fixest::etable` option.

```
1 ```{r}
2 #| output: asis
3
4 setFixest_etable(markdown = TRUE, drop = "Constant")
5 setFixest_dict(dict)
6
7 etable(mods, highlight = .("se" = "complaints"))
8 ```
```

Regression tables

fixest::etable (cont.)

Dependent Variable:		Overall Rating	
Model:		(1)	(2)
<i>Variables</i>			
Handling of Complaints	0.6824***	0.6921***	
	(0.1288)	(0.1489)	
No Special Privileges	-0.1033	-0.1036	
	(0.1293)	(0.1347)	

Opportunity to Learn	0.2380*	0.2491
	(0.1394)	(0.1596)
Performance-Based Raises		-0.0335
		(0.2023)
Too Critical		0.0155
		(0.1472)

Fit statistics

Observations	30	30
R ²	0.71500	0.71535
Adjusted R ²	0.68212	0.65605

IID standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

Figures

Figure

.

Figure

Full-size Figures

You can use the `{.background-image}` container environment to completely fill the slide background with an image.

Ideally, your figure will be the same aspect ratio as the screen that you're presenting on.

- This can be a bit tricky because of the dynamic nature of reveal.js / HTML. But it's probably something close to 16:9.
- Aspect ratio can also matter for a regular full-frame images (previous slide).

Interactive plots

Note: Simple flight data example using [threejs](#). There are many interactive plotting options beyond this. (More [details](#).)

Other

Other

What else can the clean theme do?

We have highlighted some theme-specific components in this demo.

But please note that all of the standard **reveal.js functionality and plugins** are compatible with the clean theme. This includes:

- **chalkboard** for annotating slides.
- **multiplex** for enabling audience navigation of your slides.
- **pdf printing** in case you don't have access to a web browser.
- Etc.

Summary

Summary

A minimalist and elegant presentation theme

The Quarto reveal.js **clean theme** aims to be a minimalist and elegant presentation theme. Here are some options to get you started.

Add the theme to an existing project.

```
1 quarto install extension grantmcdermott/quarto-revealjs-clean
```

... or, create a new project using our lean template.

```
1 quarto use template grantmcdermott/quarto-revealjs-clean
```

... or, create a new project using these demo slides as a full template.

```
1 quarto use template grantmcdermott/quarto-revealjs-clean-demo
```

References

Fajgelbaum, Pablo D, Eduardo Morales, Juan Carlos Suarez Serrato, and Owen Zidar. 2018. "State Taxes and Spatial Misallocation," 90.

Hsieh, Chang-Tai, and Enrico Moretti. 2019. "Housing Constraints and Spatial Misallocation." *American Economic Journal: Macroeconomics* 11 (2): 39.

Moretti, Enrico. 2011. "Local Labor Markets." In *Handbook of Labor Economics*. Vol. 4. Elsevier.

Suárez Serrato, Juan Carlos, and Owen Zidar. 2016. "Who Benefits from State Corporate Tax Cuts? A Local Labor Markets Approach with Heterogeneous Firms." *American Economic Review* 106 (9).

Appendix

Table 1: Summary of the base R `attitude` dataset

	Unique	Missing	Mean	SD	Min	Median	Max	Histogram
		Pct.						
rating	22	0	64.6	12.2	40.0	65.5	85.0	
complaints	23	0	66.6	13.3	37.0	65.0	90.0	
privileges	24	0	53.1	12.2	30.0	51.5	83.0	
learning	23	0	56.4	11.7	34.0	56.5	75.0	
raises	21	0	64.6	10.4	43.0	63.5	88.0	
critical	21	0	74.8	9.9	49.0	77.5	92.0	

	Unique	Missing	Mean	SD	Min	Median	Max	Histogram
		Pct.						
advance	20	0	42.9	10.3	25.0	41.0	72.0	

► Back to main