


Macaca fuscata, Japanese Macaque

Errata version

Assessment by: Watanabe, K. & Tokita, K.



View on www.iucnredlist.org

Citation: Watanabe, K. & Tokita, K. 2020. *Macaca fuscata* (errata version published in 2021). *The IUCN Red List of Threatened Species* 2020: e.T12552A195347803.

<https://dx.doi.org/10.2305/IUCN.UK.2020-2.RLTS.T12552A195347803.en>

Copyright: © 2021 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Mammalia	Primates	Cercopithecidae

Scientific Name: *Macaca fuscata* (Blyth, 1875)

Infra-specific Taxa Assessed:

- [Macaca fuscata ssp. fuscata](#)
- [Macaca fuscata ssp. yakui](#)

Common Name(s):

- English: Japanese Macaque
- French: Macaque Japonais, Macaque À Face Rouge
- Spanish; Castilian: Macaca Japonesa

Taxonomic Notes:

The population on Yakushima is usually considered a distinct subspecies (*M. f. yakui*).

Assessment Information

Red List Category & Criteria: Least Concern [ver 3.1](#)

Year Published: 2020

Date Assessed: November 21, 2015

Justification:

This species is widespread and found in many protected areas. The distribution is expanding and the population is increasing in many areas. It has a large global population and is not experiencing any serious declines. Therefore, this species is Least Concern, although there are some local populations under threat.

Previously Published Red List Assessments

2008 – Least Concern (LC)
<https://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T12552A3355997.en>

2000 – Data Deficient (DD)

1996 – Endangered (EN)

1994 – Vulnerable (V)

Geographic Range

Range Description:


This species is present in Japan on Honshu, Shikoku, Kyushu, and the islands of Awaji, Shodo, Yaku, Kinkazan (Miyagi Prefecture), Kojima (Miyazaki Prefecture) and others. It was previously found on Tane

Island, where it is now extinct (Abe *et al.* 2005).

Country Occurrence:

Native, Extant (resident): Japan (Honshu, Kyushu, Shikoku)

Distribution Map





Legend

- EXTANT (RESIDENT)
- EXTINCT

Compiled by:

IUCN (International Union for Conservation of Nature) 2008



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.

Population

This species is endemic to Japan. It is common, widespread and increasing in recent years, although a few populations in Tohoku District are threatened (Ministry of the Environment 2007). Population density is usually larger in broad-leaved evergreen forests than in broad-leaved deciduous forests (Abe *et al.* 2005). On Yaku Island, a survey conducted in 1991 and 1992 (Yoshihiro *et al.* 1998) estimated 131 troops containing 2,000–3,850 individuals in a coastal area of 12.7 km².

Current Population Trend: Stable

Habitat and Ecology (see Appendix for additional information)

This species occurs in broad-leaved deciduous and evergreen forest, from subtropical lowlands to sub-alpine regions of up to 1,500 m asl (Abe *et al.* 2005). It feeds on fruit, leaves, berries, seeds, small animals, insects, and cultivated crops, and bark (Abe *et al.* 2005).

Systems: Terrestrial

Use and Trade (see Appendix for additional information)

The species is not involved in use or in trade.

Threats (see Appendix for additional information)

There are no major threats at the species level. There are two localities where hybridization with the introduced *Macaca* spp. is known to occur: Taiwanese Macaque (*Macaca cyclopis*) in Wakayama Prefecture; and Rhesus Macaque (*M. mulatta*) in Chiba Prefecture (Abe *et al.* 2005). However, in the former case, most individuals have been removed (Watanabe pers. comm.). Each year, over 10,000 individuals are killed to prevent agricultural damage (Abe *et al.* 2005), and this situation may require more careful population management.

Conservation Actions (see Appendix for additional information)

This species is listed under CITES Appendix II, and had been officially protected from hunting in Japan since 1947. It is known from most of the National and Quasi-National Parks in Honshu, Shikoku and Kyushu: Ashizuri-Uwakai NP, Aso NP, Bandai-Asahi NP, Chubu-Sangaku NP, Daisetsuzan NP, Fuji-Hakone-Izu NP, Hakusan NP, Jo-shin-Etsu Kogen NP, Karishima-Yaku NP, Minami Alps NP, Nichinan Kaigan Quasi NP, Nikko NP, San-In Kaigan NP, Seto Inland Sea NP, Seto Naikai NP, Takasakiyama NP, Towada-Hachimantai NP (M. Richardson pers. comm.). The species is quite common in captivity (ISIS 2007).

Credits

Assessor(s): Watanabe, K. & Tokita, K.

Reviewer(s): Molur, S. & Mittermeier, R.A.

Authority/Authorities: IUCN SSC Primate Specialist Group

Bibliography

- Abe, H., Ishii, N., Ito, T., Kaneko, Y., Maeda, K., Miura, S. and Yoneda, M. 2005. *A Guide to the Mammals of Japan*. Tokai University Press, Kanagawa, Japan.
- Fooden, J. and Aimi, M. 2005. Systematic Review of Japanese Macaques, *Macaca fuscata* (Gray, 1870). *Fieldiana: Zoology* 104.
- Groves C.P. 2001. *Primate Taxonomy*. Smithsonian Institution Press, Washington, DC, USA.
- IUCN. 2020. The IUCN Red List of Threatened Species. Version 2020-2. Available at: www.iucnredlist.org. (Accessed: 13 June 2020).
- IUCN. 2021. The IUCN Red List of Threatened Species. Version 2021-1. Available at: www.iucnredlist.org. (Accessed: 25 March 2021).
- Iwamoto, T. 1974. A bioeconomic study on a provisioned troop of Japanese monkeys (*Macaca fuscata fuscata*) at Koshima islet, Miyazaki. *Primates* 15(2-3): 241-262.
- Kuroda, N. 1940. *A monograph of the Japanese mammals, excluding the Sirenia and Cetacea*. Sanseido Co, Tokyo, Japan.
- Ministry of the Environment. 2007. The revised Japanese Red List.
- Ministry of the Environment. In press. Threatened Wildlife of Japan, Red Data Book, Supplement. Japan Wildlife Research Center, Tokyo.
- Suzuki, A. 1965. An ecological study of wild Japanese monkeys in snowy areas, focused on their food habits. *Primates* 6(1): 31-72.
- Takasaski, H. 1981. Troop size, habitat quality, and home range area in Japanese macaques. *Behavioral Ecology and Sociobiology* 9(4): 277-281.
- Yoshihiro, S., Furuichi, T., Manda, M., Ohkubo, N., Kinoshita, M., Agematsu, N., Azuma, S., Matsubara, H., Sugiura, H., Hill, D., Kido, E., Kubo, R., Matsushima, K., Nakajima, K., Maruhashi, T., Oi, T., Sprague, D. Tanaka, T., Tsukahara, T. and Takahata, Y. 1998. The distribution of wild Yakushima macaque (*Macaca fuscata yakui*) troops around the coast of Yakushima Island, Japan. *Primate Research* 14: 179-187.

Citation

Watanabe, K. & Tokita, K. 2020. *Macaca fuscata* (errata version published in 2021). *The IUCN Red List of Threatened Species* 2020: e.T12552A195347803. <https://dx.doi.org/10.2305/IUCN.UK.2020-2.RLTS.T12552A195347803.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Supplementary Material](#), and for [Images and External Links to Additional Information](#), please see the Red List website.

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
1. Forest -> 1.6. Forest - Subtropical/Tropical Moist Lowland	Resident	Suitable	Yes

Threats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Threat	Timing	Scope	Severity	Impact Score
5. Biological resource use -> 5.1. Hunting & trapping terrestrial animals -> 5.1.1. Intentional use (species is the target)	Ongoing	-	-	Low impact: 3
	Stresses:	2. Species Stresses -> 2.1. Species mortality		
5. Biological resource use -> 5.1. Hunting & trapping terrestrial animals -> 5.1.3. Persecution/control	Ongoing	-	-	Low impact: 3
	Stresses:	2. Species Stresses -> 2.1. Species mortality		
8. Invasive and other problematic species, genes & diseases -> 8.1. Invasive non-native/alien species/diseases -> 8.1.1. Unspecified species	Ongoing	-	-	Low impact: 3
	Stresses:	2. Species Stresses -> 2.3. Indirect species effects		

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Action in Place
In-place research and monitoring
Action Recovery Plan: No
Systematic monitoring scheme: No
In-place land/water protection
Conservation sites identified: No
Area based regional management plan: No
Occurs in at least one protected area: Yes
Invasive species control or prevention: Not Applicable
In-place species management
Harvest management plan: No

Conservation Action in Place
Successfully reintroduced or introduced benignly: No
Subject to ex-situ conservation: Yes
In-place education
Subject to recent education and awareness programmes: No
Included in international legislation: Yes
Subject to any international management / trade controls: Yes

Conservation Actions Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Action Needed
1. Land/water protection -> 1.1. Site/area protection
2. Land/water management -> 2.1. Site/area management
3. Species management -> 3.2. Species recovery
4. Education & awareness -> 4.3. Awareness & communications

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed
1. Research -> 1.2. Population size, distribution & trends
1. Research -> 1.3. Life history & ecology
1. Research -> 1.4. Harvest, use & livelihoods
1. Research -> 1.5. Threats
2. Conservation Planning -> 2.1. Species Action/Recovery Plan
3. Monitoring -> 3.1. Population trends
3. Monitoring -> 3.4. Habitat trends

Additional Data Fields

Distribution
Lower elevation limit (m): 0
Upper elevation limit (m): 1,500

Population
Population severely fragmented: No
Habitats and Ecology
Continuing decline in area, extent and/or quality of habitat: No
Generation Length (years): 12-13

Errata

Errata reason: This erratum assessment was created to bring in a minor correction to the Threats section (correcting the species name "*Macaca cyclopsis*" to "*Macaca cyclopis*").

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).