
Máquina Paper




https://app.hackthebox.com/machines/432

Reconnaissance

SHELL > sudo nmap -sSCV --min-rate 5000 -p- --open 10.129.136.31 -oN scan1.txt [sudo] password for belin: Starting Nmap 7.97 (https://nmap.org) at 2025-09-04 21:15 +0200 Stats: 0:00:27 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan Service scan Timing: About 66.67% done; ETC: 21:15 (0:00:07 remaining) Nmap scan report for 10.129.136.31 Host is up (0.065s latency). Not shown: 64985 closed tcp ports (reset), 547 filtered tcp ports (no-response) Some closed ports may be reported as filtered due to --defeat-rst-ratelimit PORT STATE SERVICE VERSION OpenSSH 8.0 (protocol 2.0) 22/tcp open ssh ssh-hostkey: 2048 10:05:ea:50:56:a6:00:cb:1c:9c:93:df:5f:83:e0:64 (RSA) 256 58:8c:82:1c:c6:63:2a:83:87:5c:2f:2b:4f:4d:c3:79 (ECDSA)


```
256 31:78:af:d1:3b:c4:2e:9d:60:4e:eb:5d:03:ec:a0:22 (ED25519)
80/tcp open http Apache httpd 2.4.37 ((centos) OpenSSL/1.1.1k mod fcgid/2.3.9)
http-server-header: Apache/2.4.37 (centos) OpenSSL/1.1.1k mod fcgid/2.3.9
http-methods:
Potentially risky methods: TRACE
http-generator: HTML Tidy for HTML5 for Linux version 5.7.28
http-title: HTTP Server Test Page powered by CentOS
443/tcp open ssl/http Apache httpd 2.4.37 ((centos) OpenSSL/1.1.1k mod fcgid/2.3.9)
http-generator: HTML Tidy for HTML5 for Linux version 5.7.28
ssl-cert: Subject: commonName=localhost.localdomain/organizationName=Unspecified/countryName=US
 Subject Alternative Name: DNS:localhost.localdomain
Not valid before: 2021-07-03T08:52:34
Not valid after: 2022-07-08T10:32:34
http-title: HTTP Server Test Page powered by CentOS
http-methods:
Potentially risky methods: TRACE
ssl-date: TLS randomness does not represent time
tls-alpn:
http/1.1
http-server-header: Apache/2.4.37 (centos) OpenSSL/1.1.1k mod fcgid/2.3.9
Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
Nmap done: 1 IP address (1 host up) scanned in 33.01 seconds
```


Nmap reported the ports 22(SHH), 80(HTTP), 443(HTTPS) so lets take a look




In both http and https we find this web which appers to the default Apache http page in CentOS.

Using curl with verbose we can see what the server responses and we can find a domain which I wrote in /etc/hosts







Uncate	gorized	Log in
		Entries <u>RSS</u>
		Comments <u>RSS</u>
		WordPress.org
	Blunder Tiffin Inc. Proudly	Powered By WordPress


This site appers to be hosted using WordPress, using whatweb we can confirm it


searchsploit -m multiple/webapps/47690.md

```
> whatweb http://office.paper/
http://office.paper/ [200 OK] Apache[2.4.37][mod_fcgid/2.3.9], Bootstrap[1,5.2.3], Country[RESERVED][ZZ],
HTML5, HTTPServer[CentOS][Apache/2.4.37 (centos) OpenSSL/1.1.1k mod_fcgid/2.3.9], IP[10.129.136.31],
JQuery, MetaGenerator[WordPress 5.2.3], OpenSSL[1.1.1k], PHP[7.2.24], PoweredBy[WordPress,WordPress,],
Script[text/javascript], Title[Blunder Tiffin Inc. – The best paper company in the electric-city Scranton!],
UncommonHeaders[link,x-backend-server], WordPress[5.2.3], X-Backend[office.paper], X-Powered-By[PHP/7.2.24]
```

If we look a exploit for that versión using **searchsploit** we can finde this vulnerability that allow us to see secret content such comments:

Watching the secret content, we noticed about a secret chat:





After register, we belong to the "general" group where there's a bot which can apparently read files:



kellylikescupcakes Hello. I am Recyclops. A bot assigned by Dwight. I will have my revenge on earthlings, but before that, I have to help my Cool friend Dwight to respond to the annoying questions asked by his co-workers, so that he may use his valuable time to... well, not interact with his co-workers.

Most frequently asked questions include:

- What time is it?
- What new files are in your sales directory?
- Why did the salesman crossed the road?
- What's the content of file x in your sales directory? etc.

Please note that I am a beta version and I still have some bugs to be fixed.

How to use me?:

1. Small Talk:

You can ask me how dwight's weekend was, or did he watched the game last night etc.

eg: 'recyclops how was your weekend?' or 'recyclops did you watched the game last night?' or 'recyclops what kind of bear is the best?

2. Joke:

You can ask me Why the salesman crossed the road.

eg: 'recyclops why did the salesman crossed the road?'

99 🖹 :



<=====The following two features are for those boneheads, who still don't know how to use scp. I'm Looking at you

For security reasons, the access is limited to the Sales folder.

eg: 'recyclops get me the file test.txt', or 'recyclops could you send me the file src/test.php' or just 'recyclops file test.txt'

4. List:

You can ask me to list the files


5. Time:

You can ask me to what the time is

eg: 'recyclops what time is it?' or just 'recyclops time'

recyclops 5:28 PM


This room is read only




Someone says that there's a "trick" where you can say few words and the bot responde aswell:

Explotation







So after a few attemps, I realized that I can execute code using run so I just spawn a rev shell.

Once in, in the envoirment variables we can see sensible information such the password of the current user:

```
[dwight@paper hubot]  env
                                                                                          proto
LS_COLORS=
                                                                                          dbus
RESPOND TO EDITED=true
                                                                                          reco
                                                                                          flam
ROCKETCHAT_USER=recyclops
LANG=en_US.UIF-8
OLDPWD=/home/dwight/hubot
ROCKETCHAT_URL=http://127.0.0.1:48320
ROCKETCHAT_USESSL=†alse
which_declare=declare -f
XDG_SESSION_ID=1
USER=dwight
RESPOND_TO_DM=true
PWD=/home/dwight/hubot
HOME=/home/dwight
XDG_DATA_DIRS=/home/dwight/.local/share/flatpak/exports/share:/var/lib/flatpak/exports/sha
PORT=8000
ROCKETCHAT_PASSWORD = Queenofblad3s!23
TERM=xterm
SHELL=/bin/bash
  _LIB_DIR=/usr/lib64/tc
SHLVL=6
BIND_ADDRESS=127.0.0.1
LOGNAME=dwight
```


Privilage Escalation

But I didn't waste the time so after that I just runned **linpeas** and it reported a CVE:

```
Download URL: https://github.com/saleemrashid/sudo-cve-2019-18634/raw/master/exploit.c
   Comments: sudo configuration requires pwfeedback to be enabled.
[+] [CVE-2019-15666] XFRM UAF
   Details: https://duasynt.com/blog/ubuntu-centos-redhat-privesc
   Exposure: less probable
   Download URL:
   Comments: CONFIG_USER_NS needs to be enabled; CONFIG_XFRM needs to be enabled
[+] [CVE-2019-13272] PTRACE_TRACEME
   Details: https://bugs.chromium.org/p/project-zero/issues/detail?id=1903
   Exposure: less probable
   Tags: ubuntu=16.04{kernel:4.15.0-*},ubuntu=18.04{kernel:4.15.0-*},debian=9{kernel:4.9.0-*},debian=10{kern
   Download URL: https://gitlab.com/exploit-database/exploitdb-bin-sploits/-/raw/main/bin-sploits/47133.zip
   ext-url: https://raw.githubusercontent.com/bcoles/kernel-exploits/master/CVE-2019-13272/poc.c
   Comments: Requires an active PolKit agent.
           Protections
   AppArmor enabled? ..... AppArmor Not Found
   AppArmor profile? ..... unconfined
   is linuxONE? ...... s390x Not Found grsecurity present? ..... grsecurity Not Found
   PaX bins present? ......... PaX Not Found Execshield enabled? ..... Execshield Not Found
   SELinux enabled? ..... SELinux status:
                                                                       disabled
   Seccomp enabled? ..... disabled
   User namespace? ..... enabled
   Cgroup2 enabled? ..... enabled
Is ASLR enabled? .... Yes
   Printer? ..... No
Is this a virtual machine? .... Yes (vmware)
```

To exploit it I used this poc:

https://github.com/secnigma/CVE-2021-3560-Polkit-Privilege-Esclation



root