



If a plague were to hit my plot, how should I face it? 0:0:106:94:2



Based on the characteristics of your plot (0:0:106:94:2) in Asturias, Spain, and general agricultural best practices, here is how you should face a potential plague:

1. Leverage Your Plot's Specific Conditions

- **Terrain Advantage:** Your plot has a gentle average slope of 3.7% and relatively flat terrain `TOOL:territorio/get_plot` . This facilitates mechanized access for spraying or harvesting affected areas quickly without the difficulties associated with steep slopes.
- **Vegetation Health Monitoring:** Currently, your orchard shows strong vegetation health with a mean NDVI of 0.74 and high EVI values `TOOL:territorio/get_plot` . Use these indices as a baseline; a sudden drop in these values in specific rows can be an early remote sensing indicator of pest stress before it is visually obvious.
- **Row Orientation:** Since your trees are planted in north-south rows `TOOL:territorio/get_plot` , ensure that any treatment application accounts for this alignment to maximize coverage and minimize shadowing effects from the trees themselves.

2. Biological Monitoring and Assessment

- **Soil and Fauna Checks:** Regularly monitor soil biology, as healthy soil ecosystems can help plants compete with disease-causing agents `AP19006-Grower-guide-Orchard-floor-management_20231116-final.pdf` . Specifically:
 - Set pitfall traps to monitor macro-fauna (beetles, slugs) and meso-fauna (mites, nematodes) `AP19006-Grower-guide-Orchard-floor-management_20231116-final.pdf` .
 - Look for bioturbation signs like tunnels and fecal piles to estimate earthworm and beetle activity `AP19006-Grower-guide-Orchard-floor-management_20231116-final.pdf` .
 - Aim for a healthy count of 10–12 earthworms per spadeful as an indicator of good soil health `AP19006-Grower-guide-Orchard-floor-management_20231116-final.pdf` .
- **Crop Inspection:** Conduct assessments during the growing years (years 2 & 3 are critical) focusing on pest arthropods, beneficial arthropods, and visible pest/disease damage `AP19006-Grower-guide-Orchard-floor-management_20231116-final.pdf` .

3. Integrated Management Strategy

- **Beneficial Arthropods:** Differentiate between pest and beneficial arthropods. Encouraging beneficial populations is a key strategy to naturally reduce pest incidence `AP19006-Grower-guide-Orchard-floor-management_20231116-final.pdf` .
- **Holistic Assessment:** If an outbreak occurs, evaluate not just the pest count but also the impact on tree physiology, fruit quality, and yield `AP19006-Grower-guide-Orchard-floor-management_20231116-final.pdf` .
- **Regional Considerations:** Given your location in Asturias, be mindful of the humid climate which can favor fungal activities. While your current NDWI (water index) suggests moderate humidity levels (mean 0.20) `TOOL:territorio/get_plot` , high humidity events common in this region may require proactive fungicide or biological controls if the plague involves fungal vectors.

In summary, utilize your plot's accessible terrain for rapid response, maintain rigorous biological monitoring of both soil and canopy, and rely on integrated pest management strategies that protect beneficial fauna while targeting specific threats.

`TOOL:territorio/get_plot` `AP19006-Grower-guide-Orchard-floor-management_2023111...`