

HumanEval TEST-set typicality metrics

gemma-4-31b & qwen-3.5-9b $\times$ base/s1/s2/s3/s4/s7/s13

2026-06-18

One table per metric (gen ROC, val ROC, val acc, Pearson). Each shows the **raw** and **tc** (typicality-corrected) gen variants, for all systems on both **humaneval-v2.1correct-upper** and **-multi**. Values $\times 100$, 1 decimal; means over the 82 test problems. Eval = (typicality mode)/(base-typ vs no-base).

Notes: (i) **val ROC** and **val acc** are validator-based, so their raw and tc columns are identical by construction (shown for uniformity). (ii) **raw** gen scores do not depend on the eval mode, so the raw column repeats within a (model, setting, dataset) block. (iii) gemma base test eval was not in the harvested dirs (qwen base is present).

Table 1: HumanEval TEST gen ROC ($\times 100$), raw vs tc gen variant. Systems: gemma-4-31b & qwen-3.5-9b $\times$ base/s1/s2/s3/s4/s7/s13, both datasets.

Model	Data	Setting	Eval	raw	tc
gemma-4-31b	upper	s1	self/base-typ	81.7	82.9
gemma-4-31b	upper	s1	self/no-base	81.7	80.6
gemma-4-31b	upper	s1	neg/base-typ	81.7	81.6
gemma-4-31b	upper	s1	neg/no-base	81.7	76.5
gemma-4-31b	upper	s2	self/base-typ	90.7	86.9
gemma-4-31b	upper	s2	self/no-base	90.7	85.2
gemma-4-31b	upper	s2	neg/base-typ	90.7	88.2
gemma-4-31b	upper	s2	neg/no-base	90.7	86.3
gemma-4-31b	upper	s3	self/base-typ	91.5	87.5
gemma-4-31b	upper	s3	self/no-base	91.5	86.4
gemma-4-31b	upper	s3	neg/base-typ	91.5	87.9
gemma-4-31b	upper	s3	neg/no-base	91.5	82.3
gemma-4-31b	upper	s4	self/base-typ	85.9	90.7
gemma-4-31b	upper	s4	self/no-base	85.9	84.3
gemma-4-31b	upper	s7	neg/base-typ	83.6	94.8
gemma-4-31b	upper	s7	neg/no-base	83.6	79.1
gemma-4-31b	upper	s13	self/base-typ	80.1	83.4
gemma-4-31b	upper	s13	self/no-base	80.1	79.9
gemma-4-31b	upper	s13	neg/base-typ	80.1	84.4
gemma-4-31b	upper	s13	neg/no-base	80.1	75.2
gemma-4-31b	multi	s1	self/base-typ	66.4	87.9
gemma-4-31b	multi	s1	self/no-base	66.4	81.6
gemma-4-31b	multi	s1	neg/base-typ	66.4	93.3
gemma-4-31b	multi	s1	neg/no-base	66.4	72.1
gemma-4-31b	multi	s2	self/base-typ	85.6	90.7
gemma-4-31b	multi	s2	self/no-base	85.6	85.6
gemma-4-31b	multi	s2	neg/base-typ	85.6	94.2
gemma-4-31b	multi	s2	neg/no-base	85.6	82.4
gemma-4-31b	multi	s3	self/base-typ	87.2	90.9
gemma-4-31b	multi	s3	self/no-base	87.2	89.0
gemma-4-31b	multi	s3	neg/base-typ	87.2	94.0
gemma-4-31b	multi	s3	neg/no-base	87.2	86.0
gemma-4-31b	multi	s4	self/base-typ	74.2	90.1
gemma-4-31b	multi	s4	self/no-base	74.2	84.0
gemma-4-31b	multi	s7	neg/base-typ	68.1	92.0

(continued)

Model	Data	Setting	Eval	raw	tc
gemma-4-31b	multi	s7	neg/no-base	68.1	80.2
gemma-4-31b	multi	s13	self/base-typ	64.2	87.3
gemma-4-31b	multi	s13	self/no-base	64.2	80.1
gemma-4-31b	multi	s13	neg/base-typ	64.2	93.3
gemma-4-31b	multi	s13	neg/no-base	64.2	72.4
qwen-3.5-9b	upper	s1	self/base-typ	76.2	87.9
qwen-3.5-9b	upper	s1	self/no-base	76.2	84.1
qwen-3.5-9b	upper	s1	neg/base-typ	76.2	94.1
qwen-3.5-9b	upper	s1	neg/no-base	76.2	73.9
qwen-3.5-9b	upper	s2	self/base-typ	83.4	87.3
qwen-3.5-9b	upper	s2	self/no-base	83.4	82.2
qwen-3.5-9b	upper	s2	neg/base-typ	83.4	90.2
qwen-3.5-9b	upper	s2	neg/no-base	83.4	79.3
qwen-3.5-9b	upper	s3	self/base-typ	81.3	86.8
qwen-3.5-9b	upper	s3	self/no-base	81.3	83.0
qwen-3.5-9b	upper	s3	neg/base-typ	81.3	92.6
qwen-3.5-9b	upper	s3	neg/no-base	81.3	80.3
qwen-3.5-9b	upper	s4	self/base-typ	69.0	83.2
qwen-3.5-9b	upper	s4	self/no-base	69.0	78.6
qwen-3.5-9b	upper	s7	neg/base-typ	65.8	88.9
qwen-3.5-9b	upper	s7	neg/no-base	65.8	77.5
qwen-3.5-9b	upper	s13	self/base-typ	74.1	86.0
qwen-3.5-9b	upper	s13	self/no-base	74.1	81.9
qwen-3.5-9b	upper	s13	neg/base-typ	74.1	92.6
qwen-3.5-9b	upper	s13	neg/no-base	74.1	72.7
qwen-3.5-9b	multi	s1	self/base-typ	59.0	89.4
qwen-3.5-9b	multi	s1	self/no-base	59.0	83.3
qwen-3.5-9b	multi	s1	neg/base-typ	59.0	94.5
qwen-3.5-9b	multi	s1	neg/no-base	59.0	66.1
qwen-3.5-9b	multi	s2	self/base-typ	86.7	93.1
qwen-3.5-9b	multi	s2	self/no-base	86.7	90.2
qwen-3.5-9b	multi	s2	neg/base-typ	86.7	96.5
qwen-3.5-9b	multi	s2	neg/no-base	86.7	80.3
qwen-3.5-9b	multi	s3	self/base-typ	80.0	92.3
qwen-3.5-9b	multi	s3	self/no-base	80.0	88.5
qwen-3.5-9b	multi	s3	neg/base-typ	80.0	96.7
qwen-3.5-9b	multi	s3	neg/no-base	80.0	75.6
qwen-3.5-9b	multi	s4	self/base-typ	58.3	89.8
qwen-3.5-9b	multi	s4	self/no-base	58.3	82.9
qwen-3.5-9b	multi	s7	neg/base-typ	45.0	87.9
qwen-3.5-9b	multi	s7	neg/no-base	45.0	61.8
qwen-3.5-9b	multi	s13	self/base-typ	56.6	88.8
qwen-3.5-9b	multi	s13	self/no-base	56.6	82.9
qwen-3.5-9b	multi	s13	neg/base-typ	56.6	93.9
qwen-3.5-9b	multi	s13	neg/no-base	56.6	52.8
qwen-3.5-9b (base)	upper	base	self/no-base	53.6	69.1
qwen-3.5-9b (base)	upper	base	neg/no-base	53.6	65.7
qwen-3.5-9b (base)	multi	base	self/no-base	31.3	69.0
qwen-3.5-9b (base)	multi	base	neg/no-base	31.2	59.9

Table 2: HumanEval TEST val ROC ($\times 100$), raw vs tc gen variant. Systems: gemma-4-31b & qwen-3.5-9b $\times$ base/s1/s2/s3/s4/s7/s13, both datasets.

Model	Data	Setting	Eval	raw	tc
gemma-4-31b	upper	s1	self/base-typ	93.9	93.9
gemma-4-31b	upper	s1	self/no-base	93.9	93.9
gemma-4-31b	upper	s1	neg/base-typ	93.9	93.9
gemma-4-31b	upper	s1	neg/no-base	93.9	93.9
gemma-4-31b	upper	s2	self/base-typ	91.4	91.4
gemma-4-31b	upper	s2	self/no-base	91.4	91.4
gemma-4-31b	upper	s2	neg/base-typ	91.4	91.4
gemma-4-31b	upper	s2	neg/no-base	91.4	91.4
gemma-4-31b	upper	s3	self/base-typ	94.5	94.5
gemma-4-31b	upper	s3	self/no-base	94.5	94.5
gemma-4-31b	upper	s3	neg/base-typ	94.5	94.5
gemma-4-31b	upper	s3	neg/no-base	94.5	94.5
gemma-4-31b	upper	s4	self/base-typ	93.1	93.1
gemma-4-31b	upper	s4	self/no-base	93.1	93.1
gemma-4-31b	upper	s7	neg/base-typ	94.0	94.0
gemma-4-31b	upper	s7	neg/no-base	94.0	94.0
gemma-4-31b	upper	s13	self/base-typ	93.9	93.9
gemma-4-31b	upper	s13	self/no-base	93.9	93.9
gemma-4-31b	upper	s13	neg/base-typ	93.9	93.9
gemma-4-31b	upper	s13	neg/no-base	93.9	93.9
gemma-4-31b	multi	s1	self/base-typ	96.1	96.1
gemma-4-31b	multi	s1	self/no-base	96.1	96.1
gemma-4-31b	multi	s1	neg/base-typ	96.1	96.1
gemma-4-31b	multi	s1	neg/no-base	96.1	96.1
gemma-4-31b	multi	s2	self/base-typ	90.0	90.0
gemma-4-31b	multi	s2	self/no-base	90.0	90.0
gemma-4-31b	multi	s2	neg/base-typ	90.0	90.0
gemma-4-31b	multi	s2	neg/no-base	90.0	90.0
gemma-4-31b	multi	s3	self/base-typ	93.8	93.8
gemma-4-31b	multi	s3	self/no-base	93.8	93.8
gemma-4-31b	multi	s3	neg/base-typ	93.8	93.8
gemma-4-31b	multi	s3	neg/no-base	93.8	93.8
gemma-4-31b	multi	s4	self/base-typ	94.4	94.4
gemma-4-31b	multi	s4	self/no-base	94.4	94.4
gemma-4-31b	multi	s7	neg/base-typ	94.3	94.3
gemma-4-31b	multi	s7	neg/no-base	94.3	94.3
gemma-4-31b	multi	s13	self/base-typ	93.8	93.8
gemma-4-31b	multi	s13	self/no-base	93.8	93.8
gemma-4-31b	multi	s13	neg/base-typ	93.8	93.8
gemma-4-31b	multi	s13	neg/no-base	93.8	93.8
qwen-3.5-9b	upper	s1	self/base-typ	86.5	86.5
qwen-3.5-9b	upper	s1	self/no-base	86.4	86.4
qwen-3.5-9b	upper	s1	neg/base-typ	86.5	86.5
qwen-3.5-9b	upper	s1	neg/no-base	86.4	86.4
qwen-3.5-9b	upper	s2	self/base-typ	83.3	83.3
qwen-3.5-9b	upper	s2	self/no-base	83.3	83.3
qwen-3.5-9b	upper	s2	neg/base-typ	83.2	83.2
qwen-3.5-9b	upper	s2	neg/no-base	83.3	83.3
qwen-3.5-9b	upper	s3	self/base-typ	87.6	87.6
qwen-3.5-9b	upper	s3	self/no-base	87.6	87.6
qwen-3.5-9b	upper	s3	neg/base-typ	87.6	87.6
qwen-3.5-9b	upper	s3	neg/no-base	87.6	87.6
qwen-3.5-9b	upper	s4	self/base-typ	86.3	86.3
qwen-3.5-9b	upper	s4	self/no-base	86.3	86.3
qwen-3.5-9b	upper	s7	neg/base-typ	86.1	86.1
qwen-3.5-9b	upper	s7	neg/no-base	86.0	86.0

(continued)

Model	Data	Setting	Eval	raw	tc
qwen-3.5-9b	upper	s13	self/base-typ	84.6	84.6
qwen-3.5-9b	upper	s13	self/no-base	84.7	84.7
qwen-3.5-9b	upper	s13	neg/base-typ	84.6	84.6
qwen-3.5-9b	upper	s13	neg/no-base	84.6	84.6
qwen-3.5-9b	multi	s1	self/base-typ	90.4	90.4
qwen-3.5-9b	multi	s1	self/no-base	90.4	90.4
qwen-3.5-9b	multi	s1	neg/base-typ	90.4	90.4
qwen-3.5-9b	multi	s1	neg/no-base	90.4	90.4
qwen-3.5-9b	multi	s2	self/base-typ	84.8	84.8
qwen-3.5-9b	multi	s2	self/no-base	84.8	84.8
qwen-3.5-9b	multi	s2	neg/base-typ	84.8	84.8
qwen-3.5-9b	multi	s2	neg/no-base	84.8	84.8
qwen-3.5-9b	multi	s3	self/base-typ	89.6	89.6
qwen-3.5-9b	multi	s3	self/no-base	89.5	89.5
qwen-3.5-9b	multi	s3	neg/base-typ	89.5	89.5
qwen-3.5-9b	multi	s3	neg/no-base	89.5	89.5
qwen-3.5-9b	multi	s4	self/base-typ	89.1	89.1
qwen-3.5-9b	multi	s4	self/no-base	89.1	89.1
qwen-3.5-9b	multi	s7	neg/base-typ	88.5	88.5
qwen-3.5-9b	multi	s7	neg/no-base	88.5	88.5
qwen-3.5-9b	multi	s13	self/base-typ	88.0	88.0
qwen-3.5-9b	multi	s13	self/no-base	88.0	88.0
qwen-3.5-9b	multi	s13	neg/base-typ	88.0	88.0
qwen-3.5-9b	multi	s13	neg/no-base	88.0	88.0
qwen-3.5-9b (base)	upper	base	self/no-base	81.7	81.7
qwen-3.5-9b (base)	upper	base	neg/no-base	81.7	81.7
qwen-3.5-9b (base)	multi	base	self/no-base	83.4	83.4
qwen-3.5-9b (base)	multi	base	neg/no-base	83.4	83.4

Table 3: HumanEval TEST val acc ($\times 100$), raw vs tc gen variant. Systems: gemma-4-31b & qwen-3.5-9b $\times$ base/s1/s2/s3/s4/s7/s13, both datasets.

Model	Data	Setting	Eval	raw	tc
gemma-4-31b	upper	s1	self/base-typ	79.6	79.6
gemma-4-31b	upper	s1	self/no-base	79.6	79.6
gemma-4-31b	upper	s1	neg/base-typ	79.6	79.6
gemma-4-31b	upper	s1	neg/no-base	79.6	79.6
gemma-4-31b	upper	s2	self/base-typ	76.8	76.8
gemma-4-31b	upper	s2	self/no-base	76.8	76.8
gemma-4-31b	upper	s2	neg/base-typ	76.8	76.8
gemma-4-31b	upper	s2	neg/no-base	76.8	76.8
gemma-4-31b	upper	s3	self/base-typ	87.8	87.8
gemma-4-31b	upper	s3	self/no-base	87.8	87.8
gemma-4-31b	upper	s3	neg/base-typ	87.8	87.8
gemma-4-31b	upper	s3	neg/no-base	87.8	87.8
gemma-4-31b	upper	s4	self/base-typ	84.1	84.1
gemma-4-31b	upper	s4	self/no-base	84.1	84.1
gemma-4-31b	upper	s7	neg/base-typ	88.3	88.3
gemma-4-31b	upper	s7	neg/no-base	88.3	88.3
gemma-4-31b	upper	s13	self/base-typ	87.9	87.9
gemma-4-31b	upper	s13	self/no-base	87.9	87.9
gemma-4-31b	upper	s13	neg/base-typ	87.9	87.9
gemma-4-31b	upper	s13	neg/no-base	87.9	87.9
gemma-4-31b	multi	s1	self/base-typ	87.2	87.2
gemma-4-31b	multi	s1	self/no-base	87.2	87.2

(continued)

Model	Data	Setting	Eval	raw	tc
gemma-4-31b	multi	s1	neg/base-typ	87.2	87.2
gemma-4-31b	multi	s1	neg/no-base	87.2	87.2
gemma-4-31b	multi	s2	self/base-typ	76.5	76.5
gemma-4-31b	multi	s2	self/no-base	76.5	76.5
gemma-4-31b	multi	s2	neg/base-typ	76.5	76.5
gemma-4-31b	multi	s2	neg/no-base	76.5	76.5
gemma-4-31b	multi	s3	self/base-typ	77.3	77.3
gemma-4-31b	multi	s3	self/no-base	77.3	77.3
gemma-4-31b	multi	s3	neg/base-typ	77.3	77.3
gemma-4-31b	multi	s3	neg/no-base	77.3	77.3
gemma-4-31b	multi	s4	self/base-typ	82.6	82.6
gemma-4-31b	multi	s4	self/no-base	82.6	82.6
gemma-4-31b	multi	s7	neg/base-typ	76.8	76.8
gemma-4-31b	multi	s7	neg/no-base	76.8	76.8
gemma-4-31b	multi	s13	self/base-typ	83.8	83.8
gemma-4-31b	multi	s13	self/no-base	83.8	83.8
gemma-4-31b	multi	s13	neg/base-typ	83.8	83.8
gemma-4-31b	multi	s13	neg/no-base	83.8	83.8
qwen-3.5-9b	upper	s1	self/base-typ	78.6	78.6
qwen-3.5-9b	upper	s1	self/no-base	78.6	78.6
qwen-3.5-9b	upper	s1	neg/base-typ	78.6	78.6
qwen-3.5-9b	upper	s1	neg/no-base	78.6	78.6
qwen-3.5-9b	upper	s2	self/base-typ	74.3	74.3
qwen-3.5-9b	upper	s2	self/no-base	74.3	74.3
qwen-3.5-9b	upper	s2	neg/base-typ	74.3	74.3
qwen-3.5-9b	upper	s2	neg/no-base	74.3	74.3
qwen-3.5-9b	upper	s3	self/base-typ	78.5	78.5
qwen-3.5-9b	upper	s3	self/no-base	78.5	78.5
qwen-3.5-9b	upper	s3	neg/base-typ	78.5	78.5
qwen-3.5-9b	upper	s3	neg/no-base	78.5	78.5
qwen-3.5-9b	upper	s4	self/base-typ	76.4	76.4
qwen-3.5-9b	upper	s4	self/no-base	76.5	76.5
qwen-3.5-9b	upper	s7	neg/base-typ	78.3	78.3
qwen-3.5-9b	upper	s7	neg/no-base	78.3	78.3
qwen-3.5-9b	upper	s13	self/base-typ	76.4	76.4
qwen-3.5-9b	upper	s13	self/no-base	76.5	76.5
qwen-3.5-9b	upper	s13	neg/base-typ	76.5	76.5
qwen-3.5-9b	upper	s13	neg/no-base	76.5	76.5
qwen-3.5-9b	multi	s1	self/base-typ	82.3	82.3
qwen-3.5-9b	multi	s1	self/no-base	82.3	82.3
qwen-3.5-9b	multi	s1	neg/base-typ	82.4	82.4
qwen-3.5-9b	multi	s1	neg/no-base	82.3	82.3
qwen-3.5-9b	multi	s2	self/base-typ	77.9	77.9
qwen-3.5-9b	multi	s2	self/no-base	77.9	77.9
qwen-3.5-9b	multi	s2	neg/base-typ	77.9	77.9
qwen-3.5-9b	multi	s2	neg/no-base	77.9	77.9
qwen-3.5-9b	multi	s3	self/base-typ	74.8	74.8
qwen-3.5-9b	multi	s3	self/no-base	74.8	74.8
qwen-3.5-9b	multi	s3	neg/base-typ	74.8	74.8
qwen-3.5-9b	multi	s3	neg/no-base	74.8	74.8
qwen-3.5-9b	multi	s4	self/base-typ	80.5	80.5
qwen-3.5-9b	multi	s4	self/no-base	80.5	80.5
qwen-3.5-9b	multi	s7	neg/base-typ	80.4	80.4
qwen-3.5-9b	multi	s7	neg/no-base	80.4	80.4
qwen-3.5-9b	multi	s13	self/base-typ	80.4	80.4
qwen-3.5-9b	multi	s13	self/no-base	80.4	80.4
qwen-3.5-9b	multi	s13	neg/base-typ	80.5	80.5
qwen-3.5-9b	multi	s13	neg/no-base	80.4	80.4

(continued)

Model	Data	Setting	Eval	raw	tc
qwen-3.5-9b (base)	upper	base	self/no-base	65.3	65.3
qwen-3.5-9b (base)	upper	base	neg/no-base	65.3	65.3
qwen-3.5-9b (base)	multi	base	self/no-base	66.8	66.8
qwen-3.5-9b (base)	multi	base	neg/no-base	67.0	67.0

Table 4: HumanEval TEST Pearson ($\times 100$), raw vs tc gen variant. Systems: gemma-4-31b & qwen-3.5-9b $\times$ base/s1/s2/s3/s4/s7/s13, both datasets.

Model	Data	Setting	Eval	raw	tc
gemma-4-31b	upper	s1	self/base-typ	51.1	31.8
gemma-4-31b	upper	s1	self/no-base	51.1	31.4
gemma-4-31b	upper	s1	neg/base-typ	51.1	42.2
gemma-4-31b	upper	s1	neg/no-base	51.1	49.0
gemma-4-31b	upper	s2	self/base-typ	59.2	41.0
gemma-4-31b	upper	s2	self/no-base	59.2	41.2
gemma-4-31b	upper	s2	neg/base-typ	59.2	55.5
gemma-4-31b	upper	s2	neg/no-base	59.2	59.9
gemma-4-31b	upper	s3	self/base-typ	67.4	50.5
gemma-4-31b	upper	s3	self/no-base	67.4	50.5
gemma-4-31b	upper	s3	neg/base-typ	67.4	60.2
gemma-4-31b	upper	s3	neg/no-base	67.4	63.2
gemma-4-31b	upper	s4	self/base-typ	60.8	63.3
gemma-4-31b	upper	s4	self/no-base	60.8	52.5
gemma-4-31b	upper	s7	neg/base-typ	58.8	75.8
gemma-4-31b	upper	s7	neg/no-base	58.8	59.7
gemma-4-31b	upper	s13	self/base-typ	53.2	37.8
gemma-4-31b	upper	s13	self/no-base	53.2	35.8
gemma-4-31b	upper	s13	neg/base-typ	53.2	49.9
gemma-4-31b	upper	s13	neg/no-base	53.2	46.2
gemma-4-31b	multi	s1	self/base-typ	35.6	55.7
gemma-4-31b	multi	s1	self/no-base	35.6	42.4
gemma-4-31b	multi	s1	neg/base-typ	35.6	71.3
gemma-4-31b	multi	s1	neg/no-base	35.6	43.0
gemma-4-31b	multi	s2	self/base-typ	59.5	64.9
gemma-4-31b	multi	s2	self/no-base	59.5	58.3
gemma-4-31b	multi	s2	neg/base-typ	59.5	70.7
gemma-4-31b	multi	s2	neg/no-base	59.5	53.2
gemma-4-31b	multi	s3	self/base-typ	58.9	61.6
gemma-4-31b	multi	s3	self/no-base	58.9	59.3
gemma-4-31b	multi	s3	neg/base-typ	58.9	70.4
gemma-4-31b	multi	s3	neg/no-base	58.9	58.1
gemma-4-31b	multi	s4	self/base-typ	48.8	69.0
gemma-4-31b	multi	s4	self/no-base	48.8	57.6
gemma-4-31b	multi	s7	neg/base-typ	41.6	78.1
gemma-4-31b	multi	s7	neg/no-base	41.6	57.6
gemma-4-31b	multi	s13	self/base-typ	31.9	51.0
gemma-4-31b	multi	s13	self/no-base	31.9	38.3
gemma-4-31b	multi	s13	neg/base-typ	31.9	64.6
gemma-4-31b	multi	s13	neg/no-base	31.9	39.6
qwen-3.5-9b	upper	s1	self/base-typ	41.5	45.4
qwen-3.5-9b	upper	s1	self/no-base	41.5	40.9
qwen-3.5-9b	upper	s1	neg/base-typ	41.5	56.3
qwen-3.5-9b	upper	s1	neg/no-base	41.4	42.0
qwen-3.5-9b	upper	s2	self/base-typ	65.8	55.3
qwen-3.5-9b	upper	s2	self/no-base	65.8	46.0

(continued)

Model	Data	Setting	Eval	raw	tc
qwen-3.5-9b	upper	s2	neg/base-typ	65.8	69.5
qwen-3.5-9b	upper	s2	neg/no-base	65.8	68.9
qwen-3.5-9b	upper	s3	self/base-typ	52.6	49.9
qwen-3.5-9b	upper	s3	self/no-base	52.7	43.2
qwen-3.5-9b	upper	s3	neg/base-typ	52.7	67.6
qwen-3.5-9b	upper	s3	neg/no-base	52.7	65.5
qwen-3.5-9b	upper	s4	self/base-typ	46.4	58.9
qwen-3.5-9b	upper	s4	self/no-base	46.4	51.5
qwen-3.5-9b	upper	s7	neg/base-typ	41.4	68.5
qwen-3.5-9b	upper	s7	neg/no-base	41.4	55.8
qwen-3.5-9b	upper	s13	self/base-typ	43.9	41.7
qwen-3.5-9b	upper	s13	self/no-base	43.9	37.1
qwen-3.5-9b	upper	s13	neg/base-typ	43.9	53.5
qwen-3.5-9b	upper	s13	neg/no-base	43.9	38.2
qwen-3.5-9b	multi	s1	self/base-typ	25.9	57.8
qwen-3.5-9b	multi	s1	self/no-base	25.9	48.4
qwen-3.5-9b	multi	s1	neg/base-typ	25.9	65.8
qwen-3.5-9b	multi	s1	neg/no-base	25.9	35.1
qwen-3.5-9b	multi	s2	self/base-typ	67.2	64.7
qwen-3.5-9b	multi	s2	self/no-base	67.2	61.3
qwen-3.5-9b	multi	s2	neg/base-typ	67.2	70.1
qwen-3.5-9b	multi	s2	neg/no-base	67.2	75.2
qwen-3.5-9b	multi	s3	self/base-typ	55.0	64.6
qwen-3.5-9b	multi	s3	self/no-base	55.0	57.8
qwen-3.5-9b	multi	s3	neg/base-typ	55.0	72.4
qwen-3.5-9b	multi	s3	neg/no-base	55.0	61.8
qwen-3.5-9b	multi	s4	self/base-typ	32.9	66.0
qwen-3.5-9b	multi	s4	self/no-base	32.9	56.5
qwen-3.5-9b	multi	s7	neg/base-typ	15.6	67.9
qwen-3.5-9b	multi	s7	neg/no-base	15.6	40.3
qwen-3.5-9b	multi	s13	self/base-typ	27.5	53.1
qwen-3.5-9b	multi	s13	self/no-base	27.5	44.4
qwen-3.5-9b	multi	s13	neg/base-typ	27.5	63.6
qwen-3.5-9b	multi	s13	neg/no-base	27.5	21.2
qwen-3.5-9b (base)	upper	base	self/no-base	32.1	26.5
qwen-3.5-9b (base)	upper	base	neg/no-base	32.1	30.4
qwen-3.5-9b (base)	multi	base	self/no-base	4.5	27.1
qwen-3.5-9b (base)	multi	base	neg/no-base	4.4	29.3