


CONTENIDO

IIIIIII



CONTENIDO



Conclusiones sobre el proyecto.

Apoyo teórico para desarrollar el proyecto.

Demostración de funcionamiento.

EXPOSITORES



JUAN ESTEBAN ALARCÓN 2185497



JUAN DIEGO
CAICEDO
2185757



JUAN PABLO MORA 2191045





OBJETIVO DEL PROYECTO


implementar un servicio Firewall que redireccione a servicios FTP y HTTP.

02

EL PROYECTO

Estructura, configuraciones, tecnologías utilizadas.








ARQUITECTURA

Se requiere implementar un servidor firewall el cual sea capaz de redireccionar a un servicio SFTP a través del Puerto 22, un servicio HTTP (página web) a través del Puerto 80.





CONFIGURACIONES

sudo -i yum install vim httpd

service httpd restart

```
Vagrant.configure("2") do |config|
if Vagrant.has plugin?("vagrant-vbguest")
    config.vbguest.auto_update = false
 end
config.vm.define :vmftp do |vmftp|
vmftp.vm.box = "kalilinux/rolling"
vmftp.vm.network :private network, ip: "192.168.50.2"
vmftp.vm.disk :disk, size: "8GB", primary: true
vmftp.vm.hostname = "vmftp"
end
config.vm.define :vmhttp do |vmhttp|
vmhttp.vm.box = "kalilinux/rolling"
vmhttp.vm.network :private network, ip: "192.168.50.3"
vmhttp.vm.disk :disk, size: "8GB", primary: true
vmhttp.vm.hostname = "vmhttp"
config.vm.define :firewall do |firewall|
firewall.vm.box = "kalilinux/rolling"
firewall.vm.network :public network, ip: "192.168.1.100"
firewall.vm.network :private network, ip: "192.168.50.4"
firewall.vm.network :"forwarded_port", guest: 80, host: 5000,auto_correct: true
firewall.vm.disk :disk, size: "8GB", primary: true
firewall.vm.hostname = "firewall"
```

CONFIGURACIONES

sudo -i

source-ports:
icmp-blocks:
rich rules:

```
dmz (active)
  target: default
  icmp-block-inversion: no
  interfaces: eth1
  sources:
  services: ftp http ssh
  ports:
  protocols:
  forward: yes
  masquerade: yes
  forward-ports:
     port=22:proto=tcp:toport=22:toaddr=192.168.50.2
     port=80:proto=tcp:toport=80:toaddr=192.168.50.3
```

apt install firewalld nano net-tools -y

```
- sudo -i
- service firewalld start
- service NetworkManager stop
- chkconfig NetworkManager off
- firewall-cmd --get-zones
- firewall-cmd --list-all-zones
- firewall-cmd --get-active-zones
- firewall-cmd --zone=dmz --add-interface=eth1 --permanent
- firewall-cmd --zone=dmz --add-service=http --permanent
- firewall-cmd --zone=dmz --add-service=ftp --permanent
- firewall-cmd --zone=internal --add-interface=eth2 --permanent
- firewall-cmd --permanent --zone=dmz --add-masquerade
- firewall-cmd --permanent --zone=internal --add-masquerade
- firewall-cmd --permanent --zone="dmz" --add-forward-port=port=22:proto=tcp:toport=22:toaddr=192.168.50.2
- firewall-cmd --permanent --zone="dmz" --add-forward-port=port=80:proto=tcp:toport=80:toaddr=192.168.50.3
- firewall-cmd --reload
- service firewalld start
```

TECNOLOGÍAS UTILIZADAS

- KaliLinux
- Vagrant
- VirtualBox










Conclusiones sobre el proyecto.







CONCLUSIÓN

Fue una experiencia enriquecedora, aplicamos en su totalidad los conocimientos adquiridos durante el curso y consideramos que son útiles para nuestra vida profesional.

Fueron retos interesantes que pudimos resolver trabajando en equipo.

iGRACIAS!

¿Preguntas?

juan_esteban.alarcon@uao.edu.co juan_diego.caicedo@uao.edu.co juan_pab.mora@uao.edu.co



REFERENCIAS

- Configuration | Vagrant. (s. f.). Vagrant by HashiCorp. Recuperado 24 de octubre de 2022, de https://www.vagrantup.com/docs/providers/configuration
- How To Change Your Public IP Address In Kali Linux Systran Box. (s. f.).
 Recuperado 24 de octubre de 2022, de https://www.systranbox.com/how-to-change-public-ip-address-in-kali-linux/
- How To Install firewalld on Kali Linux. (2021, 19 agosto). Installati.one.
 Recuperado 24 de octubre de 2022, de https://installati.one/kalilinux/firewalld/

