

adjustable height and locking casters.

upon the width of the final

can be achieved depending As many as four up stacking

ered with the spine down.

ergonomics for the operator.

work table and infeed table four up stacks. The convenient

from the bottom up in as many as

Baum BVP Vertical Presser Delivery:

heights provide favorable

is infinitely, independently

speed of the shingled stream

the operator to remove. The

output in a shingled stream for

Mobile, with drop-leaf table, independent speed control,

Baum B32 2-tiered Shingle Delivery Stacker:

system. The signatures are pressed, counted and deliv-

to operate both the folding machine and the delivery

large run lengths while also allowing a single operator

uct. This delivery system can easily handle medium to

stacking of signatures to create "logs" of finished prod-

signatures or bound products by vertically creating a lift counts, batches presses and vertically stacks folded

This device is a mobile, very compact system that

of pressing rollers. The pressed signatures are then

the previous fold station and send them through a set

device. Conveyor belts accept the folded product from

mobile shingle stream delivery that includes a pressing

This delivery system is a universal, height adjustable,

Baum BSP Shingle Presser Dlivery:

This mobile device provides pressing and horizontal

Baum BHP Horizontal Presser Delivery:

Center gutter strip removal.

Gutter Trimming Device:

Right and left-hand edge trimming.

Edge Trimming Device:

free features of the exit slitter shafts, and uses the folder. It provides the same heavy-duty, corrosioning, scoring and slitting before the sheet enters the Increases application capabilities for more perforat-

Pre-Slitter Shafts:

solutions utilizing hotmelt or cold glue systems. tion folding plates, provide in-plate and in-line gluing Segmented folding rollers, combined with combina-

ionization field. Neutralizes the electric charges by creating an

Static Reducer:

separate streams on the same crosscarrier. folder, then fold in the right angle folder as two To slit folded 2-up sheets as they exit the parallel

Split Guide:

for perfect-binding operations and saddle stitching. Helps hold signatures together


Knock-out Perforator:

folded edge. Produces tighter folds and reduces cracking at the

Wet Score:

tion speeds that are faster than all previous designs. pneumatic and electronic device operates at producproduce a closed "double gatefold". This innovative Increases folding capability by enabling the folder to

Gatefold Attachment:



Baum 32 Folder Floor Layouts

m2894

not shown.

Optional delivery systems

Note: Feeder shown with

Knife Folder

8-page Folder

Parallel Folder

CF = Continuous Feeder

16 = 16-page Folder

Stacker-2 Tiered

the market. provides the most productive and reliable folding machines on to make us a world leader in graphic arts equipment. Baum tently lead with innovative features and patented designs technology in our complete product line. Baum has consis-

tradition and rich history of incorporating innovative postpress bindery equipment to the industry. Baum has a proud and distributing quality folding machines and related ince 1917, Baum has been designing, manufacturing

your territory representative. near you, call 1-800/543-6107 or To locate an authorized Baum Dealer

318cm

CE

มวดรเ

26₄ 465

BAUM 32 Continuous

Large Format Folder



Optional Folding Enhancements

BAUM - Quality, Performance & Proven Reliability, with decades of experience

Baum Large Format Independent Folding Units

Baum offers multiple solutions to add additional folding stations to existing large format folding machines or for inline solutions with other finishing applications.

Other applications may include but are not limited to:

- In line with stitching machines
- In line with forms cutters and bursters
- In line with creasing/ scoring machines
- In line with digital print engines
- In line with mailing bases

and more

Baum offers a selection of coupling modules to adapt the Baum buckle and knife folders to previous series Baum folders and select other models.



Specifications - Baum 32 with Continuous Feeder: Fold Plates 1st section 4 or 6 [swing deflector] Optional combination fold plates are available. Gear lubrication......Pressurized canisters NOTE: Specifications subject to change without notice.

FOLDERS · CUTTERS · DRILLS · FINISHING · GENUINE PARTS See us on the internet at http://www.baumfolder.com or e-mail us at baumfolder@baumfolder.com




BAUM FOLDERS • CUTTERS • DRILLS • PRESS • FINISHING • GENUINE PARTS www.baumfolder.com


© Baum 2012 Printed in U.S.A.

BAUM 32 Large Format Folder












Non-marking cross carrier rollers are synchronously driven by toothed belts to provide nonslip drive of sheets. Combined with heavy-duty solid aluminum marble guide and solid steel bar paper guide for long wear and stability. Macro and micro-adjust are standard for placement of







Register

NEW PRISM Side Guide

Better sheet control is achieved with the superior profile of the Baum 32 Prism side guide. This precise profile guides both thin and thick stock weights in a unique and accurate profile much greater than simple sheet metal register guides.

Sealed Ball Bearings

No routine lubrication of the folder bearings saves time and money.

Positive Helical Gear Drive

A quiet, positive drive ensures tight, consistent folding without "soft" folds.

A convenient and easy adjustment of air

Front & Side Blow Control

blow to the front of the sheets using three zones to increase or decrease the air volume independently where needed. Individual adjustment is also included for right and left side blow volume.

000



Side Blow

In addition to the advanced front air blow, the side blow provides portable air separation using simple adjustable floating paddle and side air tube design to place air blast where it is needed most for consistent feeding.



Upper Table Extension

A unique hinged design allows the table to be set at three different angled positions. This provides the operator convenient access to the vacuum wheel, and minimizes use of floor space.



Vacuum Wheel

The vacuum control valve is located directly in the same housing as the vacuum feed wheel. This provides greater vacuum control and response time for consistent sheet feeding.



Spring-Loaded Feed Board

Maintains constant pressure on the sheets to keep them tight against the rear drum as they travel around to the lower table for consistent sheet shingling.



Roller Settings

Fast, accurate and easily accessible setups with micrometer adjustments to handle any stock, for any job. The "zero" reference lets the operator make adjustments and return back to the "zero" settings.



Combination Fold Rolls

The Maxi-Grip fold roll technology is a combination of straight segment polyurethane rings and steel knurling, designed so that the polyurethane overlaps between adjacent folding rollers. This provides MAXIMUM GRIP and sheet travel control with nonmarking capabilities. The Maxi-Grip folding rollers are available with soft polyurethane standard and optional hard polyurethane to accommodate a wide range of stocks with paper weights as low as 50gsm.



Slitter Shafts

The heavy-duty 35mm diameter slitter shaft removable design provides easy setup for perforating, scoring and slitting applications. Corrosion-free components are always easy to remove. A removable draw roll with adjustable exit wheels give firm control and placement of sheets. Optional lift kits are available for slitter shaft removal. Optional second set of slitter shafts is available.

Fold Plates

Ease of setup and precision folding are achieved using the swing deflector fold plates. All fold plates are heavy-duty fabricated construction with minimal surface contact with the sheets to allow the paper to travel effortlessly through the folder for smoother, faster operation. Micro-adjust, skew adjust and bottom lip adjust are standard features. Optional combinationdesign fold plates are available.









State-of-the-Art Controls

The Baum 32 operator control panel provides several exclusive features that improve productivity including:

- Learning Mode
- Machine Monitoring Modes Diagnostic Messages
- One-Sheet Setup Mode
- Counting Functions

Operator controls are provided at each folding section, including a convenient setup selection control button for test





Parallel, 1st station buckle fold units are available in 4 and 6 plate configurations 8-page, 2nd station buckle fold units are available in 2, 4, 6 and 8 plate configurations 16-page, 3rd station buckle fold units are available in 2 and 4 plate configurations K20B knife folder can be utilized for 2nd, 3rd, or 4th station 32-page configurations

