

AI Agent Studio tip. 26A.

Agent Team “duplicate”/“Save as”.

Introduction/Goal.

Release 26A is latest at the time of this writing.

In this release we have a cool feature, now we can export-import custom Agent teams individually, but for now we cannot “save as” nor “duplicate”.


What could be the purpose of this “Save as”?

For example, for testing changes without breaking the current working version and re-doing, versioning, etc.

In this document we will explain how to get this feature.

Steps.


1. Export.



The screenshot shows the 'Agent Teams' page in the Oracle AI Agent Studio. It displays a list of three agent teams:

Agent Team Name	Description	Agent Team Code	Family	Product	Status	Version	Created By	Tags	Actions		
Quote to Purchase Requisition Chat Assistant_JJ02	This agent workflow will handle queries about requisition and will also create requisition from quotation.	QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02	PRC	Self Service Procurement	Draft	39	John Dunbar				
Quote to Purchase Requisition Chat Assistant_JJ03	This agent workflow will handle queries about requisition and will also create requisition from quotation.	QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ03	PRC	Self Service Procurement	Draft	2	John Dunbar				
Quote to Purchase Requisition Chat Assistant_JJMR	This agent workflow will handle queries about requisition and will also create requisition from quotation.	QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJMR	PRC	Self Service Procurement	Draft	27					

2. Open JSON file for export with Notepad or similar and...



The screenshot shows a file explorer window titled 'Este equipo > Descargas'. It lists several files under a folder named 'hoy (6)'. One file, 'QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02(6)_dup.json', is highlighted with a blue background and has a yellow arrow pointing to it.

Nombre	Fecha de modificación
QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02(6)_dup.json	16/01/2026 15:28
QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02(6).json	16/01/2026 15:27
QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02(5).json	16/01/2026 14:02
QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02(4).json	16/01/2026 13:38
QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02(3).json	16/01/2026 11:25
QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02(2).json	16/01/2026 10:55

Rename this node (the parent of all Agent Team) at will.


```

567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
}
```
"WorkflowNodes": [],
"documentProcessorNodes": [],
"ragDocumentToolNodes": []
},
{
"WorkflowCode": "QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ03",
"Name": "Quote to Purchase Requisition Chat Assistant JJ03",
"Description": "This agent workflow will handle queries about requisition and will also create requisition from quotation.",
"Family": "PRC",
"Product": "SSP",
"UseCaseId": "NA",
"SourceWorkflowId": null,
"AccessModifier": "public",
"StartQuestionOne": null,
"StartQuestionTwo": null,
"StartQuestionThree": null,
"FollowUpPromptEnabledFlag": false,
"FollowUpPrompt": "Based on the following conversion: $param.system_context.chat_history generate $param.system_context.number_",
"Architecture": "data_pipeline",
"MaximumInteractions": null,
"StartAgentID": null,
"agents": [],
"agentMappings": [],
"partnerMetadata": {
"Description": "",
"Name": ""
}
}
}

```

Save the file.


### 3. Import the modified file.



The screenshot shows the Oracle Agent Teams interface. At the top, there is a search bar labeled "Search by agent team name, cod..." and filters for "Family", "Product", "Tags", and "Created By". Below the header, a callout box says "Have questions about building better AI agents? Get expert guidance on designing, optimizing, and scaling high-performance AI agents." The main area displays a table of agent teams. The table has columns: "Agent Team Name", "Description", "Agent Team Code", and "Family". There are three items listed:

| Agent Team Name                                   | Description                                                                                                | Agent Team Code                                  | Family |
|---------------------------------------------------|------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------|
| Quote to Purchase Requisition Chat Assistant JJ02 | This agent workflow will handle queries about requisition and will also create requisition from quotation. | QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ02 | PRC    |
| Quote to Purchase Requisition Chat Assistant JJ03 | This agent workflow will handle queries about requisition and will also create requisition from quotation. | QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJ03 | PRC    |
| Quote to Purchase Requisition Chat Assistant JJMR | This agent workflow will handle queries about requisition and will also create requisition from quotation. | QUOTE_TO_PURCHASE_REQUSITION_CHAT_ASSISTANT_JJMR | PRC    |

Select the updated file.



The screenshot shows a file explorer window with a sidebar. The sidebar has a section titled "Nombre" with a dropdown arrow and a section titled "hoy (6)" with a dropdown arrow. Under "hoy (6)", there are two files: "QUOTE\_TO\_PURCHASE\_REQUSITION\_CHAT\_ASSISTANT\_JJ02(6)\_dup.json" and "QUOTE\_TO\_PURCHASE\_REQUSITION\_CHAT\_ASSISTANT\_JJ02(6).json". A yellow arrow points from the "Import" button in the previous screenshot to the "hoy (6)" section in this screenshot.

### 4. Make your adaptations (optional).

### 5. Test the imported Agent team.

Important: this is to review the “import” is correct and everything is working as expected.

### **Conclusion.**

For now, Oracle does not provide “out of the box” duplicate or save as options of custom Agent Teams.

In this document we have given a small tip to get this done.