AI Agent Studio demo. 26A.

"Quote to Purchase Requisition Chat Assistant". Part 2.

Tips for debugging Workflow.

Introduction/Goal

In our demo SaaS instance, we have found 2 issues, and we will fix them and explain how to.

- First depends on SaaS data.
- Second depends on some missing or wrong artifacts needed.

These issues could or could not be ok in your instance, we have documented how to fix for learning purposes.

We have found them just testing in a 26A instance.

Preparatory steps.

First make your copy of the template.



Add a suffix to identify your Agent Team.

We will use our PDF file for testing, see at the end of the document.

QUOTATION

Quotation Number	Q_DEMO_00001
Date	10/10/2025
Supplier Name	Lee Supplies
Supplier address	5000 CARTER DR. LOS ANGELES, CA 90032 LOS ANGELES
Supplier Site	Lee US1
SupplierContactPhone	+34-1001001001
Business Unit	US1 Business Unit
Terms	Net 30
Currency code	USD
Justification	Needed for the business

Item	Item Description	Category Name	Uom	Quantity	Price	Total
	Business Cards box of 500	Business Cards	Ea	2	100	200
	Business Cards box of 100	Business Cards	Ea	4	100	400

First issue: Unit of measure in payload missing in SaaS setup.



After uploading the PDF file.

Our testing: Create requisition with data from file uploaded.



The Agent team ask for confirmation before creating the purchase requisition.



And we get this error.



We go up to search for the error.



And we find the error:

```
  },
  "serviceName": "FA",
  "resource_path": "/fscmRestApi/resources/11.13.18.05/purchaseRequisitions"
}
```

Output

```
{
  "response": {
    "title": "Bad Request",
    "status": 400,
    "o:errorDetails": [
      {
        "detail": "LineNumber 1: The UOM is disabled. (POR-2010265)",
        "o:errorCode": "POR:::POR_UOM_DISABLED"
      },
      {
        "detail": "LineNumber 2: The UOM is disabled. (POR-2010265)",
        "o:errorCode": "POR:::POR_UOM_DISABLED"
      }
    ]
  },
  "responseStatus": 400
}
```

There is something wrong with the UOMCode.

We go to the payload and find the UOM used in payload.

```
{
  "operation_type": "POST",
  "headers": {},
  "query_dict": {},
  "body_template": {
    "RequisitioningBUId": 300000046987012,
    "ExternallyManagedFlag": false,
    "Description": "Quotation Q_DEMO_00001 issued by Lee Supplies",
    "attachments": [
      {
        "DatatypeCode": "FILE",
        "FileName": "quotation_005.pdf",
        "CategoryName": "REQ_INTERNAL"
      }
    ],
    "SourceApplicationCode": "AGENT",
    "lines": [
      {
        "CategoryId": 300000165169158,
        "LineTypeCode": "Goods",
        "DestinationTypeCode": "EXPENSE",
        "DeliverToLocationId": 300000047013200,
        "DestinationOrganizationId": 300000047274444,
        "Quantity": 2,
        "RequesterId": 300000047625111,
        "ItemDescription": "Business Cards box of 500",
        "LineNumber": 1,
        "distributions": [
          {
            "DistributionNumber": 1,
            "Quantity": 2
          }
        ],
        "CurrencyCode": "USD",
        "SupplierId": 300000047414503,
        "RequisitionLineSource": "NONCATALOG",
        "Price": 100,
        "SupplierSiteId": 300000047414539,
        "NewSupplierFlag": "N",
        "RequestedDeliveryDate": "2026-03-29",
        "UOMCode": "EA"
      },
      {
```


Now we must make sure this UOMCode is ok.

Debugging to know what is the REST API used to find the UOMCodes.


```
    }
  },{
    "UOMId" : "300000327615978",
    "UOMCode" : "DOZ",
    "UOMClass" : "15019",
    "UOMClassCode" : "ADDZ",
    "UOMClassName" : "AD DOZEN",
    "UOM" : "ADDOZEN",
    "Description" : "DOZEN".....
```


Context:

Context

Tools:

Fetch Active Fusion UOMs

Fetch Active Fusion Currencies

Here we get the URL.

Input


```
{
  "operation_type": "GET",
  "query_dict": {
    "onlyData": true,
    "limit": 450,
    "finder": "ActiveUomFinder;DisableDate"
  },
  "resource_path": "/fscmRestApi/resources/11.13.18.05/unitsOfMeasure",
  "headers": {
    "Accept-Language": "en",
    "REST-Framework-Version": 9
  }
}
```

Let’s go to Postman tool to query the UOM, as we cannot find a UOMCode=EA we will create it.

https://dabpqy.ds-fa.oraclepdemos.com:443//fscmRestApi/resources/11.13.18.05/unitsOfMeasure

Payload for POST operation:

```
{
  "UOMCode": "EA",
  "UOMClass": "5",
  "UOM": "Each2",
  "Description": "Each2",
  "UOMReciprocalDescription": "Per Unit",
  "UOMPluralDescription": "Each2",
  "BaseUnitFlag": false,
  "DisableDate": null,
  "StandardConversion": 1,
  "StandardConversionEndDate": null
}
```



After creating the missing UOMCode we can re-test.



create requisition with data from file uploaded.



Again, we receive the question to confirm.



Now it seems the purchase requisition has been created.



Second issue: deep link does not work in our instance.

After several tests, we notice the Deep Link generation is not ok, we can search the requisition created in SaaS, but not directly from the Agent, bad thing to show this template to users.



Something is wrong with the Deep link that is used by our Agent Team, as we get this error.



After some investigation, we know the Deep Link setup seems not ok in our instance.



We have created a new Deep Link and artifacts related to go up to the Agent Team.



Then Tool.





Then Agent, duplicating current to be able to modify.



This is ours.



And assign our just created Tool, but first remove the current.



And assign ours.





Click on Create button.

Then in Agent Team, replace with the just created Agent.



Replace
And take care of assigning the value to the 2 parameters:



{{"Create a deeplink for requisition "+ $context.$nodes.CREATE_PURCHASE_REQUISITION.$output.Requisition}}

{{$context.$nodes.CREATE_PURCHASE_REQUISITION.$output.RequisitionHeaderId}}

Save and close, after re-testing we are able to create requisition and navigate to it using Redwood page.



Technical

Code example	Comments
quotation_005.pdf	PDF file to use in chat.
QUOTE_TO_PURCHASE_REQUISITION_CHAT_ASSISTANT_JJJJ	Agent team used in demo