

Oracle Integration with AI (my) Primer.

Generating integrations + some comments.

May 3rd, 2025.

Introduction.

After seeing a few videos regarding the feature in OIC Gen3, I have decided to break the piggy bank, start my personal OIC instance for a few hours, and take note of the preliminary results, which are shown here.



Notice in the conclusion section some of my personal views.

References:

- <https://docs.oracle.com/en/cloud/paas/application-integration/integrations-user/use-ai-create-integration.html#GUID-0289F37A-6083-4617-A14C-0117F519F36D>
- https://www.youtube.com/watch?v=Ah0_AMpRk2U
- <https://www.youtube.com/watch?v=xT3sPDw-56w>

Preparatory steps.

For this exercise you will need an OIC instance with AI enabled, step which can be done here if you have administrator privileges.



As a sample, I have a working set of integrations (basic) which starting from a FBFI zip file in FTP server can import suppliers. A callback integration that sends messages after importing is also provided.

 →  	AA_DEMO_IMP_SUPP_FTP DEMO	No schedule defined	1.0.0	Schedule	May 2, 2026 06:12:15 PM CEST	Active
 → 	AA_DEMO_IMP_SUPP_CB DEMO		1.0.1	Application	May 2, 2026 06:12:00 PM CEST	Active
 →  	XX_DEMO_SEND_FBDI_FILES		1.0.0	Application	May 2, 2026 06:11:42 PM CEST	Active

These integrations could be the goal to achieve with AI.

This is my FTP server for testing.

/OIC_DEMO/SUPPLIERS/						
Nombre		Tamaño	Modificado	Permisos	Propiet...	
 ..						
 HIST			02/05/2026 17:06	rw-r--r--	1001	
 LOG			02/05/2026 18:14	rw-r--r--	1001	
 demo_PozSuppliersInt.zip		1 KB	23/02/2025 8:45:05	rw-r--r--	1001	

Provided integrations have been tested and works; demo FBDI zip file is also provided.

Before starting to play with prompts, you will need to create a project and create a set of connections to be used.

My approach has been to upload my integrations to the project and set up the connections properly.

My connections are:

	XX_DEMO_REST_INTEGRATIONS	REST
	AA_DEMO_FTP	FTP
	XX_DEMO_ERP	Oracle ERP Cloud
	XX_DEMO_REST	REST

a) Erp

< XX_DEMO_ERP

Configured - View only

Role
Trigger and invoke

Identifier
XX_DEMO_ERP

Updated on
May 2, 2026, 06:08:05 PM CEST

Use a shared connection

or

Configure a connection

Properties

ERP Cloud Host
https://dabiqy.ds-fa.oraclepdemos.com

Security

Security policy
Username Password Token

Username
casey.brown

b) Rest-Erpintegrations.

<https://dabiqy.ds-fa.oraclepdemos.com/fscmRestApi/resources/11.13.18.05/erpintegrations>

<
XX_DEMO_REST_INTEGRATIONS

Configured

RoleTrigger and invoke
IdentifierXX_DEMO_REST_INTEGRAT
Updated onMay 2, 2026, 06:11:27 PM CEST
Used in1 integrations

or

Configure a connection

Properties

Connection type

REST API Base URL

Connection URL

https://dabiqy.ds-fa.oraclepdemos.com/fscmRestApi/resources/11.13.18.05/erpintegrations

> Optional properties

Security

Security policy

Basic Authentication

Username

casey.brown

Password

•••••

c) Ftp

<
AA_DEMO_FTP

Configured

RoleInvoke
IdentifierAA_DEMO_FTP
Updated onMay 2, 2026, 06:10:18 PM CEST
Used in5 integrations
Share with other projectsOff

or

Use a shared connection

Search

or

Configure a connection

Properties

FTP Server Host Address

161.97.69.242

d) Rest.

< XX_DEMO_REST

Configured

Role
Trigger

Identifier
XX_DEMO_REST

Updated on
May 2, 2026, 06:04:56 PM CEST

Used in
1 integrations

Share with other projects
Off

Use a shared connection

 Search

or


Configure a connection

Security

Security policy
OAuth 2.0 Or Basic Authentication

My 2 steps to generate each integration.

1. First, create integration with a basic message.



For schedule integration I have used this message:

“Create a scheduled Oracle Integration”.

oic-standard-jjmr-ax0t86rokvk3-fr (Prod)

Create integration

Name
XX_PROMPT_05

Identifier
XX_PROMPT_05

Version
01.00.0000


Description

AI prompt
Create a scheduled Oracle Integration

Cancel Create

Prebuilt integrations will appear here when you enter a prompt
Enter a short description to browse matching integrations.


2. Then use your complete prompt to refine.



Samples are shown below.

3. After generating the integration.

You will need to complete the integration with manual steps, see below.



Prompt 1.

I needed a few “trial and error” to get the shown result.

Text of my prompt.


You are an expert Oracle Integration Cloud developer. You are an expert Oracle Fusion Cloud developer.

Create a scheduled Oracle Integration Cloud integration that imports supplier data into Oracle ERP Cloud using FBDI. The integration should: Read supplier one or more zip files with the pattern "demo_PozSuppliersInt.*)" from SFTP server from folder "/OIC_DEMO/SUPPLIERS". The zip file will need no transformations; it will be ready to process FBDI file. The FTP connection to read files will be "AA_DEMO_FTP". The integration will need a "List files" operation to find the files to process. For each file read, the next process will run.*

Invoke the ERP Cloud FBDI Import Suppliers job, taking the following into account: The Oracle ERP Cloud Adapter connection will be "XX_DEMO_ERP". The import process will be "Import Bulk Data into Oracle ERP Cloud" for "Import Suppliers"

After processing each zip file, the file will be moved to the "/OIC_DEMO/SUPPLIERS/HIST" folder with date-time as suffix in the name.


This prompt generated the integration:



As you can see, it is not a finished product, it is a skeleton to complete.

I have followed some steps in integration xx to get xx that can be activated:

- a) Complete the name of the node.
- b) Complete the details of the node.
- c) Create mapping nodes and apply mappings.



Prompt 2.

I needed a few “trial and error” to get the shown result.

Text of my prompt.

Create a scheduled Oracle Integration Cloud integration that imports supplier data into Oracle ERP Cloud using FBDI. The integration should:

Initialize 3 variables:

var_file_pattern: File pattern to list files, assign the value "demo_PozSuppliersInt.*"*

var_read_files: Folder to read zip files. assign the value "/OIC_DEMO/SUPPLIERS"

var_archive_files: Folder to archive files. assign the value "/OIC_DEMO/SUPPLIERS/HIST"

1. Create scope_suppliers for the following:

1.1 List files for suppliers.

Read zip files with the pattern in variable var_file_pattern from SFTP server from folder in variable var_read_files:

1.2 For each file in list, read it:

The zip files will need no transformations, it will be a ready to process FBDI file.

The FTP connection to read files will be "AA_DEMO_FTP".

The integration will need a "List files" operation to find the files to process. Generate a map action before this operation.

1.3. Invoke the ERP Cloud FBDI Import Suppliers job, taking the following into account: The Oracle ERP Cloud Adapter connection will be "XX_DEMO_ERP". The import process will be "Import Bulk Data into Oracle ERP Cloud" for "Import Suppliers". Generate a map action before this operation for mapping values.

1.4. Archive:

After processing each zip file, the file will be copied to the folder in variable var_archive_files with date-time as suffix in the name.

Generate a map action before this operation for mapping values.

2. Create scope_suppliers_sites for the following:

2.1 List files for supplier sites.

Read zip files with the pattern in variable var_file_pattern from SFTP server from folder in variable var_read_files:

2.2 For each file in list, read it:

The zip files will need no transformations; it will be a ready to process FBDI file.

The FTP connection to read files will be "AA_DEMO_FTP".

The integration will need a "List files" operation to find the files to process. Generate a map action before this operation.

2.3. Invoke the ERP Cloud FBDI Import Suppliers job, taking the following into account: The Oracle ERP Cloud Adapter connection will be "XX_DEMO_ERP". The import process will be "Import Bulk Data into Oracle ERP Cloud" for "Import Suppliers sites". Generate a map action before this operation for mapping values.

2.4. Archive:

After processing each zip file, the file will be copied to the folder in variable `var_archive_files` with date-time as suffix in the name.

Generate a map action before this operation for mapping values.

3. Create `scope_site_assignments` for the following:

3.1 List files for supplier sites Assignments.

Read zip files with the pattern in variable `var_file_pattern` from SFTP server from folder in variable `var_read_files`:

3.2 For each file in list, read it:

The zip files will need no transformations, it will be a ready to process FBDI file.

The FTP connection to read files will be "AA_DEMO_FTP".


The integration will need a "List files" operation to find the files to process. Generate a map action before this operation.

3.3. Invoke the ERP Cloud FBDI Import Suppliers job, taking the following into account: The Oracle ERP Cloud Adapter connection will be "XX_DEMO_ERP". The import process will be "Import Bulk Data into Oracle ERP Cloud" for "Import Suppliers sites Assignments". Generate a map action before this operation for mapping values.


3.4. Archive:


After processing each zip file, the file will be copied to the folder in variable `var_archive_files` with date-time as suffix in the name.

Generate a map action before this operation for mapping values.



Detail.





Notice that you have to manually complete a few steps.

Notice the fault handler.

Prompt 3.

I needed a few “trial and error” to get the shown result.

Text of my prompt.

When a purchase order is created in Oracle ERP (Business Object to select is PurchaseOrder), send a OIC notification.


Notification recipient will be "test@demo.com".

Notification subject "Po created" .

Notification body will be the data of the purchase order including lines, so will need to retrieve the purchase order data from Oracle ERP.

The connection for Oracle ERP communication is "XX_DEMO_ERP".

Generate the mapping for each node.



Conclusion.

We can generate a skeleton for a basic integration using a prompt using the new features in Oracle Integration with AI.

In the prompts we provide a lot of details, such as creating variables with names, paths to use when reading files, naming conventions, name of the files to store in archive, etc.

In this version, we can see the skeleton of the integration, but for now details provided seem not to be considered by the AI engines.

At the time of this writing, my prompts could be something to improve.

Code provided.

AA_DEMO_AI_01.car: project with integration demo and trials is provided.

demo_PozSuppliersInt.zip: Zip fbdi file is provided.