

1. Instalar Node.js LTS

```
Last login: Thu Sep 24 11:44:38 on ttys000
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % nvm install --lts
Installing latest LTS version.
Downloading and installing node v24.21.0...
Downloading https://nodejs.org/dist/v24.21.0/node-v24.21.0-darwin-x64.tar.xz...
#####100.0%
Computing checksum with shasum -s 256
Checksums matched!
Now using node v24.21.0 (npm v11.19.0)
Creating default alias: default -> lts/* (-> v24.21.0)
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % nvm use --lts

Now using node v24.21.0 (npm v11.19.0)
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ %
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % node -v
v24.21.0
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % npm -v
11.19.0
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % █
```

```
Last login: Thu Sep 24 11:38:32 on console
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % curl -o- https://raw.githubusercontent.com/nvm-sh/nvm/v0.40.1/install.sh | bash
% Total % Received % Xferd Average Speed Time Time Time
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 129k
=> Downloading nvm from git to '/Users/juanjoseguzmanbohorquez/.nvm'
=> Clonando en '/Users/juanjoseguzmanbohorquez/.nvm'...
remote: Enumerating objects: 480, done.
remote: Counting objects: 100% (480/480), done.
remote: Compressing objects: 100% (480/480), done.
remote: Total 480 (delta 68), reused 245 (delta 51), pack-reused 0 (from 0)
Recibiendo objetos: 100% (480/480), 588.95 KiB | 1.28 MiB/s, listo.
Resolviendo deltas: 100% (68/68), listo.
* HEAD desacoplado en FE1CH_HEAD
master
=> Compressing and cleaning up git repository

=> Appending nvm source string to /Users/juanjoseguzmanbohorquez/.zprofile
=> Appending bash_completion source string to /Users/juanjoseguzmanbohorquez/.zprofile
=> Close and reopen your terminal to start using nvm or run the following to use it now:

export NVM_DIR="$HOME/.nvm"
[ -s "$NVM_DIR/nvm.sh" ] && \. "$NVM_DIR/nvm.sh" # This loads nvm
[ -s "$NVM_DIR/bash_completion" ] && \. "$NVM_DIR/bash_completion" # This loads nvm bash_completion
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % █
```

2. Instalar Ionic CLI

```
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % npm install -g @ionic/cli

npm warn deprecated glob@7.2.3: Old versions of glob are not supported, and contain widely publicized security vulnerabilities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbitant rates) by contacting i@izs.me
npm warn deprecated inflight@1.0.6: This module is not supported, and leaks memory. Do not use it. Check out lru-cache if you want a good and tested way to coalesce async requests by a key value, which is much more comprehensive and powerful.
npm warn deprecated rimraf@3.0.2: Rimraf versions prior to v4 are no longer supported
npm warn deprecated tar@6.2.1: Old versions of tar are not supported, and contain widely publicized security vulnerabilities, which have been fixed in the current version. Please update. Support for old versions may be purchased (at exorbitant rates) by contacting i@izs.me
npm warn deprecated superagent@9.0.2: Please upgrade to superagent v10.2.2+, see release notes at https://github.com/forwardemail/superagent/releases/tag/v10.2.2 - maintenance is supported by Forward Email @ https://forwardemail.net

added 208 packages in 16s

35 packages are looking for funding
  run 'npm fund' for details
npm notice
npm notice New major version of npm available! 11.19.0 -> 12.1.0
npm notice Changelog: https://github.com/npm/cli/releases/tag/v12.1.0
npm notice To update run: npm install -g npm@12.1.0
npm notice
juanjoseguzmanbohorquez@Juans-MacBook-Pro ~ % █
```

3. Crear y ejecutar el proyecto

```

npm notice
JuanJosguzmanBohorquez@Juans-MacBook-Pro ~ % ionic start miApp blank --type=react
✓ Preparing directory ./miApp in 1.93ms
✓ Downloading and extracting blank starter in 519.88ms
> ionic integrations enable capacitor --quiet -- miApp is.ionic.starter
> npm i --save -E @capacitor/core@latest
cd miApp
npm warn deprecated whatwg-encoding@2.0.0: Use @exodus/bytes instead for a more spec-conformant and faster implementation
npm warn deprecated shab@2.0.0: Use your platform's native stub() and btoa() methods instead
npm warn deprecated domexception@4.0.0: Use your platform's native DOMException instead
npm warn deprecated uuid@8.3.2: uuid@10 and below is no longer supported. For ESM codebases, update to uuid@latest. For CommonJS codebases, use uuid@11 (but be aware this version will likely be deprecated in 2028).
npm warn deprecated eslint@9.39.0: This version is no longer supported. Please see https://eslint.org/version-support for other options.

added 687 packages, and audited 688 packages in 2m

186 packages are looking for funding
  run `npm fund` for details

10 vulnerabilities (7 moderate, 2 high, 1 critical)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm warn install-scripts 3 packages have install scripts not yet covered by allowScripts:
npm warn install-scripts   cypress@8.3.17.0 (postinstall: node index.js --exec install)
npm warn install-scripts   core-js@3.50.0 (postinstall: node -e "try(require('./postinstall'))catch(e){}")
npm warn install-scripts   esbuild@0.20.2 (postinstall: node install.js)
npm warn install-scripts
npm warn install-scripts Run `npm install-scripts ls` to review, or `npm install-scripts approve <pkgs>` to allow.
> npm i -D -E @capacitor/cli@latest
npm warn deprecated uuid@7.0.3: uuid@10 and below is no longer supported. For ESM codebases, update to uuid@latest. For CommonJS codebases, use uuid@11 (but be aware this version will likely be deprecated in 2028).

added 62 packages, and audited 750 packages in 9s

191 packages are looking for funding
  run `npm fund` for details

12 vulnerabilities (9 moderate, 2 high, 1 critical)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm warn install-scripts 4 packages have install scripts not yet covered by allowScripts:
npm warn install-scripts   core-js@3.50.0 (postinstall: node -e "try(require('./postinstall'))catch(e){}")
npm warn install-scripts   cypress@8.3.17.0 (postinstall: node index.js --exec install)
npm warn install-scripts   esbuild@0.20.2 (postinstall: node install.js)
npm warn install-scripts   fsevents@2.3.3 (install: (install scripts present))
npm warn install-scripts
npm warn install-scripts Run `npm install-scripts ls` to review, or `npm install-scripts approve <pkgs>` to allow.
> npm i --save -E @capacitor/haptics @capacitor/app @capacitor/keyboard @capacitor/status-bar

added 4 packages, and audited 754 packages in 7s

```

```

Ionic Enterprise, platform and solutions for teams by Ionic

Powerful library of native APIs ⚡
A supercharged platform for teams 🚀

➡️ https://ion.link/enterprise ➡️

> npm i

up to date, audited 754 packages in 4s

191 packages are looking for funding
  run `npm fund` for details

12 vulnerabilities (9 moderate, 2 high, 1 critical)

To address issues that do not require attention, run:
  npm audit fix

To address all issues (including breaking changes), run:
  npm audit fix --force

Run `npm audit` for details.
npm warn install-scripts 4 packages have install scripts not yet covered by allowScripts:
npm warn install-scripts   core-js@3.50.0 (postinstall: node -e "try(require('./postinstall'))catch(e){}")
npm warn install-scripts   cypress@8.3.17.0 (postinstall: node index.js --exec install)
npm warn install-scripts   esbuild@0.20.2 (postinstall: node install.js)
npm warn install-scripts   fsevents@2.3.3 (install: (install scripts present))
npm warn install-scripts
npm warn install-scripts Run `npm install-scripts ls` to review, or `npm install-scripts approve <pkgs>` to allow.
> git init
hint: Using 'master' as the name of the initial branch. This name is pre-determined and may not be suitable to your repository.
hint: To rename to another name, you will need to run 'git branch --move <new-name>' before running 'git commit'.
hint: To create a branch that is not based on 'master', use 'git branch --detached HEAD <branch-name>' instead.
hint: See more detail at https://git-scm.com/docs/git-init
hint:
hint: git config --global init.defaultBranch <nombre>
hint:
hint: Los nombres comúnmente elegidos en lugar de 'master' son 'main', 'trunk' y 'development'. Se puede cambiar el nombre de la rama recién creada mediante este comando:
hint:
hint: git branch -m <nombre>
Iniciado repositorio Git vacío en /Users/JuanJosguzmanBohorquez/miApp/.git/

Join the Ionic Community! 💙

Connect with millions of developers on the Ionic Forum and get access to live events, news updates, and more.

? Create free Ionic account? No
> git add -A
> git commit -m "Initial commit" --no-gpg-sign
[master (commit-raiz) 88b0449] Initial commit
29 files changed, 12709 insertions(+)
create mode 100644 .browserslistrc
create mode 100644 .gitignore
create mode 100644 .vscode/extensions.json
create mode 100644 capacitor.config.ts

JuanJosguzmanBohorquez@Juans-MacBook-Pro ~ % cd miApp
JuanJosguzmanBohorquez@Juans-MacBook-Pro miApp % ionic serve
> vite --host=localhost --port=8100
[vite] ➡ Local: http://localhost:8100/
[vite] ➡ press h + enter to show help

[INFO] Development server running!

Local: http://localhost:8100

Use Ctrl+C to quit this process

[INFO] Browser window opened to http://localhost:8100/

```

