Juan Manuel Arias Gutiérrez – 000511986

Juan Andrés Ciro Boada – 000511559

Documentación examen 2

Para este proyecto se uso el motor de base de datos PostreSQL montado en el servidor de nube NEON.



Se hizo la creación de los usuarios, esquemas y tablas mediante scripts SQL, estos están disponibles en la carpeta de scripts del repositorio.



Se hizo una conexión con Datagrip, para esta conexión se activó el parámetro de ssl=require para garantizar una conexión segura a la nube.


Juanma Free
spotify
All OK
Upgrade
PROJECT
Dashboard
Branches
Integrations
Settings
BRANCH
production
Overview
Monitoring
SQL Editor
Tables
Backup & Restore
Data Masking BETA
APP BACKEND
Data API
Auth
Collapse menu
Connect
Import data
Share
Connect to your database
Branch
production Default
Compute
Primary Active
Database
neondb
Role
Reset password
spotify_usr
Connection string
Connection pooling
postgresql://spotify_usr:**********@ep-raspy-darkness-amrafmug-pooler.c-5.us-east-1
.aws.neon.tech/neondb?sslmode=require&channel_binding=require
Copy snippet
Show password
Your password is saved in a secure storage vault. Learn more about connecting
Dismiss
MCP server
Connect your app to Neon's MCP server with supported AI tools.
Branches
1 / 10
Network transfer
0.01 / 5 GB
Monitoring
Branch
production
View all
Primary compute
Created by
.25 ↔ 2 CU Active
Preview Workflow
You don't have any preview branches yet. Improve your workflow by adding


Spotify_charts
Version Control
Database Explorer
Spotify_charts_db 1 of 2
neondb 2 of 5
core
tables 6
artist
chart
continent
nationality
song
song_artist
sequences 5
initial
tables 1
Services
Database
Spotify_charts_db
console
Data Sources and Drivers
Data Sources
Clouds
Project Data Sources
Spotify_charts_db
Problems
Name:
Spotify_charts_db
Create DDL Mapping
Comment:
General
Options
SSH/SSL
Schemas
Advanced
Connection type: default
Driver: PostgreSQL
More Options
Host:
ɔoler.c-5.us-east-1.aws.neon.tech
Port:
5432
Authentication:
User & Password
User:
spotify_usr
Password:
<hidden>
Save:
Forever
Database:
neondb
URL:
jdbc:postgresql://ep-raspy-darkness-amrafmug-pooler.c-5.us-ea
Overrides settings above
Test Connection
PostgreSQL 17.8
OK
Cancel
Apply
Database Consoles > Spotify_charts_db > console
82:60
CRLF
UTF-8
4 spaces
Non-commercial use



El abastecimiento de los datos se hizo creando un esquema inicial con una tabla temporal para importar en ella todos los datos directamente desde el CSV a través de datagrip, y después de esto se realizó la migración de los datos a las otras tablas a través de scripts sql.