

DETECTION OF ANEURYSMS BY MAGNETIC RESONANCE IMAGING

Karen Tatiana Cárdenas Montañez

Juan David Mahecha Cruz

Edith Carolina Núñez Flórez

Teacher: Ing. Jorge Andrés Álvarez Triana

Subject: Digital image processing


May 2017



¿ How to detect aneurysms by digitally processing magnetic resonance imaging?



- Brain aneurysms are blood vessels that have widened considerably respect to the other vessels either because of weakness or obstruction.
- The fatality of aneurysms is based on their rupture; Has an incidence of 10 per 100,000 people affected per year
- The procedure of performing magnetic.
- The procedure of aneurysms depends on the size and state of the same as well as the medical control and care of the patient.



[1]Taken from: Radiation-induced temporary hair loss after endovascular embolization of the cerebral arteries: six cases



At present, there are several diagnostic methods such as:

- Angiograms
- Computed tomography (CT)
- Magnetic Resonance Imaging (MRI)
- Magnetic resonance angiography (MRA)
- Images of cerebrospinal fluid

With the help of the system that is developed, we want to have an emphasis on being able to characterize and detect aneurysms more quickly, as external support to the aforementioned diagnostic methods; In order to lower the incidence rates of cerebral aneurysms are estimated between 0.4% and 3.6%.



[2] Taken from: Gait impairment and dysphagia due to a giant basilar aneurysm in a nonagenarian

Vicerrectoría de Investigaciones



Pre-prossesing of the images, Adapt and highlight features

Determine image characteristics

Processing and classification of images

Results, viable in implementation with other diagnostics

Vicerrectoría de Investigaciones









Image filtering

Gaussian filter with boundary 3x3 and STD 0.5


Median filter with boundary 3x3

Butterworth high pass
















REFERENCIAS:

- [1] D. Rivera, S. Puentes y L. Caballero, Resonancia magnética cerebral: secuencia básicas e interpretación, Revista Universitas medica, vol. 52, no 3, pp. 292-306, 2011.
- [2] K. Cronan, Resonancia magnética, Octubre 2008. [En línea]. Available: http://m.kidshealth.org/es/parents/mri-esp.html?WT.ac=. [´Ultimo acceso: Febrero 2017].
- [3] FUESMEN (Fundación escuela medicina nuclear), Resonancia magnética nuclear, 2012. [En línea]. Available: http://www.fuesmen.edu.ar/resonanciamagnetica-nuclear. [´Ultimo acceso: Febrero 2017].
- [4] D. Tango, Aneurisma en el cerebro, 30 Mayo 2016. [En línea]. Available: https://medlineplus.gov/spanish/ency/article/001414.htm. [´Ultimo acceso: Febrero 2017].
- [5] National Institute of neurological disorders and stroke, Aneurismas cerebrales, 20 Diciembre 2016. [En línea]. Available: https://espanol.ninds.nih.gov/trastornos/aneurismascerebr Febrero2017].
- [6] Cirugía neurológica. Atención en Neurocirugía, Aneurisma cerebral y hemorragia subaracnoidea, [En línea]. Available: http://www.cirugia-neurologica.org/aneurisma cerebral.ws. [Ultimo acceso: Febrero 2017].
- [7] Ardila.R. (2003). Calidad de vida: una definición integradora. Revista latinoamericana de psicología. Volumen (35) N 2. pp 161-164.
- [8] Informe de salud vanguardia. Aneurismas: el riesgo de perder la vida. [En línea]. http://www.vanguardia.com/informes-comerciales/informe-salud/204273aneurismas-el-riesgo-de-perder-la-vida. [´Ultimo acceso: Febrero 2017].

Vicerrectoría de Investigaciones



Thank