



Regular Languages and Regular Expressions

Computation and Discrete Structures III

Juan Marcos Caicedo Mejía – jmcaicedo@icesi.edu.co

Department of Computing and Intelligent Systems
Barberi Faculty of Engineering, Design and Applied Sciences
ICESI University

Material adapted from Professor Oscar Bedoya

2026


1. Regular Languages

2. Regular Expressions

1. Regular Languages


2. Regular Expressions

Type	Languages	Machine Type	Grammar Rules
0	Recursively enumerable	Turing machine	Unrestricted
1	Context-sensitive	Linear bounded automaton	$\alpha \rightarrow \beta, \quad \alpha \leq \beta $
2	Context-free	Pushdown automaton	$A \rightarrow \gamma$
3	Regular	Finite automaton	$A \rightarrow aB$ $A \rightarrow a$



Source: <https://upload.wikimedia.org/wikipedia/commons/9/9a/Chomsky-hierarchy.svg>

Chomsky's Hierarchy




Source: <https://www.geeksforgeeks.org/theory-of-computation/chomsky-hierarchy-in-theory-of-computation/>

Regular Languages and Regular Expressions

Noam Chomsky

- Defined context-free grammars
- Creator of the Chomsky hierarchy (1956)
- Defined Chomsky Normal Form (1979)



(1928 -)

Regular languages

Given an alphabet Σ , regular languages over that alphabet are defined recursively as:

- \emptyset is a regular language
- $\{\epsilon\}$ is a regular language
- For every symbol $a \in \Sigma$, $\{a\}$ is a regular language
- If A and B are regular languages, then
 - $A \cup B$, $A \cdot B$ and A^* are regular languages
- No other language is regular

Given $\Sigma = \{a, b\}$, the following statements are correct:

- \emptyset and $\{\epsilon\}$ are regular languages
- $\{a\}$ and $\{b\}$ are regular languages
- $\{a, b\}$ is regular because it is the union of $\{a\}$ and $\{b\}$
- $\{ab\}$ is regular because it is the concatenation of $\{a\}$ and $\{b\}$
- $\{a, ab, b\}$ is regular because it is the union of two regular languages
- $\{a^n \mid n \geq 0\}$ is regular
- $\{a^m b^n \mid m \geq 0 \wedge n \geq 0\}$ is regular
- $\{(ab)^n \mid n \geq 0\}$ is regular

Given $\Sigma = \{a, b, c\}$, indicate if the following languages are regular:

- $\{a\}^*$
- $\{a\}^* \cup \{b\}^*$
- $\{a\}^* \cdot \{b\}^*$
- $\{a, bc\}^*$
- $\{a\} \cdot \{b, c, ab\}$
- $\{a^n b^n \mid n \geq 0\}$
- $\{a^l b^m c^n \mid l \geq 0, m \geq 0, n \geq 0\}$
- $\{a^n b^{2n} \mid n \geq 0\}$

Given $\Sigma = \{a, b, c\}$, indicate if the following languages are regular:

- $\{a\}^*$
- $\{a\}^* \cup \{b\}^*$
- $\{a\}^* \cdot \{b\}^*$
- $\{a, bc\}^*$
- $\{a\} \cdot \{b, c, ab\}$
- $\{a^n b^n \mid n \geq 0\}$, not regular
- $\{a^l b^m c^n \mid l \geq 0, m \geq 0, n \geq 0\}$
- $\{a^n b^{2^n} \mid n \geq 0\}$, not regular

$\{a^n b^n \mid n \geq 0\}$ is not regular

- $\{a^n \mid n \geq 0\} = \{\epsilon, a, aa, aaa, \dots\}$
- $\{b^n \mid n \geq 0\} = \{\epsilon, b, bb, bbb, \dots\}$

$aab \in \{\epsilon, a, aa, aaa, \dots\} \cdot \{\epsilon, b, bb, bbb, \dots\}$

but it does not satisfy $a^n b^n$

- Develop the language $L = \{abc, ab, a\}^+$
 $L = \{abc, ab, a, abcabc, abcab, abca, \dots\}$

- Develop the language $L = \{abc, ab, a\}^+$
 $L = \{abc, ab, a, abcabc, abcab, abca, \dots\}$
- Compare it with $\{abc, ab, a\}^*$

- Develop the language $L = \{abc, ab, a\}^+$
 $L = \{abc, ab, a, abcabc, abcab, abca, \dots\}$
- Compare it with $\{abc, ab, a\}^*$
 $\{abc, ab, a\}^* = \{\epsilon, abc, ab, a, abcabc, abcab, abca, \dots\}$
 $\{abc, ab, a\}^+ = \{abc, ab, a, abcabc, abcab, abca, \dots\}$

- Develop the language $L = \{abc, ab, a\}^+$
 $L = \{abc, ab, a, abcabc, abcab, abca, \dots\}$
- Compare it with $\{abc, ab, a\}^*$
 $\{abc, ab, a\}^* = \{\epsilon, abc, ab, a, abcabc, abcab, abca, \dots\}$
 $\{abc, ab, a\}^+ = \{abc, ab, a, abcabc, abcab, abca, \dots\}$
 $\{abc, ab, a\}^+ = \{abc, ab, a\}^* \cdot \{abc, ab, a\}$
- In general, $A^+ = A^* \cdot A$ holds

Indicate if the following languages are regular:

- $\{ab^na \mid n \geq 0\}$
- $\{a^n b^m c^{n+m} \mid n, m \geq 0\}$
- $\{a^n b^m c^n \mid n, m \geq 0\}$
- $\{(abc)^n \mid n \geq 0\}$
- $\{(abc)^n \cdot (cba)^n \mid n \geq 0\}$
- $\{(ab)^n \cdot (cd)^m \mid m, n \geq 0\}$
- $\{wcw \mid w \in \{a, b\}^*\}$
- $\{w \in \{a, b\}^* \mid |w| = 2k, \text{ for } k \geq 0\}$
- $\{aa, ab, ba, bb\}^*$

Develop each of these regular languages:

- $\{a\}^*$
- $\{a\}^* \cup \{b\}^*$
- $\{a\}^* \cdot \{b\}^*$
- $\{a, bc\}^*$
- $\{abc, ab, a\}^+$
- $\{a\} \cdot \{b, c, ab\}$
- $\{(ab)^i \mid i \geq 0\}$
- $\{a^n b^m \mid n \geq 0, m \geq 0\}$
- $\{a^l b^m c^n \mid l \geq 0, m \geq 0, n \geq 0\}$

Develop each of these regular languages:

- $\{a\}^*$
- $\{a\}^* \cup \{b\}^*$, is $ab \in \{a\}^* \cup \{b\}^*$?
- $\{a\}^* \cdot \{b\}^*$
- $\{a, bc\}^*$
- $\{abc, ab, a\}^+$
- $\{a\} \cdot \{b, c, ab\}$
- $\{(ab)^i \mid i \geq 0\}$
- $\{a^n b^m \mid n \geq 0, m \geq 0\}$
- $\{a^l b^m c^n \mid l \geq 0, m \geq 0, n \geq 0\}$

Develop each of these regular languages:

- $\{a\}^*$
- $\{a\}^* \cup \{b\}^*$
- $\{a\}^* \cdot \{b\}^*$, is $bbb \in \{a\}^* \cdot \{b\}^*$?, is $baa \in \{a\}^* \cdot \{b\}^*$?
- $\{a, bc\}^*$
- $\{abc, ab, a\}^+$
- $\{a\} \cdot \{b, c, ab\}$
- $\{(ab)^i \mid i \geq 0\}$
- $\{a^n b^m \mid n \geq 0, m \geq 0\}$
- $\{a^l b^m c^n \mid l \geq 0, m \geq 0, n \geq 0\}$

Develop each of these regular languages:

- $\{a\}^*$
- $\{a\}^* \cup \{b\}^*$
- $\{a\}^* \cdot \{b\}^*$
- $\{a, bc\}^*$, is $bcbca \in \{a, bc\}^*$?, is $baaa \in \{a, bc\}^*$?
- $\{abc, ab, a\}^+$
- $\{a\} \cdot \{b, c, ab\}$
- $\{(ab)^i \mid i \geq 0\}$
- $\{a^n b^m \mid n \geq 0, m \geq 0\}$
- $\{a^l b^m c^n \mid l \geq 0, m \geq 0, n \geq 0\}$

Develop each of these regular languages:

- $\{a\}^* = \{\epsilon, a, aa, aaa, aaaa, \dots\}$
- $\{a\}^* \cup \{b\}^* = \{\epsilon, a, aa, aaa, \dots\} \cup \{\epsilon, b, bb, bbb, \dots\} = \{\epsilon, a, b, aa, bb, aaa, bbb, \dots\}$
- $\{a\}^* \cdot \{b\}^* = \{\epsilon, a, aa, aaa, \dots, ab, aab, aaab, \dots, b, b, bbb, \dots\}$
- $\{a, bc\}^* = \{\epsilon, a, bc, aa, abc, bca, bcbca, aaa, \dots\}$
- $\{abc, ab, a\}^+ = \{abc, ab, a, abcabc, abcab, abca, \dots\}$
- $\{a\} \cdot \{b, c, ab\} = \{ab, ac, aab\}$
- $\{(ab)^i \mid i \geq 0\} = \{\epsilon, ab, abab, ababab, \dots\}$
- $\{a^n b^m \mid n \geq 0, m \geq 0\} = \{\epsilon, a, b, ab, aab, abb, aaab, \dots\}$
- $\{a^l b^m c^n \mid l \geq 0, m \geq 0, n \geq 0\} = \{\epsilon, a, b, c, ab, bc, abc, aa, aab, aac, \dots\}$

Discuss the membership of the following strings given $L = \{a, bc\}^* \cup \{ad, d\}^*$

- Is $bcabc \in L$?
- Is $aabcad \in L$?
- Is $adbc \in L$?
- Is $adad \in L$?
- Is $adddd \in L$?

Discuss the membership of the following strings given $L = \{a, bc\}^* \cup \{ad, d\}^*$

- Is $bcabc \in L$? Yes
- Is $aabcad \in L$? No
- Is $adbc \in L$? No
- Is $adad \in L$? Yes
- Is $adddd \in L$? Yes

Interpret regular language

Interpret the type of words that belong to the following language

$$L = \{a\}^* \cup \{b\}^*$$

Interpret regular language

Interpret the type of words that belong to the following language

$$L = \{a\}^* \cup \{b\}^*$$

Interpretation

Strings that have only a's or only b's. These symbols do not appear mixed

Interpret regular language

Interpret the type of words that belong to the following language

$$L = \{a\}^* \cdot \{b\}^*$$

Interpret regular language

Interpret the type of words that belong to the following language

$$L = \{a\}^* \cdot \{b\}^*$$

Interpretation

Strings that have zero or more a's followed by zero or more b's

Given a regular language in natural language, define language structure

Given $\Sigma = \{a, b\}$ define language A of all words that have exactly one a

Given a regular language in natural language, define language structure

Given $\Sigma = \{a, b\}$ define language A of all words that have exactly one a

Language structure

$$A = \{b\}^* \cdot \{a\} \cdot \{b\}^*$$

Given a regular language in natural language, define language structure

Given $\Sigma = \{a, b\}$ define language B of all words that begin with b

Given a regular language in natural language, define language structure

Given $\Sigma = \{a, b\}$ define language B of all words that begin with b

Language structure

$$B = \{b\} \cdot (\{a\} \cup \{b\})^*$$

Given a regular language in natural language, define language structure

Given $\Sigma = \{a, b\}$ define language C of all words that contain the string ba

Given a regular language in natural language, define language structure

Given $\Sigma = \{a, b\}$ define language C of all words that contain the string ba

Language structure

$$C = (\{a\} \cup \{b\})^* \cdot \{ba\} \cdot (\{a\} \cup \{b\})^*$$

1. Regular Languages

2. Regular Expressions

Regular expression

A regular expression is a simplified way of representing a regular language

Regular Language	Regular Expression
$\{ab\}$	ab
$\{a\}^*$	a^*
$\{a\}^+$	a^+
$\{a\} \cup \{b\}$	$a \cup b$

Some regular expressions:

- b^*
- $b(a \cup b)^*$
- $(a \cup b)^*ba(a \cup b)^*$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that begin with b and end with a

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that begin with b and end with a

Regular expression

$$b(a \cup b)^*a$$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have exactly two a 's

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have exactly two a 's

Regular expression

$b^*ab^*ab^*$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have an even number of a 's

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have an even number of a 's

Regular expression

$$(b^*ab^*ab^*)^*$$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have even length

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have even length

Regular expression

$$(aa \cup ab \cup ba \cup bb)^*$$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have odd length

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have odd length

Regular expression

$$(aa \cup ab \cup ba \cup bb)^*(a \cup b)$$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have at least one b

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ that have at least one b

Regular expression

$$(a \cup b)^* b (a \cup b)^*$$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ where the second-to-last symbol is an a

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ where the second-to-last symbol is an a

Regular expression

$$(a \cup b)^* a (a \cup b)$$

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ where the third-to-last symbol is an a

Natural language description of a regular expression

Indicate the **regular expression** that denotes the language of all words over $\Sigma = \{a, b\}$ where the third-to-last symbol is an a

Regular expression

$$(a \cup b)^* a (a \cup b) (a \cup b)$$

Indicate the **regular expression** for each of the following languages:

- All strings over $\{a, b\}$ that begin with aa and end with bb
- All strings over $\{a, b\}$ that have exactly three b 's
- All strings over $\{a, b\}$ that begin and end with different symbols

Equivalent regular expressions

1. $r \cup s = s \cup r$
2. $r \cup \emptyset = r = \emptyset \cup r$
3. $r \cup r = r$
4. $(r \cup s) \cup t = r \cup (s \cup t)$
5. $r \cdot \epsilon = \epsilon \cdot r = r$
6. $r \cdot \emptyset = \emptyset \cdot r = \emptyset$
7. $(rs)t = r(st)$
8. $r(s \cup t) = rs \cup rt$
9. $r^* = (r^*)^* = r^*r^* = (\epsilon \cup r)^*$
10. $(r \cup s)^* = (r^* \cup s^*)^* = (r^*s^*)^*$

- 11. $r(sr)^* = (rs)^*r$
- 12. $(r^*s)^* = \epsilon \cup (r \cup s)^*s$
- 13. $(rs^*)^* = \epsilon \cup r(r \cup s)^*$
- 14. $s(r \cup \epsilon)^*(r \cup \epsilon) \cup s = sr^*$
- 15. $rr^* = r^*r$
- 16. $(r \cup \epsilon)^* = r^*$



Kozen, D. C. (2007)

Automata and computability

Springer Science & Business Media. Lectures 3–4.