

GLOW THEORY MED SPA

GHL Automation System

Full Master Blueprint

Business	Glow Theory Med Spa — Boutique Med Spa
Location	Scottsdale, Arizona
Team	3 people: provider (NP/PA), front desk/office manager, part-time esthetician
System	16 active workflows on GoHighLevel (GHL)
Lead Sources	Instagram, Google, Facebook Ads, Website, Referrals, Walk-ins
Goal	Convert inquiries into booked appointments and retain clients through treatment-interval rebooking
Delivery Model	Pre-built snapshot product — production ready
Date	March 2026

Document Purpose: This blueprint is the complete technical reference for the Glow Theory GHL automation system. It documents every workflow, every design decision, every edge case, and every operational detail required for production deployment. 22 edge-case fixes have been applied and double-audited.

TABLE OF CONTENTS

1. System Overview and Architecture
2. The 7 Snapshot Rules
3. Shared Principles (P1-P4)
4. Two Pipeline Structure
5. Complete Tag Structure
6. Custom Field Registry
7. Complete Workflow Specifications (WF-01 through WF-16)
8. Workflow Interaction Rules and Exit Conditions
9. Inbound Webhook Design
10. Key Design Decisions
11. Edge Cases and Scenario Testing
12. Audit Results Summary

1. SYSTEM OVERVIEW AND ARCHITECTURE

Glow Theory Med Spa is a boutique aesthetics practice in Scottsdale, Arizona, serving an affluent clientele seeking Botox, fillers, facials, laser treatments, microneedling, and IV therapy. The primary challenge is converting high-intent leads into booked appointments quickly (speed-to-lead) and retaining clients through proactive treatment-interval rebooking. The front desk office manager is the sole system operator and is not technical.

The system is designed as a pre-built GHL snapshot product. Any med spa in the same niche can purchase, activate, and operate it by following a written onboarding guide — without a call with the builder. This portability requirement shaped every design decision: zero third-party dependencies, binary operator actions, and failure that defaults to silence rather than sending wrong messages.

Active Workflows	16 (WF-01 through WF-16)
Pipelines	2 (Lead + Client)
Tags	25+ across 5 categories
Custom Fields	10
Treatments	7 (Botox, fillers, chemical peels, facials, laser, microneedling, IV therapy)
Webhook	1 inbound (FB/IG Lead Ad — optional)
Make.com	None (GHL-native for portability)

2. THE 7 SNAPSHOT RULES

CRITICAL: Every workflow must follow ALL 7 rules without exception. These are the architectural principles that make this system reliable as a self-service snapshot product.

Rule S1: Zero-Configuration Default

Every workflow must function with GHL's default settings and native features. No workflow depends on a third-party tool, external API, or custom code. The inbound webhook is an optional enhancement, not a dependency.

Rule S2: Operator Actions Are Binary

Any manual task the front desk performs is a simple yes/no or click action — never a judgment call requiring system knowledge. The system makes the decisions; the operator confirms or executes.

Rule S3: Failure Defaults to Silence, Not Chaos

If a workflow cannot determine the right action (missing data, unexpected state), it does nothing and notifies the front desk. A missed automation is recoverable. A wrong message to a client damages trust.

Rule S4: Every Message Must Make Sense to a First-Time Client

No automated message references the system, internal processes, or assumes prior context. Every SMS and email reads as if a real person at the med spa wrote it.

Rule S5: Tag Changes Drive Workflow Transitions

Tags represent the contact's current state. Workflows read tags to decide what to do, and update tags to reflect what happened. Pipeline stage and tag state must ALWAYS agree.

Rule S6: One Treatment, One Path

When a workflow branches based on treatment type, each branch is fully self-contained. No shared steps after the branch point that assume knowledge of which branch was taken.

Rule S7: The Snapshot Includes No Empty Promises

Every feature documented in the onboarding guide works in the snapshot as delivered. No 'coming soon.' If it's in the guide, it works on day one.

3. SHARED PRINCIPLES (P1-P4)

P1: Single Trigger, Single Purpose

Every workflow has exactly one trigger and serves exactly one business function. No multi-trigger workflows.

P2: Complete Rewrites Over Patches

If a workflow needs significant changes, rewrite it entirely rather than layering edits.

P3: Documentation Is Concurrent

Every workflow is documented in the Blueprint the moment it is designed.

P4: Status Tags Are Mutually Exclusive

A contact can only have ONE status.* tag at any time. Every workflow that adds a status tag must FIRST remove ALL other status.* tags. This prevents tag accumulation that makes conditions unreliable over time. Engagement tags (engagement.*) are cumulative and can coexist.

4. TWO PIPELINE STRUCTURE

A contact moves from the Lead Pipeline to the Client Pipeline on their first completed appointment.

Lead Pipeline

Stage	Set By	Type
1. New Lead	WF-01	Automated
2. Contacted	WF-02	Automated
3. Engaged	WF-03 (on reply detection)	Automated
4. Appointment Booked	WF-05	Automated
5. Cancelled	WF-08 (on appointment cancellation)	Automated
6. No-Show	WF-07	Automated
7. Lost	WF-04 / WF-07 (no_show_count >= 2) / WF-08 timeout	Automated

Client Pipeline

Stage	Set By	Type
1. Active Client	WF-09 (on first completed appointment)	Automated
2. Rebooking Window	WF-11 (next_recommended_date approaching)	Automated
3. Overdue	WF-12 (window passed with no booking)	Automated
4. Reactivation	WF-13 (6+ months inactive)	Automated
5. Churned	WF-13 (reactivation exhausted)	Automated

5. COMPLETE TAG STRUCTURE

Tag	Category	Description
source.google	Source	Lead found via Google search or Maps
source.instagram	Source	Lead from Instagram DM or ad
source.facebook	Source	Lead from Facebook ad or message
source.website	Source	Lead from website contact form
source.referral	Source	Referred by existing client
source.walkin	Source	Walk-in inquiry
interest.botox	Interest	Interested in Botox treatment
interest.fillers	Interest	Interested in dermal fillers
interest.chemical-peel	Interest	Interested in chemical peels
interest.facial	Interest	Interested in facials
interest.laser-hair	Interest	Interested in laser hair removal
interest.microneedling	Interest	Interested in microneedling
interest.iv-therapy	Interest	Interested in IV therapy
status.new-lead	Status (excl.)	Just entered system. Set by WF-01.
status.contacted	Status (excl.)	First outbound sent. Set by WF-02.
status.engaged	Status (excl.)	Lead replied. Set by WF-03.
status.booked	Status (excl.)	Appointment scheduled. Set by WF-05.
status.cancelled	Status (excl.)	Appointment cancelled. Set by WF-08.
status.completed-visit	Status (excl.)	Appointment completed. Set by WF-09 (transient).
status.active-client	Status (excl.)	Has visited at least once. Set by WF-09.
status.rebooking-window	Status (excl.)	Rebooking interval approaching. Set by WF-11.
status.overdue	Status (excl.)	Past rebooking window. Set by WF-12.
status.reactivation	Status (excl.)	In lapsed win-back. Set by WF-13.
status.lost	Status (excl.)	Lead follow-up exhausted. Set by WF-04/07/08.
status.churned	Status (excl.)	Win-back exhausted. Set by WF-13.
engagement.responded	Engagement	Lead replied to outreach. Cumulative.
engagement.no-show	Engagement	Missed an appointment. Cumulative.
engagement.reviewed	Engagement	Left a review. Cumulative.
engagement.referred	Engagement	Made a referral. Cumulative.
system.do-not-contact	System	Opted out. Halts all workflows.

Tag	Category	Description
system.in-workflow	System	Collision prevention (evaluate per-workflow).
ready-for-review	System	Handoff tag from WF-09 to WF-10.

Status tags are MUTUALLY EXCLUSIVE per Principle P4 — only ONE at a time. Engagement tags are cumulative.

6. CUSTOM FIELD REGISTRY

Field	Type	Purpose	Set By
lead_source	Dropdown	Permanent record of acquisition channel	WF-01
primary_interest	Dropdown	Main treatment interest from inquiry	WF-01
secondary_treatment	Dropdown	Second treatment if multi-treatment visit	WF-09 / manual
last_appointment_date	Date	Date of most recent completed appointment	WF-09
last_treatment_type	Dropdown	Most recent treatment received	WF-09
next_recommended_date	Date	Calculated rebooking target based on treatment interval	WF-09
total_visits	Number	Lifetime completed visit count	WF-09 (increment)
no_show_count	Number	Consecutive no-shows. Reset on completed visit. Cap at 2.	WF-07 (increment) / WF-09 (reset)
referral_source_contact	Text	Name of referring client	WF-01 / manual
consultation_notes	Multi-line	Provider or front desk notes	Manual

7. COMPLETE WORKFLOW SPECIFICATIONS

Each specification reflects the final patched state after all 22 audit fixes applied.

WF-01 — New Lead Capture

PATCHED | Trigger: Form Submitted / Manual Add / Inbound Webhook

- ENTRY CHECK: If contact has status.active-client, status.rebooking-window, or status.overdue → RETURNING CLIENT PATH: update primary_interest field, notify front desk 'Existing client interested in [treatment]', EXIT
- DUPLICATE CHECK: If contact already exists (match by email or phone), update fields only — do not create duplicate
- NORMAL PATH: Save form data (name, email, phone, service interest)
- Set custom field: lead_source (from form hidden field/UTM, default 'Website')
- Set custom field: primary_interest (from service interest dropdown)
- Apply source tag (source.* based on lead_source value)
- Apply interest tag (interest.* based on primary_interest value)
- Remove ALL status.* tags → Apply status.new-lead (P4 enforced)
- Create opportunity in Lead Pipeline → 'New Lead' stage. Name: '[Contact Name] — [Interest]'
- Add contact note: 'New lead via [source]. Interest: [interest]. [date/time].'
- Internal notification to front desk: 'New lead: [Name], interested in [treatment]. Phone: [number].'
- NO acknowledgment message sent — WF-02 handles all first outbound (Bug 3 fix)

Notes: Returning client gate prevents duplicate opportunities (Bug 1 fix). WF-01 is data-only — no messages sent.

WF-02 — Speed-to-Lead Response

Trigger: Opportunity Created in Lead Pipeline (New Lead stage)

- ENTRY CONDITIONS: Contact has status.new-lead, does NOT have system.do-not-contact, has phone OR email
- Wait 1 minute (human-feel delay)
- Branch by primary_interest → send treatment-specific SMS + email (Rule S6: each branch self-contained)
- Move pipeline to Contacted stage
- Remove status.new-lead → Apply status.contacted (P4)
- Notify front desk of new lead

Notes: Single highest-ROI automation. Treatment-specific messaging from the first touchpoint.

WF-03 — Lead Follow-Up Sequence

Trigger: Pipeline at Contacted + No Reply After 24hr Delay

- 3-touch sequence over 5 days with escalating urgency
- BEFORE EVERY SEND: check status.booked → if found, EXIT immediately (Bug 4 fix)
- BEFORE EVERY SEND: check system.do-not-contact → if found, EXIT
- If lead replies at any point: apply engagement.responded, remove status.contacted → apply status.engaged, EXIT
- If sequence exhausts with no engagement → hand off to WF-04

Notes: Goal Event can replace per-step checks — if status.booked is applied, workflow ends automatically.

WF-04 — Lead Lost Handler

Trigger: WF-03 Exhausts With No Engagement

- Remove ALL status.* tags → Apply status.lost (P4)
- Move pipeline to Lost stage
- Add contact note: 'Lead lost — no response after full follow-up sequence.'

WF-05 — Booking Confirmation

Trigger: Appointment Scheduled (Calendar Booking Created)

- Remove ALL status.* tags → Apply status.booked (P4)
- Move pipeline to Appointment Booked stage
- Branch by primary_interest → send treatment-specific confirmation + pre-appointment instructions (Rule S6)
- Each branch: Botox (avoid blood thinners), Facial (arrive makeup-free), Laser (avoid sun), etc.

WF-06 — Appointment Reminder Sequence

Trigger: Time-Based From Appointment

- 48-hour reminder: SMS + email with confirm/cancel option
- Day-of reminder: SMS with location, parking, arrival time
- BEFORE EACH SEND: check status.booked still exists (may have been cancelled between reminders — Bug 8 pattern)
- Check system.do-not-contact before each send

WF-07 — No-Show Handler

PATCHED | Trigger: Appointment Status = No-Show

- Apply engagement.no-show (cumulative)
- INCREMENT no_show_count field (+1)
- CHECK no_show_count: if ≥ 2 → notify front desk 'Repeat no-show — requires personal call', move to Lost, apply status.lost, EXIT (Bug 2 fix)
- If < 2 : send empathetic reschedule message
- Wait 24 hours → if no reschedule: send 2nd attempt
- Wait 48 hours → if still no reschedule: notify front desk, move to No-Show stage

Notes: no_show_count cap prevents infinite loop. Front desk can manually reset count and rebook.

WF-08 — Cancellation Handler

PATCHED | Trigger: Appointment Cancelled

- Remove status.booked → Apply status.cancelled (P4)
- Move pipeline to Cancelled stage (Bug 6 fix — new stage)
- Send rebooking offer
- Wait 48 hours → if rebooked: WF-05 handles (pipeline moves back to Appointment Booked)
- If not rebooked: send follow-up message
- Wait 72 hours → if still no rebook: move to Lost, apply status.lost

WF-09 — Post-Visit Follow-Up

PATCHED | Trigger: Appointment Status = Completed

- Remove ALL status.* tags → Apply status.active-client (P4)
- RESET no_show_count to 0 (Bug 2 fix)
- Update fields: last_appointment_date, last_treatment_type, total_visits (+1)
- Calculate next_recommended_date based on treatment type (Botox=90d, Facial=30d, Laser=42d, etc.)
- If secondary_treatment field populated: send BOTH aftercare instruction sets (Missing 1 fix). Use SHORTER interval for rebooking.
- Same-day: thank you message
- 24-48 hours: treatment-specific aftercare check-in
- At END of sequence: apply ready-for-review tag → hands off to WF-10 (Bug 5 fix — no overlap)
- Do NOT include review request in this workflow — WF-10 handles it

Notes: This is the most field-heavy workflow. Creates the Client Pipeline opportunity on first visit.

WF-10 — Review Request

PATCHED | Trigger: ready-for-review Tag Applied + total_visits >= 2

- Triggered by tag handoff from WF-09 — never fires independently (Bug 5 fix)
- Wait treatment-appropriate interval (7 days Botox for full effect, 1 day facials)
- Send review request using TRIGGER LINK PATTERN:
 - 'Would you rate your experience 5 stars?' with clickable link
 - Click YES → redirect to Google review page + apply engagement.reviewed
 - Click NO / no response → notify front desk for personal follow-up
- Remove ready-for-review tag after completion

Notes: Intercepts negative reviews before they go public. engagement.reviewed is cumulative.

WF-11 — Rebooking Reminder

Trigger: next_recommended_date Approaching (7 Days Before)

- Remove status.active-client → Apply status.rebooking-window (P4)
- Move Client Pipeline to Rebooking Window
- Send rebooking nudge message
- BEFORE SEND: check status.booked (client may have already rebooked — Bug 8 fix)

WF-12 — Overdue Reactivation

Trigger: Rebooking Window Passed + No Booking

- Apply status.overdue (P4). Move to Overdue stage.
- Escalating sequence: friendly reminder (Day 1), special offer (Day 7), 'we miss you' (Day 14)
- BEFORE EVERY SEND: check status.booked AND status.active-client — if either exists, EXIT (Bug 8 fix)
- Check system.do-not-contact before every send

WF-13 — Lapsed Client Win-Back

Trigger: No Activity for 6+ Months

- Apply status.reactivation (P4). Move to Reactivation stage.

- Send win-back with compelling offer. Wait 14 days.
- BEFORE SEND: check status.booked (Bug 8 fix)
- If no response: apply status.churned, move to Churned
- Add note: 'Client churned after full reactivation sequence.'

WF-14 — Birthday / Anniversary

Trigger: Contact Birthday or Signup Anniversary Date

- Check system.do-not-contact before sending.
- Send birthday message with optional special offer.

WF-15 — Referral Program Trigger

Trigger: engagement.reviewed Applied OR total_visits >= 3

- Check system.do-not-contact.
- Send referral program info with referral link/code.

WF-16 — Do-Not-Contact Handler

PATCHED | Trigger: Contact Replies STOP or Opts Out

- IMMEDIATELY halt all active workflows for this contact
- Apply system.do-not-contact
- Remove ALL status.* tags
- Check for upcoming appointments → if any: notify front desk 'Name opted out. Has appointment on [date]. Review and cancel if appropriate.' (Bug 19 fix)
- Do NOT auto-cancel — opt-out may be marketing-only

8. WORKFLOW INTERACTION RULES AND EXIT CONDITIONS

Rule	Description	Workflows
Exit on Booking	Check status.booked before every send. If found, EXIT.	WF-03, 06, 08, 11, 12, 13
Exit on DNC	Check system.do-not-contact before every outbound message.	ALL message workflows
Exit on Status Change	If status tag changed since workflow started, EXIT.	WF-03, 12, 13
Returning Client Gate	WF-01 checks existing client status before creating Lead opportunity.	WF-01 entry
Sequential Handoff	WF-09 hands off to WF-10 via ready-for-review tag.	WF-09 → WF-10
No-Show Cap	WF-07 checks no_show_count >= 2 before automated outreach.	WF-07
P4 Enforcement	Every status change removes ALL other status.* tags first.	ALL status-changing WFs

Build Note: GHL's 'Goal Event' action and 'Remove from Workflow' action can simplify exit condition implementation. Instead of checking conditions before every send step, set a Goal Event that ends the workflow when the exit condition is met. Both approaches achieve the same result — use whichever is cleaner to build.

9. INBOUND WEBHOOK DESIGN

Pattern: Facebook/Instagram Lead Ad → GHL Inbound Webhook (Direct, no Make.com)

Meta's platform sends lead form data (name, email, phone, service interest) directly to GHL's inbound webhook URL when someone fills out a lead ad form. GHL receives the payload and triggers WF-01 (New Lead Capture).

IMPORTANT: This is an OPTIONAL enhancement. The snapshot works fully without it. Leads come through GHL forms, manual entry, and GHL's native Facebook integration. The webhook endpoint is ready, the workflow handles the data, and the onboarding guide documents how to connect it. It exists for clients who have a developer or marketing agency.

Portfolio value: Demonstrates the external-to-GHL direct inbound webhook pattern.

10. KEY DESIGN DECISIONS

Decision	Reasoning
WF-01 sends no messages	WF-02 handles all first outbound. Prevents double-messaging within 60 seconds.
WF-01 returning client gate	Existing clients routed to simplified path. No duplicate opportunities.
Cancelled stage in Lead Pipeline	Pipeline must always reflect reality. Cancelled is a distinct state from Lost.
no_show_count with cap at 2	Prevents infinite no-show loop. Escalates to human after 2 automated attempts.
WF-09 → WF-10 tag handoff	Aftercare and review request are sequential, never overlapping. ready-for-review tag controls timing.
Trigger link for reviews	Intercepts negative reviews before posting. Fully GHL-native, no external tool.
Treatment-specific branching (S6)	Each treatment path is self-contained. Prevents cross-contamination between treatment instructions.
Status tags mutually exclusive (P4)	Prevents tag accumulation. Conditions stay reliable over months of operation.
Exit conditions on every send	No sequence ever sends an outdated message. Defensive design.
No Make.com for System A	Snapshot must be GHL-native for portability. No third-party dependencies.
Webhook is optional enhancement	Satisfies portfolio requirement without breaking snapshot self-sufficiency.
secondary_treatment field	Multi-treatment visits send both aftercare sets. Uses shorter rebooking interval.

11. EDGE CASES AND SCENARIO TESTING

Scenario	Behavior
Brand new lead fills out form	WF-01 captures. WF-02 sends speed-to-lead within 1 minute.
Existing active client fills out form for new treatment	WF-01 gate detects client status. Updates interest. Notifies front desk. No Lead Pipeline entry.
Lead books while in follow-up sequence (WF-03)	WF-03 detects status.booked. Exits immediately. WF-05 fires for booking.
Lead no-shows, then no-shows again	WF-07 increments no_show_count to 2. Stops automation. Notifies front desk for personal call.
Client cancels, then rebooks within 48hrs	WF-08 moves to Cancelled. Client rebooks → WF-05 fires. Pipeline returns to Appointment Booked.
Client cancels, never rebooks	WF-08 waits 48hrs, sends follow-up. Waits 72hrs. Moves to Lost.
Multi-treatment visit (Botox + facial)	WF-09 detects secondary_treatment. Sends both aftercare sets. Uses 30-day rebooking (shorter).
Post-visit aftercare + review overlap	WF-09 completes aftercare first. Applies ready-for-review. WF-10 fires separately.
Client in reactivation sequence rebooks	WF-12/WF-13 checks status.booked before each send. Exits immediately.
Client replies STOP mid-sequence	WF-16 halts all workflows. Checks pending appointments. Notifies front desk.
Client opts out with upcoming appointment	WF-16 notifies front desk to review. Does NOT auto-cancel appointment.
Duplicate form submission	WF-01 detects existing contact. Updates fields. No duplicate record.
Contact merge in GHL	Manual process documented in operator manual. Keep opportunity with most recent activity.
No-show counter at 1, then completes visit	WF-09 resets no_show_count to 0. Clean slate.

12. AUDIT RESULTS SUMMARY

A systematic architecture audit identified 22 edge-case bugs across both systems (System A + System B). All applicable fixes were applied to System A. A double-audit verified no new issues were introduced.

Workflow	Verdict	Patches Applied
WF-01	PASS	Returning client gate, no acknowledgment message, duplicate check
WF-02	PASS	Status tag update (status.contacted)
WF-03	PASS	Exit condition on status.booked before every send
WF-04	PASS	None required
WF-05	PASS	P4 status tag enforcement
WF-06	PASS	Exit condition check between reminders
WF-07	PASS	no_show_count cap at 2 with escalation
WF-08	PASS	Cancelled pipeline stage, status.cancelled tag
WF-09	PASS	no_show_count reset, secondary_treatment handling, ready-for-review handoff
WF-10	PASS	Tag handoff trigger instead of independent timing
WF-11	PASS	Exit condition on status.booked
WF-12	PASS	Exit conditions on status.booked + status.active-client
WF-13	PASS	Exit condition on status.booked
WF-14	PASS	DNC check
WF-15	PASS	DNC check
WF-16	PASS	Pending appointment notification

System Status: All 16 workflows verified and audited. All fixes applied. Double-audit passed. The system is production-ready with all edge cases handled and all architectural rules followed.