

FINAL ASA-01 Config

Below is the final configuration output of the ASA Firewall, ASA-01:

```
ASA-01#show run
: Saved
:
ASA Version 9.6(1)
!
hostname ASA-01
!
!
!
interface GigabitEthernet1/1
 nameif outside
 security-level 0
 ip address 203.0.113.1 255.255.255.252
!
interface GigabitEthernet1/2
 no nameif
 no security-level
 no ip address
!
interface GigabitEthernet1/2.10
 vlan 10
 nameif OT
 security-level 90
 ip address 10.50.10.1 255.255.255.0
!
interface GigabitEthernet1/2.20
 vlan 20
 nameif IT
 security-level 70
 ip address 10.50.20.1 255.255.255.0
!
interface GigabitEthernet1/2.30
 vlan 30
```

```
nameif MGMT
security-level 95
ip address 10.50.30.1 255.255.255.0
!
interface GigabitEthernet1/2.40
vlan 40
nameif DMZ
security-level 50
ip address 10.50.40.1 255.255.255.192
!
interface GigabitEthernet1/2.50
vlan 50
nameif GUEST
security-level 10
ip address 10.50.50.1 255.255.255.192
!
!
ftp mode passive
dns domain-lookup outside
same-security-traffic permit inter-interface
!
!
object network OBJ_OT_NET
subnet 10.50.10.0 255.255.255.0
object network OBJ_IT_NET
subnet 10.50.20.0 255.255.255.0
object network OBJ_MGMT_NET
subnet 10.50.30.0 255.255.255.0
object network OBJ_DMZ_NET
subnet 10.50.40.0 255.255.255.192
object network OBJ_GUEST_NET
subnet 10.50.50.0 255.255.255.192

object network OBJ_DC
host 10.50.20.3
object network OBJ_WEBSERVER
host 10.50.40.2
object network OBJ_SIEM
```

host 10.50.30.3

object network OBJ_PAT_IP

host 203.0.113.10

object network OBJ_WEBSERVER_PUBLIC

host 203.0.113.20

!

object-group service SVC_AD

service-object tcp destination eq 53

service-object udp destination eq 53

service-object tcp destination eq 88

service-object udp destination eq 88

service-object tcp destination eq 389

service-object udp destination eq 389

service-object tcp destination eq 445

service-object udp destination eq 123

!

object-group service SVC_WEB

service-object tcp destination eq 443

!

object-group service SVC_SYSLOG

service-object tcp destination eq 6514

!

object-group service SVC_ADMIN

service-object tcp destination eq 22

service-object tcp destination eq 3389

!

access-list ACL_OT_IN extended permit tcp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 53

access-list ACL_OT_IN extended permit udp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 53

access-list ACL_OT_IN extended permit tcp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 88

access-list ACL_OT_IN extended permit udp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 88

access-list ACL_OT_IN extended permit tcp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 389

access-list ACL_OT_IN extended permit udp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 389

access-list ACL_OT_IN extended permit tcp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 445

access-list ACL_OT_IN extended permit udp 10.50.10.0 255.255.255.0 host 10.50.20.3 eq 123

access-list ACL_OT_IN extended permit tcp 10.50.10.0 255.255.255.0 10.50.30.0 255.255.255.0 eq 6514

access-list ACL_OT_IN extended deny ip any any log

access-group ACL_OT_IN in interface OT

!

access-list ACL_IT_IN extended permit tcp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 53

access-list ACL_IT_IN extended permit udp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 53

access-list ACL_IT_IN extended permit tcp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 88

access-list ACL_IT_IN extended permit udp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 88

access-list ACL_IT_IN extended permit tcp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 389

access-list ACL_IT_IN extended permit udp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 389

access-list ACL_IT_IN extended permit tcp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 445

access-list ACL_IT_IN extended permit udp 10.50.20.0 255.255.255.0 host 10.50.20.3 eq 123

access-list ACL_IT_IN extended permit tcp 10.50.20.0 255.255.255.0 10.50.30.0 255.255.255.0 eq 6514

access-list ACL_IT_IN extended permit tcp 10.50.20.0 255.255.255.0 any eq 443

access-list ACL_IT_IN extended permit udp 10.50.20.0 255.255.255.0 any eq 53

access-list ACL_IT_IN extended deny ip any any log

access-group ACL_IT_IN in interface IT

!

access-list ACL_MGMT_IN extended permit tcp 10.50.30.0 255.255.255.0 10.50.10.0 255.255.255.0 eq 22

access-list ACL_MGMT_IN extended permit tcp 10.50.30.0 255.255.255.0 10.50.10.0 255.255.255.0 eq 3389

access-list ACL_MGMT_IN extended permit tcp 10.50.30.0 255.255.255.0 10.50.20.0 255.255.255.0 eq 22

```
access-list ACL_MGMT_IN extended permit tcp 10.50.30.0 255.255.255.0 10.50.20.0
255.255.255.0 eq 3389
access-list ACL_MGMT_IN extended permit tcp 10.50.30.0 255.255.255.0 host 10.50.40.10
eq 22
access-list ACL_MGMT_IN extended permit udp 10.50.30.0 255.255.255.0 host
10.50.40.10 eq 161
access-list ACL_MGMT_IN extended permit tcp 10.50.30.0 255.255.255.0 any eq 443
access-list ACL_MGMT_IN extended permit udp 10.50.30.0 255.255.255.0 any eq 53
access-list ACL_MGMT_IN extended deny ip any any log
access-group ACL_MGMT_IN in interface MGMT
!
access-list ACL_DMZ_IN extended permit tcp 10.50.40.0 255.255.255.192 10.50.30.0
255.255.255.0 eq 6514
access-list ACL_DMZ_IN extended deny ip any any log
access-group ACL_DMZ_IN in interface DMZ
!
access-list ACL_GUEST_IN extended permit udp any host 10.50.50.1 eq 67
access-list ACL_GUEST_IN extended permit tcp 10.50.50.0 255.255.255.192 any eq 443
access-list ACL_GUEST_IN extended deny ip any any log
access-group ACL_GUEST_IN in interface GUEST
!
access-list ACL_OUTSIDE_IN extended permit tcp any host 203.0.113.20 eq 443
access-list ACL_OUTSIDE_IN extended deny ip any any log
access-group ACL_OUTSIDE_IN in interface outside
!
nat (OT,IT) source static OBJ_OT_NET OBJ_OT_NET destination static OBJ_IT_NET
OBJ_IT_NET
nat (OT,MGMT) source static OBJ_OT_NET OBJ_OT_NET destination static OBJ_MGMT_NET
OBJ_MGMT_NET
nat (IT,IT) source static OBJ_IT_NET OBJ_IT_NET destination static OBJ_IT_NET OBJ_IT_NET
nat (IT,MGMT) source static OBJ_IT_NET OBJ_IT_NET destination static OBJ_MGMT_NET
OBJ_MGMT_NET
nat (DMZ,MGMT) source static OBJ_DMZ_NET OBJ_DMZ_NET destination static
OBJ_MGMT_NET OBJ_MGMT_NET

nat (IT,outside) source dynamic OBJ_IT_NET OBJ_PAT_IP
nat (MGMT,outside) source dynamic OBJ_MGMT_NET OBJ_PAT_IP
nat (DMZ,outside) source dynamic OBJ_DMZ_NET OBJ_PAT_IP
```

nat (GUEST,outside) source dynamic OBJ_GUEST_NET OBJ_PAT_IP

nat (DMZ,outside) source static OBJ_WEBSERVER OBJ_WEBSERVER_PUBLIC

!

route outside 0.0.0.0 0.0.0.0 203.0.113.2 1

!

logging enable

logging timestamp

logging trap informational

logging host MGMT 10.50.30.10 6514

!

class-map inspection_default

match default-inspection-traffic

!

policy-map type inspect dns preset_dns_map

parameters

message-length maximum 512

policy-map global_policy

class inspection_default

inspect dns preset_dns_map

inspect ftp

inspect tftp

!

service-policy global_policy global

!

telnet timeout 5

ssh timeout 5

!

ASA-01#