

Final SW-01 Config Script

```
enable
configure terminal

hostname SW-01

username admin secret 5 <PASSWORD REDACTED>

spanning-tree mode pvst
spanning-tree extend system-id

interface FastEthernet0/1
description Downlink-to-OT
switchport trunk allowed vlan 10
switchport mode trunk
switchport nonegotiate

interface FastEthernet0/2
description UNUSED-PARKED
switchport access vlan 999
shutdown

interface FastEthernet0/3
description Downlink-to-IT
switchport trunk allowed vlan 20
switchport mode trunk
switchport nonegotiate

interface FastEthernet0/4
description UNUSED-PARKED
switchport access vlan 999
shutdown

interface range FastEthernet0/5-7
description MGMT-Devices
```

```
switchport access vlan 30
switchport mode access
switchport nonegotiate
spanning-tree portfast
spanning-tree bpduguard enable
```

```
interface range FastEthernet0/8-10
description UNUSED-PARKED
switchport access vlan 999
switchport mode access
shutdown
```

```
interface FastEthernet0/11
description DMZ-Devices
switchport access vlan 40
switchport mode access
switchport nonegotiate
spanning-tree portfast
spanning-tree bpduguard enable
```

```
interface range FastEthernet0/12-19
description UNUSED-PARKED
switchport access vlan 999
switchport mode access
shutdown
```

```
interface FastEthernet0/20
description GUEST-Devices
switchport access vlan 50
switchport mode access
switchport nonegotiate
spanning-tree portfast
spanning-tree bpduguard enable
```

```
interface range FastEthernet0/21-23
description UNUSED-PARKED
switchport access vlan 999
switchport mode access
```

shutdown

```
interface FastEthernet0/24
description Uplink-to-ASA
switchport trunk allowed vlan 10,20,30,40,50
switchport mode trunk
switchport nonegotiate
```

```
interface range GigabitEthernet0/1-2
description UNUSED-PARKED
switchport access vlan 999
switchport mode access
shutdown
```

```
interface Vlan10
description OT
no ip address
shutdown
```

```
interface Vlan20
description IT
no ip address
shutdown
```

```
interface Vlan30
description MGMT
ip address 10.50.30.2 255.255.255.0
no shutdown
```

```
interface Vlan40
description DMZ
no ip address
shutdown
```

```
interface Vlan50
description GUEST
no ip address
shutdown
```

```
interface Vlan999
description UNUSED-PARKED
no ip address
shutdown
```

```
ip default-gateway 10.50.30.1
```

```
banner motd ^
AUTHORIZED ACCESS ONLY. All activity is monitored and logged.
Unauthorized access is prohibited and will be prosecuted.
^
```

```
line con 0
login local
```

```
line vty 0 4
login local
transport input ssh
```

```
line vty 5 15
login local
transport input ssh
```

```
write memory
```