Laboratory practice No. 3: LinkedList and ArrayList

Juan Sebastián Díaz Osorio

Universidad Eafit Medellín, Colombia isdiazo@eafit.edu.co

Liz Oriana Rodrigues Cruz

Universidad Eafit Medellín, Colombia lorodriguc@eafit.edu.co

3) Practice for final project defense presentation

3.1

ArrayList	LinkedList
O(n)	O(n²)

3.2

3.3 Answer 2.1

The code of the problem posed in point 2.1 consists in a linked list, a problem caused by a bad keyboard must be solved which does not type in the correct way although it follows a pattern of behavior when displaying what is written as "["means that the following is at the beginning of the word and" means that the preceding is at the end of the word.

With that information, a search (route) is implemented asking if the character (char) is a "[" or "]" symbol taking into account the position, and if so, we will go through the following or subsequent characters until we

PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems Email: mtorobe@eafit.edu.co | Office: Building 19 - 627 Phone: (+57) (4) 261 95 00 Ext. 9473





find another starting symbol and finally to know what specific characters should move

Example:

Input:

[][]choco[Life_[]late_][is_[[a_box_of know[never_]_what][You_ _get*[[][*might*[]]][*You_

1 Output:

late chocolateLife is a box of X X whatknownever You getmightYou X

2 Output:

Life is a box of chocolate You never know what You_might_get

3.4 2.1: "n" it's a "for" cycle "m" it is a "if" question string

4) **Practice for midterms**

- 4.1 С
- 4.2 С
- 4.3 Answers:
 - 4.3.1 q.size() > 1
 - 4.3.2 <=
 - 4.3.3 q.remove()

PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems Email: mtorobe@eafit.edu.co | Office: Building 19 - 627 Phone: (+57) (4) 261 95 00 Ext. 9473





- **4.3.4** q.remove()
- **4.4** Answers:
 - **4.4.1** lista.size()
 - **4.4.2** lista.addLast(auxiliar.pop())
- **4.5** Answers:
 - **4.5.1** auxiliar1.size() > 0
 - **4.5.2** auxiliar2.size() > 0
 - **4.5.3** personas.offer(edad)
- **4.6** Let imprimir function be print (Exercise is a bit ambigous):
 - а
- **4.7** c
- 4.8 Answers:
 - **4.8.1** a
 - **4.8.2** c
 - **4.8.3** c
- **4.9** Answers:
 - **4.9.1** d
 - **4.9.2** a
 - **4.9.3** b
- **4.10** Answers:
 - **4.10.1** b
 - **4.10.2** b
- **4.11** Answers:
 - **4.11.1** s1.size() > 1
 - **4.11.2** s1.pop()
 - **4.11.3** s2
- 4.12 Answers:

PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems Email: mtorobe@eafit.edu.co | Office: Building 19 – 627 Phone: (+57) (4) 261 95 00 Ext. 9473







- **4.12.1** iv
- **4.12.2** ii
- **4.13** Answers:
 - **4.13.1** i
 - **4.13.2** i
- **4.14** iv

5) Recommended reading (optional)

We made the conceptual map via Prezi:

https://prezi.com/8sftcghaux_c/?utm_campaign=share&utm_medium=copy

6) Teamwork and gradual progress (optional)

We meet once only. This is the record: https://bit.ly/2kLx1EA

This is the progress report with github commits: https://bit.ly/2kqsF88.

Even though this document has the Kanban example structure that we often use, for this laboratory practice we don't use it.

PhD. Mauricio Toro Bermúdez

Professor | School of Engineering | Informatics and Systems Email: mtorobe@eafit.edu.co | Office: Building 19 – 627 Phone: (+57) (4) 261 95 00 Ext. 9473





