## **Technical data**

### Vehicle data

Vehicle data	
Designation	Value
Vehicle length Bumper-to-bumper length	CITARO K: 10,503 mm CITARO: 11,950 mm CITARO M: 13,008 mm CITARO L: 14,995 mm CITARO G: 17,940 mm CapaCity: 19,540 mm
Vehicle width Production version	2,550 mm
Vehicle height without roof-moun- ted fittings	2,871 mm

Designation	Value
Vehicle height with roof-mounted fittings fitted as standard	3,009 mm
Vehicle height with air conditioning system	3,076 mm CapaCity: 3,155 mm
Permissible gross vehicle weight	CITARO K: 18,000 kg CITARO: 18,000 kg CITARO M: 18,000 kg CITARO L: 26,000 kg CITARO G: 28,000 kg CapaCity: 32,000 kg
Permissible gross ski holder load	CITARO K: max. 500 kg

Designation	Value
Track width, front axle	2,113 mm
Track width, centre axle (CITARO G/ CapaCity)	1,834 mm
Track width, driven axle	1,834 mm
Track width, trailing axle (CITARO L/CapaCity)	2,055 mm

### **Technical data**

### Vehicle data

2nd axle 4,398 mm CITARO: 5,845 mm CITARO M:	2nd axle  4,398 mm CITARO: 5,845 mm CITARO M: 6,862 mm CITARO L: 7,290 mm CITARO G/ CapaCity: 5,845 mm  Wheel base 2nd to 3rd axle  1,600 mm CITARO G/	Designation	Value
CITARO L:	CITARO G/ CapaCity: 5,845 mm  Wheel base 2nd to CITARO L: 3rd axle 1,600 mm CITARO G/	Wheel base 1st to	CITARO K: 4,398 mm CITARO: 5,845 mm CITARO M: 6,862 mm CITARO L:
			CITARO L: 1,600 mm

Designation	Value
Turning circle (k to	CITARO K:
k)	13,132 mm
	CITARO:
	16,846 mm
	CITARO M:
	19,576 mm
	CITARO L:
	19,702 mm
	CITARO G:
	19,002 mm
	CapaCity:
	19,088 mm

Designation	Value
Turning circle (w to	CITARO K:
w)	17,244 mm
	CITARO:
	21,030 mm
	CITARO M:
	23,700 mm
	CITARO L:
	24,324 mm
	CITARO G:
	22,850 mm
	CapaCity:
	22,852 mm
Front overhang	2,705 mm

# Technical data

### Vehicle data

Designation	Value	Designation	Value	Designation	Value
Rear overhang	CITARO K: 3,400 mm CITARO: 3,400 mm CITARO M: 3,441 mm CITARO L: 3,400 mm CITARO G: 3,400 mm CapaCity:	Total fuel tank volume	CITARO K: approx. 280 I CITARO: approx. 280 I CITARO M: approx. 350 I CITARO L: approx. 280 I CITARO G/ CapaCity: approx. 300 I	Fuel-oil tank capacity (option) (on request, the CITARO K can be fitted with an auxiliary tank in place of the fuel-oil tank)	CITARO K: approx. 35 I CITARO: approx. 50 I CITARO M: approx. 50 I CITARO L: approx. 50 I CITARO G/ CapaCity: approx. 50 I
Angle of approach	3,400 mm 7°	AdBlue additive tank volume	CITARO K: approx. 38 l	Windscreen washer reservoir	approx. 8 l
Angle of departure	7°		CITARO: approx. 38 I		
Pitch angle (CITARO G/CapaCity)	-10°10°		CITARO M: approx. 46 I CITARO L:		
			approx. 38 I CITARO G/ CapaCity: approx. 45 I		