





MMA Companion




Computer Science NEA




Thomas Jubb




Contents


Developmental Testing	Error! Bookmark not defined.
Testing.....	Error! Bookmark not defined.



Stage	Problem/Result	Evidence	Action	Evidence of action
Proto	I did not set my parameters in the code correctly (2.1 and 2.2) I put the string "None" instead of Nonee	<pre>Connected ('The SQL contains 0 parameter markers, but 1 parameters were supplied', 'HY000') Connection Closed None print(connect(statementSQL="SELECT * FROM Fighters",queryType="many",params="None"))</pre>	Set params to equal None instead of "None"	<pre>print(connect(statementSQL="SELECT * FROM Fighters",queryType="many",params=None))</pre>
Proto	Table is outputted as an array (2.1 and 2.2)	<pre>Connected Connection Closed [(1, 'Conor McGregor', 'Lightweight', '1988-07-14', 'SBG Ireland', 188.0, 0.86, 58.0, None), (2, 'Khabib Nurmagomedov', 'Lightweight', '1988-09-20', 'Eagles MMA', 185.0, 0.85, 48.0, None), (3, 'Jon Jones', 'Light Heavyweight', '1987-07-19', 'Jackson Wink MMA', 190.0, 0.87, 52.0, None), (4, 'Israel Adesanya', 'Middleweight', '1989-07-22', 'City Kickboxing', 182.0, 0.86, 49.0, 'https://upload.wikimedia.org/wikipedia/commons/thumb/1/12/Israel_Adesanya_at_UFC_238.jpg/960px-Israel_Adesanya_at_UFC_238.jpg'), (5, 'Stipe Miocic', 'Heavyweight', '1982-08-19', 'Strong Style MMA', 178.0, 0.88, 53.0, None), (6, 'Dricus du Plessis', 'Middleweight', '1994-01-14', 'Team CIT MMA', 184.0, 0.86, 46.0, 'https://afc.com/images/styles/athlete_bio_full_body/53/2025-08/00_PLESSIS_DRICUS_1_01-20.png'), (7, 'Khamzat Chimaev', 'Middleweight', '1994-05-01', 'Allstars Training Center', 186.0, 0.87, 47.0, 'https://afc.com/images/styles/athlete_matchup_stats_full_body/53/2025-08/CHIMAEV_KHAMZAT_0_08-16.png')]</pre>	No action needed	
Proto	Table with specific required fields is outputted (2.1 and 2.2)	<pre>Connected Connection Closed [(('Conor McGregor', 'Lightweight', '1988-07-14', 'SBG Ireland'), ('Khabib Nurmagomedov', 'Lightweight', '1988-09-20', 'Eagles MMA'), ('Jon Jones', 'Light Heavyweight', '1987-07-19', 'Jackson Wink MMA'), ('Israel Adesanya', 'Middleweight', '1989-07-22', 'City Kickboxing'), ('Stipe Miocic', 'Heavyweight', '1982-08-19', 'Strong Style MMA'), ('Dricus du Plessis', 'Middleweight', '1994-01-14', 'Team CIT MMA'), ('Khamzat Chimaev', 'Middleweight', '1994-05-01', 'Allstars Training Center'))]</pre>	No action needed	
Proto	Leaderboard table didn't load because I had the login button set to navigate not load the table (2.3 and 2.4)	 Leaderboard did not load	Set login subroutine to load leaderboard instead of navigate (load leaderboard will navigate)	<pre>return if decodedHash == newHash: print("Login success") #set session variables and navigate global isAdmin global usernameToken isAdmin=row[6] usernameToken=username if isAdmin==1: print("Login as admin") self.loadModifyFighter() else: print("Login as regular") self.initLeaderboard()</pre>
Proto	Table cleared and set to a model (2.3 and 2.4)		No action needed in terms of the actual subproblem	

Proto	Table isn't sized properly to the tableView		Changed the header and table properties to make it look nicer	
Proto	I kept self when loading the default image	<pre>self.loadImage(self,None,self.ui.modifyFighterListImage,"File","defaultpfp.png") TypeError: MainWindow.loadImage() takes 5 positional arguments but 6 were given</pre>	Took self out	
Proto	I referred to the element when loading the image through itself	<pre>self.ui.element.setPixmap(pixmap) ^^^^^^^^^^^^^^^^^^^^ AttributeError: 'Ui_mainWindow' object has no attribute 'element' (I meant self.ui.element but it would come out as self.ui.self.ui.element)</pre>	Did element instead of self.ui.element	<pre>element.setPixmap(pixmap) element.setScaledContents(True)</pre>
Proto	Nothing happens when I click the table cells because I messed up the handler		Corrected handler	<pre>self.ui.leaderboardTableView.clicked.connect(lambda index:self.leaderboardLoadFighterData(index))</pre>

	Images look stupidly scaled because the pixmap properties don't preserve the aspect ratio		Set new pixmap properties when loading images to preserve the aspect ratio	
	PyQT cannot get the text out of the search bar because it's the wrong element	<pre>searchTerm = self.ui.leaderboardFighterSearch.toPlainText() ^^ AttributeError: 'QLineEdit' object has no attribute 'toPlainText'</pre>	Change leaderboardfightersearch to a QTextEdit element	
	Result of search also models the id inadvertently		Add header declarations into the modelling of the search table	<pre>def leaderboardSearchFighter(self): model=self.ui.leaderboardTableView.model() searchTerm = self.ui.leaderboardFighterSearch.toPlainText() headers = ["FighterID", "Name", "Weight Class", "Birthdate", "Gym"] distances = self.tableDistances(searchTerm) newTable = [] for fighterID, distance in distances: rowData=[] for row in range(model.rowCount()): item=model.item(row,0) if item and int(item.text()) == fighterID: for col in range(model.columnCount()): cell=model.item(row,col) rowData.append(cell.text() if cell else "") break newTable.append(rowData) model.clear() model.setColumnCount(len(headers)) model.setHorizontalHeaderLabels(headers) for row,rowData in enumerate(newTable): for col, value in enumerate(rowData): model.setItem(row,col,QStandardItem(value)) self.ui.leaderboardTableView.setColumnHidden(0, True)</pre>



Proto	Double click to profile mechanic stutters because of image loading times	 <pre>Connected Connection Closed loadimage loadimage Connected Connection Closed [] Connected Connection Closed loadimage loadimage Connected Connection Closed [] display profile of fighterID9 █</pre>	I need to thread the request so everything doesn't stop to load the image										
Proto	Implementing tooltip system onto edit fighter fights list so admins can see the opponents of each fight	 <table><tr><th></th><th>Opponent ID</th><th>Event</th></tr><tr><td>1</td><td>3</td><td>1003</td></tr><tr><td>2</td><td>3</td><td>1002</td></tr></table>		Opponent ID	Event	1	3	1003	2	3	1002	No further action needed	
	Opponent ID	Event											
1	3	1003											
2	3	1002											
Proto	When the fighter profile is switched it doesn't clear the image	 Editing Fighter:Khabib Nurmagomedov Khabib Nurmagomedov Eagles MMA Heavyweight Birthdate 20/09/1988 Belts (Change in options): Lightweight None Preview 	Clear the element at the beginning of the load image subroutine	 <pre>def loadImage(self,url,element,mode,imagePath): element.clear() print("loadimage") pixmap = QPixmap() #validation for request try: ... except requests.RequestException as e: ...</pre>									

Proto	Implement table editing system	<table><thead><tr><th></th><th>Opponent ID</th><th>Event ID</th><th>Result</th><th>Method</th><th>Round</th><th>Time</th></tr></thead><tbody><tr><td>1</td><td>4</td><td>1003</td><td>Win</td><td>KO/TKO</td><td>2</td><td>03:09</td></tr><tr><td>2</td><td>4</td><td>1002</td><td>Test</td><td>Submission</td><td>2</td><td>03:18</td></tr><tr><td>3</td><td>4</td><td>1001</td><td>Win</td><td>KO/TKO</td><td>2</td><td>04:11</td></tr><tr><td>4</td><td>4</td><td>1001</td><td>Win</td><td>Decision</td><td>3</td><td>05:00</td></tr></tbody></table> When I clicked submit and came back to the table it hadn't updated		Opponent ID	Event ID	Result	Method	Round	Time	1	4	1003	Win	KO/TKO	2	03:09	2	4	1002	Test	Submission	2	03:18	3	4	1001	Win	KO/TKO	2	04:11	4	4	1001	Win	Decision	3	05:00		
	Opponent ID	Event ID	Result	Method	Round	Time																																	
1	4	1003	Win	KO/TKO	2	03:09																																	
2	4	1002	Test	Submission	2	03:18																																	
3	4	1001	Win	KO/TKO	2	04:11																																	
4	4	1001	Win	Decision	3	05:00																																	
Proto	Double click passes to subroutine with fighter ID	<code>display profile of fighterID 2</code>	No further action needed																																				
Proto	Pie chart looks ugly because of the jargon of the unused things		Omit the parts of the pie chart that aren't used	<pre>for i in range(len(sizes)): if sizes[i] > 0: newLabels.append(labels[i]) newColourIndex.append(colourIndex[i]) newSizes.append(sizes[i]) labels = newLabels sizes = newSizes colourIndex = newColourIndex</pre> 																																			

Proto	I messed up the parameters in this query	 (Image says it expected 1 parameter but two was supplied)	Take out parameter	<pre>self.connect(query, "none", (value, key))</pre> Runs fine now
Proto	I called the datetime function incorrectly		Change the calling of datetime to datetime.datetime	<pre>#check that fight is physically possible strippedT = datetime.datetime.strptime(t.strip(), \"%H:%M:%S\").time()</pre> (this is just how it works for some reason)

Proto	I dealt with belt result list indexing wrong	Error  Traceback (most recent call last): File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 92, in <lambda> self.ui.optionsAutoAssign.clicked.connect(lambda: self.autoAssignBelts()) ^^ File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 1404, in autoAssignBelts mostRecentWinner=self.connect("""SELECT FighterID FROM FighterFights ^^ File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 197, in connect cursor.execute(statementSQL,params) pyodbc.Error: ('HY004', '[HY004] [Microsoft][ODBC SQL Server Driver]Invalid SQL data type (0) (SQLBindParameter)') OK	I accidentally set the parameter of a list wrong as I interpreted it as a one-dimensional list instead of a two dimensional	<pre>if mostRecentWinner is None: continue #Assign belt to last winner self.connect("""UPDATE Belts ID=? tClass=?""", "none", (mostRecentWinner[0], beltLessDivisions[belt][0],)) #Output done message box</pre>
Proto	I formatted a string wrong by using , and then +	Error  Traceback (most recent call last): File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 92, in <lambda> self.ui.optionsAutoAssign.clicked.connect(lambda: self.autoAssignBelts()) ^^ File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 1418, in autoAssignBelts msg.setText("Belt Auto-Assignment Complete.", +str(len(beltLessDivisions))+ " beltless divisions found.") ^^ TypeError: bad operand type for unary +: 'str' OK	I took the , out	<pre>msg.setText("Belt Auto-Assignment Complete."+str(len(beltLessDivisions))+ " beltless divisions found.") msg.setText(title("Auto-Assignment Complete"))</pre>

Proto	I put the brackets on this part the wrong way around	<pre>self.ui.EntertainmentResult.setText("Entertainment:"+str(round(entertainmentRating)+"%"))</pre> Error Traceback (most recent call last): File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 148, in <lambda> self.ui.CalculateButton.clicked.connect(lambda:self.submitOddsCalc()) ^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^ File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 978, in submitOddsCalc self.ui.EntertainmentResult.setText("Entertainment:"+str(round(entertainmentRatir + "%")) ~~~~~ TypeError: unsupported operand type(s) for +: 'int' and 'str' OK	I put the + outside of the round so the program doesn't think the percentage is a number	<pre>self.ui.EntertainmentResult.setText("Entertainment:"+str(round(entertainmentRating))+ "%")</pre>																														
Proto	I set my starting volatility to 350 which causes the elo ratings of fighters to spike to absurd amounts	<table><tr><th></th><th>FighterID</th><th>Name</th><th>Weight Class</th><th>Birthdate</th><th>Gym</th><th>Rating</th><th>Volatility</th><th>ating Deviatric</th><th>Image URL</th></tr><tr><td>1</td><td>1</td><td>Ian Garry</td><td>Welterweight</td><td>1988-07-14</td><td>SBG Ireland</td><td>1911.49493...</td><td>328.796957...</td><td>411.505619...</td><td>None</td></tr><tr><td>2</td><td>2</td><td>Khabib</td><td>Lightweight</td><td>1988-09-20</td><td>Eagles MMA</td><td>-231846.25...</td><td>452.047240...</td><td>22252.4294...</td><td>None</td></tr></table>		FighterID	Name	Weight Class	Birthdate	Gym	Rating	Volatility	ating Deviatric	Image URL	1	1	Ian Garry	Welterweight	1988-07-14	SBG Ireland	1911.49493...	328.796957...	411.505619...	None	2	2	Khabib	Lightweight	1988-09-20	Eagles MMA	-231846.25...	452.047240...	22252.4294...	None	I am going to change the starting volatility to 0.06	Elos are now normal numbers now <pre>#firstly, set all ratings to defaults self.connect("""UPDATE dbo.Fighters SET EloRating = 1500, Volatility = 0.06, RatingDeviation = 200;""", "none", None) #then bring up the fights table query= ""</pre>
	FighterID	Name	Weight Class	Birthdate	Gym	Rating	Volatility	ating Deviatric	Image URL																									
1	1	Ian Garry	Welterweight	1988-07-14	SBG Ireland	1911.49493...	328.796957...	411.505619...	None																									
2	2	Khabib	Lightweight	1988-09-20	Eagles MMA	-231846.25...	452.047240...	22252.4294...	None																									

Post-Proto	I did not specify the favouriteFighter column in the insert query		Specify favouriteFighter	
------------	---	--	--------------------------	---

Post-Proto	I forgot to set height to a float which means that a type error occurs.	Error Traceback (most recent call last): File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 1099, in showProfileAdmin decimalHeight=height-truncHeight ~~~~~^~~~~~ TypeError: unsupported operand type(s) for -: 'str' and 'int' OK	Declare height as a float	<pre>height=float(fighterData[9]) reach=float(fighterData[10])</pre>
Post-Proto	I used the wrong function to set a QLabel's text.	Error Traceback (most recent call last): File "c:\Users\tomju\OneDrive\Documentos\School\Computer Science\COMP-SCI-NEA-THOMAS-JUBB\COMP SCI NEA THOMAS JUBB\Code\Prototype\Build\main.py", line 1293, in showUserProfile self.ui.fighterProfileHeightLabel.setPlainText("Height:"+str(textHeight)) AttributeError: 'QLabel' object has no attribute 'setPlainText' OK	Do a setText instead of setPlainText as that is what QLabel uses.	<pre>self.ui.fighterProfileHeightLabel.setText("Height:"+str(textHeight)) self.ui.fighterProfileReachLabel.setText("Reach:"+str(textReach))</pre>