

CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD

Project Name: John Vo Duplex RES ADU

Calculation Date/Time: 2024-10-16T17:27:09-07:00

CF1R-PRF-01-E

Calculation Description: John Vo Duplex Res-ADU

Input File Name: 4357 Logan Ave.ribd22

(Page 7 of 12)

FENESTRATION / GLAZING													
01	02	03	04	05	06	07	08	09	10	11	12	13	14
Name	Type	Surface	Orientation	Azimuth	Width (ft)	Height (ft)	Mult.	Area (ft ²)	U-factor	U-factor Source	SHGC	SHGC Source	Exterior Shading
25	Window	Wall-Back	Back	90	3	4	1	12	0.3	NFRC	0.23	NFRC	Bug Screen

OPAQUE DOORS			
01	02	03	04
Name	Side of Building	Area (ft ²)	U-factor
101	Wall-Front	20	0.2
102	Wall-Right	20	0.2

SLAB FLOORS							
01	02	03	04	05	06	07	08
Name	Zone	Area (ft ²)	Perimeter (ft)	Edge Insul. R-value and Depth	Edge Insul. R-value and Depth	Carpeted Fraction	Heated
Slab On Grade Floor	Conditioned	640	104	none	0	80%	No

OPAQUE SURFACE CONSTRUCTIONS							
01	02	03	04	05	06	07	08
Construction Name	Surface Type	Construction Type	Framing	Total Cavity R-value	Interior / Exterior Continuous R-value	U-factor	Assembly Layers
ROOF Asphalt	Attic Roofs	Wood Framed Ceiling	2x4 @ 16 in. O. C.	R-0	None / None	0.484	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x4 Inside Finish: Gypsum Board
Ceiling R30	Ceilings (below attic)	Wood Framed Ceiling	2x4 Bottom Chord of Truss @ 24 in. O. C.	R-0	30 / None	0.03	Attic Floor: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x4 Btm Chrd Sheathing / Insulation: R-30 Sheathing Inside Finish: Gypsum Board

CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD

Project Name: John Vo Duplex RES ADU

Calculation Date/Time: 2024-10-16T17:27:09-07:00

CF1R-PRF-01-E

Calculation Description: John Vo Duplex Res-ADU

Input File Name: 4357 Logan Ave.ribd22

(Page 8 of 12)

OPAQUE SURFACE CONSTRUCTIONS							
01	02	03	04	05	06	07	08
Construction Name	Surface Type	Construction Type	Framing	Total Cavity R-value	Interior / Exterior Continuous R-value	U-factor	Assembly Layers
ROOF Asphalt	Attic Roofs	Wood Framed Ceiling	2x4 @ 16 in. O. C.	R-0	None / None	0.484	Roofing: Light Roof (Asphalt Shingle) Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x4 Inside Finish: Gypsum Board
Ceiling R30	Ceilings (below attic)	Wood Framed Ceiling	2x4 Bottom Chord of Truss @ 24 in. O. C.	R-0	30 / None	0.03	Attic Floor: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x4 Btm Chrd Sheathing / Insulation: R-30 Sheathing Inside Finish: Gypsum Board

BUILDING ENVELOPE - HERS VERIFICATION				
01	02	03	04	05
Quality Insulation Installation (QII)	High R-value Spray Foam Insulation	Building Envelope Air Leakage	CFM50	CFM50
Required	Not Required	N/A	n/a	n/a

WATER HEATING SYSTEMS								
01	02	03	04	05	06	07	08	09
Name	System Type	Distribution Type	Water Heater Name	Number of Units	Solar Heating System	Compact Distribution	HERS Verification	Water Heater Name (#)
DHW System	Domestic Hot Water (DHW)	Standard	Water Heater	1	n/a	Basic	n/a	Water Heater (1)

CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD

Project Name: John Vo Duplex RES ADU

Calculation Date/Time: 2024-10-16T17:27:09-07:00

CF1R-PRF-01-E

Calculation Description: John Vo Duplex Res-ADU

Input File Name: 4357 Logan Ave.ribd22

(Page 9 of 12)

WATER HEATERS - NEEA HEAT PUMP							
01	02	03	04	05	06	07	08
Name	# of Units	Tank Vol. (gal)	NEEA Heat Pump Brand	NEEA Heat Pump Model	Tank Location	Duct Inlet Air Source	Duct Outlet Air Source
Water Heater	1	50	A. O. Smith	FPTU 50 120 (50 gal)	Outside	Outside	Outside

WATER HEATING - COMPACT DISTRIBUTION						
01	02	03	04	05	06	07
Dwelling Unit type	Water Heating System Name	Master Bath distance of furthest fixture to Water Heater (ft)	Kitchen distance of furthest fixture to Water Heater (ft)	Furthest Third furthest fixture to Water Heater (ft)	Compactness Factor	HERS Verification
Dwelling	DHW System	n/a	n/a	n/a	0.7	n/a

WATER HEATING - HERS VERIFICATION						
01	02	03	04	05	06	07
Name	Pipe Insulation	Parallel Piping	Compact Distribution	Compact Distribution Type	Recirculation Control	Shower Drain Water Heat Recovery
DHW System - 1/1	Not Required	Not Required	Not Required	Basic	Not Required	Not Required

SPACE CONDITIONING SYSTEMS								
01	02	03	04	05	06	07	08	09
Name	System Type	Heating Unit Name	Heating Equipment Count	Cooling Unit Name	Cooling Equipment Count	Fan Name	Distribution Name	Required Thermostat Type
HVAC	Heating and cooling system other	Heating System	1	Split System	1	Central Fan	Distribution System	Setback

Registration Number: 424-P010250938A-000-000-0000000-0000

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Registration Date/Time: 10/16/2024 23:29

Report Version: 2022.0.000

Schema Version: rev 20220901

HERS Provider: CHEERS

Report Generated: 2024-10-16 17:27:38

Registration Number: 424-P010250938A-000-000-0000000-0000

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Registration Date/Time: 10/16/2024 23:29

Report Version: 2022.0.000

Schema Version: rev 20220901

HERS Provider: CHEERS

Report Generated: 2024-10-16 17:27:38

Registration Number: 424-P010250938A-000-000-0000000-0000

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Registration Date/Time: 10/16/2024 23:29

Report Version: 2022.0.000

Schema Version: rev 20220901

HERS Provider: CHEERS

Report Generated: 2024-10-16 17:27:38

CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD

Project Name: John Vo Duplex RES ADU

Calculation Date/Time: 2024-10-16T17:27:09-07:00

CF1R-PRF-01-E

Calculation Description: John Vo Duplex Res-ADU

Input File Name: 4357 Logan Ave.ribd22

(Page 10 of 12)

HVAC - HEATING UNIT TYPES								
01	02	03	04	05				
Name	System Type	Number of Units	Heating Efficiency	Heating Unit Brand				
Heating System	Central gas furnace	1	AFUE - 80	n/a				

HVAC - COOLING UNIT TYPES								
01	02	03	04	05	06	07	08	09
Name	System Type	Number of Units	Efficiency Metric	Efficiency EER/EER2/CEER	Efficiency SEER/SEER2	Zonally Controlled	Mult-speed Compressor	HERS Verification
Split System	Central split AC	1	EER/SEER	12	14	Not Zonal	Single Speed	Split System-hers-cool

HVAC COOLING - HERS VERIFICATION					
01	02	03	04	05	06
Name	Verified Airflow	Airflow Target	Verified EER/EER2	Verified SEERSEER2	Verified Refrigerant Charge
Split System-hers-cool	Required	350	Not Required	Not Required	Required

HVAC - DISTRIBUTION SYSTEMS												
01	02	03	04	05	06	07	08	09	10	11	12	
Name	Type	Design Type	Duct Ins. R-value	Duct Location	Surface Area	Supply	Return	Supply	Return	Bypass Duct	Duct Leakage	HERS Verification
Distribution System	Unconditioned attic	Non-Verified	R-6	R-6	Attic	Attic	n/a	n/a	n/a	No Bypass Duct	Sealed and Tested	Distribution System-hers-dist

CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD

Project Name: John Vo Duplex RES ADU

Calculation Date/Time: 2024-10-16T17:27:09-07:00

CF1R-PRF-01-E

Calculation Description: John Vo Duplex Res-ADU

Input File Name: 4357 Logan Ave.ribd22

(Page 11 of 12)

HVAC DISTRIBUTION - HERS VERIFICATION								
01	02	03	04	05	06	07	08	09
Name	Duct Leakage Verification	Duct Leakage Target (%)	Verified Duct Location	Verified Duct Design	Buried Ducts	Deeply Buried Ducts	Low-leakage Air Handler	Low Leakage Ducts Entirely in Conditioned Space
Distribution System-hers-dist	Yes	5.0	Not Required	Not Required	Not Required	Credit not taken	Not Required	No

HVAC - FAN SYSTEMS			
01	02	03	04
Name	Type	Fan Power (Watts/CFM)	Name
Central Fan	HVAC Fan	0.45	Central Fan-hers-fan

HVAC FAN SYSTEMS - HERS VERIFICATION			
01	02	03	
Name	Verified Fan Watt Draw	Required Fan Efficacy (Watts/CFM)	
Central Fan-hers-fan	Required	0.45	

INDOOR AIR QUALITY (IAQ) FANS								
01	02	03	04	05	06	07	08	09
Dwelling Unit	Airflow (CFM)	Fan Efficacy (W/CFM)	IAQ Fan Type	Includes Heat/Energy Recovery?	IAQ Recovery Effectiveness - SRE/ASRE	Includes Fault Indicator Display?	HERS Verification	Status
Sfam IAQVentRpt	64	0.35	Exhaust	No	n/a / n/a	No	Yes	

CERTIFICATE OF COMPLIANCE - RESIDENTIAL PERFORMANCE COMPLIANCE METHOD

Project Name: John Vo Duplex RES ADU

Calculation Date/Time: 2024-10-16T17:27:09-07:00

CF1R-PRF-01-E

Calculation Description: John Vo Duplex Res-ADU

Input File Name: 4357 Logan Ave.ribd22

(Page 12 of 12)

DOCUMENTATION AUTHOR'S DECLARATION STATEMENT	
I, I certify that this Certificate of Compliance documentation is accurate and complete.	
Documentation Author Name: Francis Ng	Documentation Author Signature: <i>Francis Ng</i>
Company: Delta Design	Signature Date: 10/16/2024
Address: 9855 Black Mountain Road	
City/State/Zip: San Diego, CA 92126	Phone: (858) 216-4334

RESPONSIBLE PERSON'S DECLARATION STATEMENT	
I certify the following under penalty of perjury, under the laws of the State of California: 1. I am eligible under Division 3 of the Business and Professions Code to accept responsibility for the building design identified on this Certificate of Compliance. 2. I certify that the energy features and performance specifications identified on this Certificate of Compliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. 3. The building design features or system design features identified on this Certificate of Compliance are consistent with the information provided on other applicable compliance documents, worksheets, calculations, plans and specifications submitted to the enforcement agency for approval with this building permit application.	
Responsible Designer Name: Francis Ng	Responsible Designer Signature: <i>Francis Ng</i>
Company: Delta Design	Date Signed: 10/16/2024
Address: 9855 Black Mountain Road	
City/State/Zip: San Diego, CA 92126	Phone: (858) 216-4334

Registration Number: 424-P010250938A-000-000-0000000-0000

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Registration Date/Time: 10/16/2024 23:29

Report Version: 2022.0.000

Schema Version: rev 20220901

HERS Provider: CHEERS

Report Generated: 2024-10-16 17:27:38

Registration Number: 424-P010250938A-000-000-0000000-0000

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Registration Date/Time: 10/16/2024 23:29

Report Version: 2022.0.000

Schema Version: rev 20220901

HERS Provider: CHEERS

Report Generated: 2024-10-16 17:27:38

Registration Number: 424-P010250938A-000-000-0000000-0000

NOTICE: This document has been generated by California Home Energy Efficiency Rating Services (CHEERS) using information uploaded by third parties not affiliated with or related to CHEERS. Therefore, CHEERS is not responsible for, and cannot guarantee, the accuracy or completeness of the information contained in this document.

CA Building Energy Efficiency Standards - 2022 Residential Compliance

Registration Date/Time: 10/16/2024 23:29

Report Version: 2022.0.000

Schema Version: rev 20220901

HERS Provider: CHEERS

Report Generated: 2024-10-16 17:27:38



Steven Truong Res-New ADU

6633 Electric Ave
La Jolla, CA 92037



Revision Dates

1

08.15.24

2

01.01.25

3

4

SHEET TITLE

TITLE-24

Unit-A

Drawing Date

08.27.26

Check By

-

Drawn By

FRANCIS N.

Scale

-

Job Number

022225

Sheet Number

A107