SimCity Project
AI Conversation History

ENGT 3402 - Homework 9 supporting record
Prepared November 6, 2026

Project statistics

Total user prompts	57
Assistant replies	178
Total messages (prompts + replies)	235
Overall AI processing time	4h 7m 02s
Average processing time per prompt	4m 20s
Calendar span (includes idle time)	16d 18h 21m 05s
Overall recorded token usage	138,621,874 tokens
Input tokens	138,177,549
Cached input (included in input above)	136,139,520
Uncached input	2,038,029
Output tokens	444,325

Scope: These statistics cover only the SimCity development and operation exchanges reproduced in this PDF, October 20 through November 6, 2026. Homework review, PDF preparation and publishing are excluded.

Timing: 57 user prompts occurred across 47 processing turns. Overall time sums each turn once, including tools and waits. Average time is overall processing time divided by prompt count. It does not measure your hands-on work between prompts.

Tokens: Summed once for each of 739 unique model responses and cross-checked against each selected turn's recorded total. Total = input + output. Cached input is a subset of input; reasoning tokens are a subset of output. Repeated context is counted on each request, so this is not unique text length or a dollar-cost estimate.

All 57 prompts have timing records and all 47 turns have token records. Beside each user prompt, time to completion is measured from its saved submission timestamp to completion of its processing turn. Follow-up prompts can share a turn; these are marked "shared turn". Their intervals overlap and must not be added together.

Transcript scope and notes

This chronological transcript contains 57 user prompts and 178 assistant replies (235 messages total) from 5 chats that worked on SimCity. It includes original brainstorming, development and troubleshooting, connection recovery, an archived side chat, and the November 6 camera, recognition, road and graphics troubleshooting work.

Scope: SimCity exchanges only. Unrelated exchanges within mixed-topic chats are omitted. The November 6 homework-fit discussion and PDF-export logistics are omitted because they did not develop or operate the project. No conversation has been reconstructed from memory.

Fidelity: Message wording and Markdown source are retained from the saved transcripts. Presentation wraps lines and preserves paragraph breaks. Images, attachments, tool calls/results, internal reasoning, system/developer instructions, injected workspace guidance, and automated approval-review chats are omitted. Original image references may remain as text. Unsupported font characters appear as [U+XXXX].

All assistant messages are labeled AI-generated and highlighted pale yellow. Historical claims about tests and performance are reproduced as originally written and have not been revalidated for this export.

Messages are merged by their original saved timestamps and shown in America/Chicago time. October entries use Central Daylight Time (CDT, UTC-05:00); November 6 entries use Central Standard Time (CST, UTC-06:00). Chat titles are omitted.

001 | Oct 20, 2026 - 10:12:27 PM CDT | User
Time to completion: 0m 39s

im thinking about starting a new project. something impressive. give me ideas

002 | Oct 20, 2026 - 10:12:30 PM CDT | Assistant - AI-generated

I'll draw on your CAD, automation, and F1 work to suggest projects with a strong "show it working" moment.

003 | Oct 20, 2026 - 10:13:06 PM CDT | Assistant - AI-generated

My strongest pick for you: a miniature automated warehouse with a matching live 3D world. It combines your CAD, automation, and visualization interests—and gives you something impressive to demonstrate.

Here are six directions I'd seriously consider:

1. **Miniature smart warehouse**

Small vehicles move bins between storage locations while a 3D screen mirrors their positions, orders, and battery levels. Block a route and watch the system reroute.

First version: a simulated warehouse with one robot and working order dispatch. Add physical hardware later.
Standout demo: click "order a part," then watch it get delivered.

2. **A robot arm you teach by demonstration**

Move a simulated arm through a task, save the motion, and have it repeat the sequence. Eventually add a camera so it can pick objects from different positions.

First version: a simulated arm sorting three objects. [MuJoCo](https://mujoco.org/) is a free, open-source physics engine suitable for robotics simulation.
Standout demo: move an object and the arm adjusts its pickup.

3. **An interactive engineering sandbox**

Build machines on screen using motors, gears, belts, sensors, and switches. Wire the controls, press Run, and see whether your design works.

First version: one conveyor, two sensors, a diverter, and editable control logic.
Standout demo: deliberately jam the machine and watch its fault detection and recovery sequence.

4. **A camera that turns your desk into a control surface**

Place physical cards or miniature buildings on a desk to create a virtual city. Moving a building changes the screen; rotating a card changes traffic volume or power demand.

First version: printed markers controlling a road intersection.
Standout demo: rearrange a physical city and watch its traffic respond immediately.

5. **A desktop wind tunnel with live measurements**

Design and print different car bodies or wings, test them in a small tunnel, and display measured force alongside airflow visualization.

First version: compare a few shapes using a repeatable force measurement setup.
Standout demo: swap wings and show the measured difference. Getting trustworthy measurements would be the main engineering challenge.

6. **A race strategy simulator where you control the decisions**

Start with a fictional race, choose pit stops and tyres, introduce rain or safety cars, and compare alternate outcomes in 3D.

First version: one track, tyre degradation, pit losses, and competing strategies.
Standout demo: rewind a critical lap and see how another decision changes the finish. This could be a separate project or build on your F1 viewer.

I'd choose the warehouse for the strongest all-around engineering project, the desk-controlled city for the most unusual visual demo, or the engineering sandbox if you want to start entirely on your laptop. Each has a small first version that could grow into something substantial.

<oai-mem-citation>
<citation_entries>
MEMORY.md:665-678|note=[Used prior F1 visualization work to tailor project ideas]
</citation_entries>
<rollout_ids>
01a11b80-0478-7133-8f82-da1920015352
</rollout_ids>
</oai-mem-citation>

004 | Oct 20, 2026 - 10:14:34 PM CDT | User
Time to completion: 0m 24s

4 sounds interesting elaborate on that

005 | Oct 20, 2026 - 10:14:59 PM CDT | Assistant - AI-generated

Picture a miniature city on your desk that controls a living city on your screen. You move a small building, and its digital counterpart moves with it. Add houses, and traffic demand increases. Place a road closure marker, and cars find another route.

The desk becomes the controller.

A camera mounted above the desk watches a printed board. Small printed markers on buildings identify each object and tell the software where it is and which direction it faces. We could hide those markers in rooftop designs or put them on small tiles.

For example:

You do this on the desk	The city responds
Place a residential building	Residents begin generating trips
Add a factory	Trucks travel between it and other destinations
Place a closure marker on a road	Cars reroute and nearby queues grow
Rotate a traffic signal control tile	The signal timing changes
Add a fire station	Emergency vehicles can respond to incidents
Remove a power station	Buildings lose power until another supply is connected

The most impressive part would be making cause and effect visible. Close one street and watch congestion spread. Then change a signal or add a connection and see whether you actually improved travel times. A panel could show average journey time, queue lengths, and completed trips.

There are two ways to display it:

- **Camera plus monitor:** the physical board sits on your desk, while your monitor shows a matching animated 3D city. This is the practical starting point.

- **Camera plus projector:** roads, moving cars, congestion, and effects are projected directly onto the board around your physical buildings. This would be the eventual showpiece, though alignment and shadows make it harder.

I'd start with **a traffic intersection you can physically manipulate**:

1. A printed board has a four-way intersection.
2. An overhead webcam tracks a few marked tiles.
3. Cars move through a matching intersection on screen.
4. Rotating a control tile changes how long each direction gets a green light.
5. Placing an accident tile closes a lane.
6. The screen shows whether your changes helped or hurt traffic.

That first version gives us the whole interaction working without needing to build an entire city. We could use paper pieces initially, then design interchangeable buildings and tiles in SolidWorks once the tracking works.

The main technical challenges would be keeping tracking steady under changing lighting, matching camera coordinates to the board, and making traffic behave convincingly. Fixed roads and movable buildings would keep the early version manageable; connecting arbitrary road pieces could come later.

My choice would be a small "city traffic lab" with physical buildings, an accident tile, and a dial you turn to control traffic lights. It would feel like a playable engineering model, and it connects naturally to the stoplight work you've already done.

006 | Oct 20, 2026 - 10:16:30 PM CDT | User
Time to completion: 0m 14s

what kind of camera would i need? i dont think i have one right now

007 | Oct 20, 2026 - 10:16:32 PM CDT | Assistant - AI-generated

I'll check what camera features this would need and whether your phone could handle the first version.

008 | Oct 20, 2026 - 10:16:44 PM CDT | Assistant - AI-generated

A basic USB webcam would be enough. For this project, I'd aim for:

Feature	What I'd look for
Resolution	**1080p** so the printed markers stay readable across the board
Frame rate	**30 fps** is a reasonable starting point
Focus	Adjustable focus, or autofocus you can lock
Mount	A desk arm or overhead stand pointing straight down
Connection	USB for a straightforward laptop connection

The camera would read printed black-and-white markers to identify each piece and its orientation—a technique supported by [OpenCV's marker tracking tools](https://docs.opencv.org/5.0/tutorials/objdetect/aruco_detection/aruco_detection.html). We wouldn't need a depth camera or specialized AI camera.

Your phone could also be our first camera. We could build a phone-camera feed into the prototype and mount the phone above the board. Android also has a supported connected-camera option on Windows 11 through [Microsoft's mobile device settings](https://support.microsoft.com/en-gb/windows/apps/phonelink/use-your-mobile-device-s-camera); an iPhone would need a different connection method.

I'd test with your phone before buying anything. A steady overhead mount and good lighting would matter more initially than an expensive camera.

Do you have an iPhone or Android?

009 | Oct 20, 2026 - 10:17:19 PM CDT | User
Time to completion: 0m 08s

iphone

010 | Oct 20, 2026 - 10:17:28 PM CDT | Assistant - AI-generated

Your iPhone should work for the first prototype—you don't need to buy a camera yet.

We could build a small webpage you open on your phone. With camera permission, it would recognize the printed markers and send their positions to the city simulation on your laptop over the same Wi-Fi. The phone's camera page would need a secure HTTPS connection, which we'd include in the setup.

You'd need:

- **An overhead phone holder** to keep the rear camera pointing down.
- **A charging cable** for longer sessions.
- **Even desk lighting** so markers remain clear.

We'd start with a sheet of paper and a few printed markers to test tracking before making buildings or a larger board.

The tradeoff: your phone would be occupied while the project runs. A dedicated USB webcam could come later if you want a permanent setup.

011 | Oct 20, 2026 - 10:19:06 PM CDT | User
Time to completion: 19m 17s (shared turn)

alright im down lets try it. name this one SimCity_Project and put the file in desktop along with my other projects. dont forget to change the icon for it too.

012 | Oct 20, 2026 - 10:19:08 PM CDT | Assistant - AI-generated

I'll create `SimCity_Project` on your Desktop, build the first traffic simulation with iPhone marker controls, and give the folder a green icon to match your other projects.

013 | Oct 20, 2026 - 10:19:41 PM CDT | Assistant - AI-generated

The first version will let you experiment with traffic on the laptop immediately, then connect your iPhone to control it with printed tiles. Safari requires a trusted HTTPS connection for camera access, so I'm including a guided local setup for that.

014 | Oct 20, 2026 - 10:20:38 PM CDT | Assistant - AI-generated

The folder is in place. I'm building a small 3D intersection with working signals, traffic queues, movable buildings, and an incident tile. It will include printable markers and a mouse mode, so you can try it before mounting the phone.

015 | Oct 20, 2026 - 10:24:08 PM CDT | User
Time to completion: 14m 15s (shared turn)

the simulated city itself should show up on my laptop for now, i dont have a projector

016 | Oct 20, 2026 - 10:24:11 PM CDT | Assistant - AI-generated

Yes—the city will run on your laptop screen, and your iPhone will watch the physical tiles on the desk. No projector needed. You'll also have mouse controls for testing everything on the laptop.

017 | Oct 20, 2026 - 10:24:54 PM CDT | User
Time to completion: 13m 29s (shared turn)

what kind of tiles are we talking about? do you mean i can draw a city/roads on a piece of paper and they will show up simulated?

018 | Oct 20, 2026 - 10:25:01 PM CDT | Assistant - AI-generated

By tiles, I mean small paper cards with printed black-and-white markers—one for a house, another for an office, another for a road incident. The camera recognizes each marker, and the laptop shows the matching object where you placed it.

Drawing roads freehand and having them turn into simulated roads is a different feature. This first version uses a fixed intersection: you can decorate the paper around it, but the camera reads the markers rather than your drawings.

We could later add printed road tiles—straight sections, curves, and intersections—that snap together on the laptop as you arrange them on the desk. That would let you physically design the road network.

019 | Oct 20, 2026 - 10:29:52 PM CDT | Assistant - AI-generated

The simulation and laptop controls are implemented. I'm now connecting the phone's marker tracking, adding the printable board and cards, and checking that traffic reacts correctly to signals and blocked approaches.

020 | Oct 20, 2026 - 10:32:26 PM CDT | Assistant - AI-generated

The app now starts successfully, and the phone pages and printable markers are in place. I'm checking the rendered city and testing marker recognition with generated images. The physical iPhone camera connection will still need a test on your phone.

021 | Oct 20, 2026 - 10:35:01 PM CDT | Assistant - AI-generated

The traffic and tracking checks passed, including all nine marker IDs at four rotations. Windows also confirms that `SimCity_Project` uses the green project-folder icon. I'm doing the final checks of the city view, pairing screen, and printable sheets.

022 | Oct 20, 2026 - 10:37:18 PM CDT | Assistant - AI-generated

The first version is ready in Edge, with the green folder icon and printable controls verified. I also recorded the project location and launch instructions in `AGENTS.md`. Next, you can try Mouse mode or click **Connect iPhone** to set up the phone camera.

023 | Oct 20, 2026 - 10:38:22 PM CDT | Assistant - AI-generated

Created **[SimCity_Project](C:/Users/judes/OneDrive/Desktop/SimCity_Project)** on your Desktop with the **green project-folder icon**, and opened it in Edge.

It includes:

- A 3D city with moving traffic and working signals.
- Mouse controls for buildings, incidents, and traffic demand.
- Printable board and marker tiles.
- **Connect iPhone** setup with a QR code.

Start anytime with **Open SimCity.cmd** inside the folder.

Traffic, marker recognition, and server checks passed. The physical iPhone camera connection still needs testing on your phone. This version uses fixed roads and printed markers.

I also saved the project's location and launch instructions in `AGENTS.md`.

024 | Oct 20, 2026 - 10:43:28 PM CDT | User
Time to completion: 1m 59s

i need a way to delete objects placed by mouse

025 | Oct 20, 2026 - 10:43:32 PM CDT | Assistant - AI-generated

I'll add a visible delete tool so you can click an object to remove it.

026 | Oct 20, 2026 - 10:45:13 PM CDT | Assistant - AI-generated

The delete tool is in place. I'm checking it with a temporary object so your six existing placements stay intact.

027 | Oct 20, 2026 - 10:45:28 PM CDT | Assistant - AI-generated

Added **Delete object** beneath the placement buttons.

Select it, then click any object you placed—or its green outline—to remove it. Press **Esc** to exit delete mode.

Verified deletion stays saved after reloading. Your six existing objects are preserved.

028 | Oct 20, 2026 - 10:47:46 PM CDT | User
Time to completion: 0m 35s

ok now i want to try something a little more extreme. If i connect my Iphone with a blank piece of paper in the camera view, i want to be able to draw roads and buildings and have those be generated into the city. i want to make the city in real time by drawing it. is that something thats possible?

029 | Oct 20, 2026 - 10:48:03 PM CDT | Assistant - AI-generated

I'll check the practical computer-vision approach so I can separate what we can build reliably from what would need more experimentation.

030 | Oct 20, 2026 - 10:48:22 PM CDT | Assistant - AI-generated

Yes—that's possible, and it would be a much more impressive direction for this project. You could start with blank paper, draw on it, and watch a matching 3D city develop on your laptop.

The most reliable first version would use simple drawing rules:

You draw	The laptop generates

Black lines	Roads following those paths
Connected black lines	Junctions
Blue rectangles or closed outlines	Building footprints, raised into 3D buildings
Green shapes	Parks or landscaped areas

For example, you draw a black loop with a road through its center, then add blue rectangles beside it. The laptop builds that road network and places buildings matching your outlines. Cars could then travel along the generated roads.

We can use computer vision to separate colors and detect outlines; those are established capabilities in [OpenCV](https://docs.opencv.org/4.13.0/da/d97/tutorial_threshold_inRange.html) and its [browser-based contour tools](https://docs.opencv.org/5.0/js_tutorials/js_imgproc/js_contours/js_table_of_contents_contours.html). Turning those detections into connected roads and moving traffic is the custom work we would build.

"Real time" should mean updating shortly after you finish a stroke and move your hand away. We'd need to filter out hands, shadows, and unfinished shapes so the city doesn't constantly flicker or rebuild incorrectly. The actual update speed would need testing on your iPhone.

You wouldn't need printed tiles. We could start by having you select the paper's four corners on the phone screen, then keep the phone and paper stationary.

The main limitation is interpretation: a blue outline gives us a building's footprint, but its height and appearance would initially be generated by rules. Recognizing arbitrary architectural sketches would be a further step.

I'd build this as a new "Drawing mode" inside SimCity_Project: first make drawn roads and buildings appear reliably, then add cars that follow the new road network. This requires replacing the current fixed-intersection logic with a road system that can grow as you draw.

031 | Oct 20, 2026 - 10:50:58 PM CDT | User
Time to completion: 21m 24s

yes lets do that. first i want to start with black and white instead of color if that works alright. I will draw a standard box with roof on it for house, a rectangle with windows for office, a rectangle with 3 circles for traffic light, a triangle with a exclamation mark in it for hazard, stuff like that. would that be possible

032 | Oct 20, 2026 - 10:51:20 PM CDT | Assistant - AI-generated

Yes—black and white can work with those simple symbols. I'll add a Drawing mode that treats lines as roads and uses the roof, windows, circles, and exclamation mark to identify objects.

I'll include a recognition preview so you can see what it understood. This will start with a small drawing vocabulary; sketches that are too ambiguous will need redrawing rather than being silently guessed.

033 | Oct 20, 2026 - 10:53:55 PM CDT | Assistant - AI-generated

I'm keeping your existing city and mouse placements intact and adding a separate blank drawing board. The first four symbols will be house, office, traffic light, and hazard, with a single line for a road.

For the first version, symbols should be upright, closed, and separated from the roads by a small gap. The preview will label recognized symbols and flag uncertain closed shapes.

034 | Oct 20, 2026 - 10:59:01 PM CDT | Assistant - AI-generated

The recognizer now checks those symbols by their shapes and interior details. I'm connecting its output to the 3D city and building a laptop sketchpad, so we can test the same recognition code before trying it through your iPhone camera.

035 | Oct 20, 2026 - 11:05:16 PM CDT | Assistant - AI-generated

The example sketch now produces a house, office, traffic light, hazard, and four connected road segments in the laptop city. I also found and fixed a case where thicker traffic-light circles were being mistaken for office windows.

Next I'm testing road connections, traffic behavior, and uncertain-shape rejection. Those checks use generated drawings; recognition of real pen strokes still needs an iPhone test.

036 | Oct 20, 2026 - 11:09:59 PM CDT | Assistant - AI-generated

The drawing checks pass: the four symbols are recognized across several pen widths, roads form connected networks, cars travel along them, traffic lights stop cars, and hazards close nearby roads.

I'm finishing the drawing guide and phone instructions. The remaining limit is real-camera accuracy: your pen strokes, lighting, and camera angle may need adjustments, so the recognition preview stays visible.

037 | Oct 20, 2026 - 11:12:11 PM CDT | Assistant - AI-generated

Drawing mode is ready to try. I verified that a mouse-drawn stroke becomes a new road, Undo removes it, and the generated city survives a server restart. Your original mouse city remains separate.

The iPhone path is **Connect iPhone → Open paper drawing camera**. Tap the paper's four corners once, then use a black pen and move your hand away between strokes. I also updated the project instructions with this workflow.

038 | Oct 20, 2026 - 11:12:22 PM CDT | Assistant - AI-generated

Yes—and I added an experimental black-and-white Drawing mode.

It recognizes:

- **Box with roof:** house
- **Rectangle with closed windows:** office
- **Tall rectangle with three circles:** traffic light
- **Triangle with !:** hazard
- **Single lines:** connected roads

Try **Drawing → Open drawing desk → Try example** to see the sketches become a 3D city on your laptop.

For paper, choose **Connect iPhone → Open paper drawing camera**, then tap the paper's four corners. No printed markers needed.

Keep symbols upright, close their outlines, and leave a gap between symbols and roads. The preview labels recognized objects and marks uncertain closed shapes in red.

Recognition, generated traffic, automatic updates, Undo, and saving passed the laptop tests. **Real pen drawings through your iPhone still need testing and may need tuning.**

039 | Oct 20, 2026 - 11:22:54 PM CDT | User
Time to completion: 27m 45s (shared turn)

not quite, it is reading the house as just a road. How about we make a single road two parallel lines?

040 | Oct 20, 2026 - 11:22:57 PM CDT | Assistant - AI-generated

I'll change roads to require two parallel lines and check why the house was being treated as a road. That should make the two inputs easier to distinguish.

041 | Oct 20, 2026 - 11:26:09 PM CDT | Assistant - AI-generated

I found the main problem: the recognizer used "road" as the fallback for strokes it couldn't identify, and it automatically treated very large shapes as roads.

I'm removing those shortcuts. Roads will need evidence of paired edges, and I'm adjusting house recognition to tolerate a slightly uneven outline or a roof drawn separately from the box.

042 | Oct 20, 2026 - 11:30:13 PM CDT | Assistant - AI-generated

The new tests pass: two parallel strokes produce one road between them, while a single stroke stays uncertain. Crossroads, T-junctions, and curved pairs also work in the tests.

House checks now cover uneven outlines, a small gap in a wall, a roof drawn separately above the box, and a house covering most of the page. I'm updating the example and on-screen guide to show the new road convention.

043 | Oct 20, 2026 - 11:32:07 PM CDT | Assistant - AI-generated

I'm checking the updated drawing page in a separate local test instance, so the example test won't replace your current paper city.

044 | Oct 20, 2026 - 11:32:49 PM CDT | User
Time to completion: 17m 50s (shared turn)

obviously as a human im not going to be able to draw two perfectly parallel lines, so the program needs to be able to realize if two lines are close enough to each other and parallel-ish it is a road. this should also work with two curved lines going in the same direction.

045 | Oct 20, 2026 - 11:33:28 PM CDT | Assistant - AI-generated

Agreed—the lines should only need to follow roughly the same path, with a gap that can vary. That includes two curved, slightly wobbly lines.

I'm checking those imperfect cases now and adjusting the tolerance so the program can estimate one road down the middle.

046 | Oct 20, 2026 - 11:34:14 PM CDT | User
Time to completion: 16m 24s (shared turn)

same with the house and hazard and office and everything. it needs to be able to interpret what i am trying to draw, as my drawing wont be perfect

047 | Oct 20, 2026 - 11:34:52 PM CDT | Assistant - AI-generated

Yes—the same tolerance needs to apply to every symbol. The current geometric rules are too rigid for natural hand drawing.

I'm broadening recognition to use the overall silhouette and interior marks, allowing uneven edges, small gaps, and off-center details. I'll test rough versions of all four symbols. Ambiguous sketches should stay uncertain so you can correct

them, rather than turning into roads or the wrong object.

048 | Oct 20, 2026 - 11:39:27 PM CDT | User
Time to completion: 11m 11s (shared turn)

you will probably need some sort of classification model for this right? to classify which drawings fit which objects?

049 | Oct 20, 2026 - 11:40:04 PM CDT | Assistant - AI-generated

Yes—a trained classifier is the better direction for recognizing your drawings. The current version uses geometric rules and template matching; it isn't a trained model, which is why it can be brittle.

I'd keep road detection separate, then classify the other sketches as **house, office, traffic light, hazard, or unknown**. The model needs varied hand-drawn examples, including examples of your style. I'll check what we can run locally and add a way to label and correct sketches; those corrections can become training data.

050 | Oct 20, 2026 - 11:42:44 PM CDT | Assistant - AI-generated

Your laptop already has the libraries needed to train a small model locally, so this doesn't require a cloud API.

I'm adding a **Teach symbols** page where you can draw—or photograph—examples and label them. Those examples will let us train on your drawing style. Until that model has data, I'll keep the current pattern matcher clearly labeled as a fallback rather than presenting it as learned recognition.

051 | Oct 20, 2026 - 11:46:32 PM CDT | Assistant - AI-generated

Yes. A trained model can learn your drawing style from labeled examples. Roads still need a separate step to trace the space between their two edges; the classifier would identify houses, offices, lights, hazards, and unfamiliar drawings.

I'm finishing a local "Teach symbols" page so we can collect those examples and train it on your laptop.

052 | Oct 20, 2026 - 11:47:46 PM CDT | Assistant - AI-generated

The teaching page now saves labeled sketches and can train a small neural network locally. It also accepts close-up paper photos, which will help it learn the differences between mouse drawings and your actual pen strokes.

There's no trained personal model yet. The page shows that clearly, and uncertain predictions will stay out of the city. I'm checking training, browser inference, and the uneven road cases now.

053 | Oct 20, 2026 - 11:49:25 PM CDT | Assistant - AI-generated

The checks passed for wobbly road edges, S-curves, and matching Python/browser predictions from a test model. I also verified that the teaching page saves examples and blocks training until every label has enough samples.

Those are software checks; we still need your paper drawings to measure real camera accuracy. I'm making the teaching page available in the running app now, with your current city preserved.

054 | Oct 20, 2026 - 11:50:39 PM CDT | Assistant - AI-generated

Yes—a classifier is the right next step for recognizing your imperfect drawings. Roads need separate tracing between their two edges.

I added and opened [Teach symbols](http://127.0.0.1:8892/learn.html). You can draw examples or photograph individual paper symbols, label them, and train locally.

Start with **five different examples each** of house, office, traffic light, hazard, and unknown/scribble. More varied examples will help.

There's **no personal model trained yet**. Training and browser prediction checks passed; accuracy on your paper drawings still needs testing. Your current city was preserved.

055 | Oct 21, 2026 - 10:58:46 AM CDT | User
Time to completion: 0m 30s

add the teach symbols link to the main page so i can access it from there

056 | Oct 21, 2026 - 10:58:49 AM CDT | Assistant - AI-generated

I'll add a Teach symbols link to the main city page and check that it opens correctly.

057 | Oct 21, 2026 - 10:59:17 AM CDT | Assistant - AI-generated

Added **Teach symbols** to the main page's top bar, next to **Connect iPhone**. It opens the teaching page in a new tab.

Refresh the main page to see it.

058 | Oct 21, 2026 - 11:02:53 AM CDT | User
Time to completion: 2m 23s

i mislabeled 5 drawings for house. give me a selector so i can see and relabel those

059 | Oct 21, 2026 - 11:02:55 AM CDT | Assistant - AI-generated

I'll add a saved-example selector with previews and label editing so you can correct those five drawings.

060 | Oct 21, 2026 - 11:04:47 AM CDT | Assistant - AI-generated

The selector now filters by label and previews each saved drawing. Saving a correction updates the label and counts, with a backup kept before each change.

Your 17 saved examples are intact, including 10 currently labeled House. I'm checking the live selector; I haven't changed any of your labels.

061 | Oct 21, 2026 - 11:05:16 AM CDT | Assistant - AI-generated

Added **Review saved drawings** to [Teach symbols](http://127.0.0.1:8892/learn.html).

1. Filter by **House**.
2. Select a drawing to preview it.
3. Choose its correct label and click **Save corrected label**.

Repeat for the five mistakes, then retrain. Your drawings are preserved; I haven't changed their labels.

062 | Oct 21, 2026 - 11:08:07 AM CDT | User
Time to completion: 2m 15s

make unknown/scribble/road to just road. if it cant classify the drawing into any category THEN its unknown.

063 | Oct 21, 2026 - 11:08:10 AM CDT | Assistant - AI-generated

I'll make Road its own training category and reserve Unknown for drawings the model can't confidently classify.

064 | Oct 21, 2026 - 11:09:54 AM CDT | Assistant - AI-generated

Road is now separate from Unknown in the training and prediction code. I moved the eight examples from the old combined category to Road and kept a backup. Any model trained with the old categories will need retraining.

065 | Oct 21, 2026 - 11:10:23 AM CDT | Assistant - AI-generated

Done—**Road** is now its own training category. **Unknown** is reserved for drawings that don't confidently match any category.

Your eight examples from the old combined category are now labeled Road, with a backup preserved. Refresh Teach symbols, then click **Train local model** to use the updated categories.

066 | Oct 21, 2026 - 11:14:43 AM CDT | User
Time to completion: 8m 27s (shared turn)

the curved road i drew didnt connect, troubleshoot and fix that

067 | Oct 21, 2026 - 11:14:46 AM CDT | Assistant - AI-generated

I'll inspect your saved road drawing, find where the connection breaks, and fix the tracing.

068 | Oct 21, 2026 - 11:15:11 AM CDT | User
Time to completion: 8m 00s (shared turn)

do i just need to train it more

069 | Oct 21, 2026 - 11:15:37 AM CDT | Assistant - AI-generated

No—this looks like a road-tracing problem, not a shortage of training examples. The preview detects the straight portions but drops the bend. I'll fix that; adding more labels wouldn't repair the connection.

070 | Oct 21, 2026 - 11:16:35 AM CDT | Assistant - AI-generated

I found the likely cause: the tracer only scans horizontally and vertically and has a fixed limit on road width. Your edges spread farther apart around the bend, so the two straight sections are detected but don't meet.

I'm adjusting the tracing for bends and varying spacing, and I'll add a regression test for this shape.

071 | Oct 21, 2026 - 11:20:27 AM CDT | Assistant - AI-generated

I reproduced the broken connection and now have a continuous curved road in the test. The fix allows wider spacing and joins fragments only when a curved path still has ink boundaries on both sides.

I'm checking that it won't join separate roads. Your original drawing tab is still untouched.

072 | Oct 21, 2026 - 11:22:49 AM CDT | Assistant - AI-generated

The checks pass: the reproduced bend is now one connected road, traffic can route through it, and separate roads stay separate. The browser preview also shows a continuous path.

I added sketch autosave and Save/Load controls for future edits. I'll leave your original tab open and open a fresh desk with the fix loaded.

073 | Oct 21, 2026 - 11:23:11 AM CDT | Assistant - AI-generated

You didn't need more training—the tracer was dropping the bend where your road widened.

I fixed it and verified a reconstruction of your curve connects end to end. All 24 drawing/traffic checks pass.

The updated drawing desk is open in a new tab. Your original sketch remains untouched in the old tab. New sketches now autosave, with **Save drawing** and **Load drawing** controls.

074 | Oct 21, 2026 - 11:24:53 AM CDT | User
Time to completion: 7m 10s

it seems that it cannot do intersections. i have included some examples in the training data and just tested one, get that fixed

075 | Oct 21, 2026 - 11:24:57 AM CDT | Assistant - AI-generated

I'll inspect the intersection you just tested and the new training examples, then fix how the road graph joins the crossing.

076 | Oct 21, 2026 - 11:26:06 AM CDT | Assistant - AI-generated

I found the mismatch. Your examples show junctions with rounded corners and open centers. The existing junction code was tuned to narrow pairs of lines drawn across each other, so it misses parts of your wider T-junction.

The classifier can label it Road, but the tracer still has to connect its arms. I'm fixing that part and will retest your saved sketch.

077 | Oct 21, 2026 - 11:30:12 AM CDT | Assistant - AI-generated

The live retest exposed another bug: the graph builder was discarding short links near junctions, which could leave an arm disconnected even when the preview looked close.

I've fixed that too and am consolidating the crossing into one shared junction node, rather than a small triangle of overlapping paths.

078 | Oct 21, 2026 - 11:31:33 AM CDT | Assistant - AI-generated

Your actual saved sketch now produces three roads meeting at one junction, with no unrecognized strokes. I verified all six routes between its arms; traffic completed 50 trips in the simulation check.

The new regression tests also pass for outlined four-way intersections and mirrored T-junctions. No additional training was needed.

079 | Oct 21, 2026 - 11:32:03 AM CDT | Assistant - AI-generated

Fixed and retested your actual drawing. It now forms **three connected roads meeting at one junction**, with no unrecognized strokes.

The problem was junction tracing and discarded short connections—not insufficient training. All six routes between the arms work, and 28 regression checks pass.

Your original drawing tab is updated, with your sketch preserved.

080 | Oct 21, 2026 - 12:30:04 PM CDT | User
Time to completion: 9m 49s

look at the road i drew and troubleshoot why one part isnt connecting

081 | Oct 21, 2026 - 12:30:09 PM CDT | Assistant - AI-generated

I'll inspect the current drawing and its generated road graph to find exactly where the connection breaks.

082 | Oct 21, 2026 - 12:31:01 PM CDT | Assistant - AI-generated

The bottom branch is recognized, but its blue path stops just short of the diagonal road. The connection code extends the branch along a straight ray; because the road bends, that ray misses the existing path.

I'll change it to find a nearby road segment that fits the branch's direction and has a clear path between them.

083 | Oct 21, 2026 - 12:33:45 PM CDT | Assistant - AI-generated

The bottom branch now connects in your actual drawing. I verified routes between all four ends, and both buildings are still recognized.

The new test covers this offset branch, plus a blocked-path case to check that the repair won't connect through an ink boundary. All 30 drawing and traffic checks pass.

084 | Oct 21, 2026 - 12:37:24 PM CDT | Assistant - AI-generated

I see you added a traffic light during the test. That exposed a second issue: the symbol classifier mistook a large road outline for the light and erased that road area before tracing.

I'm adding a check so a tiny loop in retraced road ink can't make the whole road outline count as a building or signal.

085 | Oct 21, 2026 - 12:39:54 PM CDT | Assistant - AI-generated

The bottom branch's direction narrowly missed the diagonal road, so the tracer stopped short.

I fixed it to connect to a nearby compatible road segment without crossing ink boundaries. Your drawing now has a connected network across all four ends, and all 31 checks pass.

The updated drawing desk is open with your sketch restored.

086 | Oct 21, 2026 - 12:43:11 PM CDT | User
Time to completion: 11m 42s

take a look at this very complex road system, it messes up a little.

087 | Oct 21, 2026 - 12:43:15 PM CDT | Assistant - AI-generated

I'll inspect the complex layout and compare the drawn roads with the generated connections to find where it goes wrong.

088 | Oct 21, 2026 - 12:44:52 PM CDT | Assistant - AI-generated

I can see two problems: the tracer is inventing roads inside some U-shaped blocks, while leaving gaps in the real winding road.

I'm checking which ink boundaries each road candidate uses. That should help distinguish a road between two curbs from empty space inside one bent outline.

089 | Oct 21, 2026 - 12:50:08 PM CDT | Assistant - AI-generated

The updated trace removes those false roads and connects the winding section to the right-hand road. Your actual sketch now forms one network with five entrances and exits.

I'm checking routes between all five ends and adding regression tests for the empty U-shaped areas that confused the old tracer.

090 | Oct 21, 2026 - 12:53:46 PM CDT | Assistant - AI-generated

All 20 routes between the five ends of your actual layout work. The simulation completed 74 trips through it.

The fix now combines boundary checks with diagonal tracing, which lets it follow the tight bend without treating the U-shaped block interiors as roads.

091 | Oct 21, 2026 - 12:54:53 PM CDT | Assistant - AI-generated

Found and fixed two issues: empty U-shaped blocks were being mistaken for roads, and the tight winding bend wasn't connecting.

Your actual sketch now has **five connected entrances/exits**, with all **20 routes** working. All 34 regression checks pass.

The updated drawing desk is open with your sketch preserved.

092 | Oct 21, 2026 - 12:56:14 PM CDT | User
Time to completion: 4m 55s

i drew a house and it went back to being messed up

093 | Oct 21, 2026 - 12:56:17 PM CDT | Assistant - AI-generated

I'll check whether adding the house is causing the symbol recognizer to remove or misread part of the road network.

094 | Oct 21, 2026 - 12:57:29 PM CDT | Assistant - AI-generated

I found the cause: the house is recognized correctly, but your original drawing tab was still running the older road tracer. Adding a stroke reran that old code and brought back the broken roads.

I had verified the fix in a separate tab and left your working tab stale. That was my mistake. I'll update your actual tab and make recognizer updates load automatically without clearing the drawing.

095 | Oct 21, 2026 - 12:59:15 PM CDT | Assistant - AI-generated

The update checks are in place and tested. Before recognition, the page now checks for the latest tracer; the server also rejects road results from stale browser code.

I'm refreshing your working tab once to install this, then retesting the house and roads together. The saved sketch will be preserved.

096 | Oct 21, 2026 - 01:01:05 PM CDT | Assistant - AI-generated

The house and roads now work together in your original tab. I compared the road graph directly: it's exactly the same fixed seven-road network as before the house was added.

I also tested the older duplicate tab. Its update was rejected without changing the city, and I'm closing that duplicate to avoid confusion.

097 | Oct 21, 2026 - 01:01:10 PM CDT | Assistant - AI-generated

The house wasn't the cause—your original tab was still running the old tracer. I'd left that tab stale while testing the fix elsewhere.

I updated your working tab and added automatic recognizer updates plus protection against stale results overwriting the city.

Verified: **your house is recognized, and the seven-road network is unchanged and connected.**

098 | Oct 21, 2026 - 04:09:09 PM CDT | User
Time to completion: 8m 22s

it messed up again on the current drawing, see why it did that and fix it

099 | Oct 21, 2026 - 04:09:16 PM CDT | Assistant - AI-generated

I'll inspect the current drawing, check which recognizer version processed it, and trace where the road graph diverges from your sketch.

100 | Oct 21, 2026 - 04:10:25 PM CDT | Assistant - AI-generated

The current recognizer is running, so this isn't another stale-tab issue.

This time it's pairing an edge of the curved road with an edge of the separate straight road, inventing a road in the gap between them. I'll make the pairing choose consistent curb pairs so the same edge can't serve two roads in one cross-section.

101 | Oct 21, 2026 - 04:13:06 PM CDT | Assistant - AI-generated

The main false road is gone, and the house is still recognized. Two small stray paths remain where angled scans pick the wrong curb pair. I'm tightening that consistency check and adding a regression test for this layout.

102 | Oct 21, 2026 - 04:14:30 PM CDT | Assistant - AI-generated

I saved the current sketch as a test case. It confirms the cause: the wrong curb pairing was rejected in most scans but still created a short road from a few angled scans. I'm filtering out those inconsistent pairings, then checking both roads end to end.

103 | Oct 21, 2026 - 04:16:20 PM CDT | Assistant - AI-generated

Your current drawing now produces two continuous roads and one house, with the false middle road and stray paths removed. Both roads passed routing checks and completed 52 simulated trips. I'm finishing the regression checks for intersections and the earlier complex layout.

104 | Oct 21, 2026 - 04:17:32 PM CDT | Assistant - AI-generated

Fixed. It was pairing edges from two separate roads and inventing a road in the gap.

Your current drawing now recognizes **two continuous roads and one house**, with the stray paths removed. All 36 drawing checks pass, including earlier intersection cases. I also recorded the fix in the project notes.

![Corrected drawing preview](/C:/Users/judes/OneDrive/Desktop/SimCity_Project/verification/curb-pairing-fixed.jpg)

105 | Oct 21, 2026 - 10:35:00 PM CDT | User
Time to completion: 7m 04s

add a option to draw a park. add a section for me to draw examples to train the local model on. Make the digital part a tree with some flowers or something

106 | Oct 21, 2026 - 10:35:05 PM CDT | Assistant - AI-generated

I'll add park as a trainable symbol, give it a section in Teach symbols, and make recognized parks appear as trees with flowers in the city.

107 | Oct 21, 2026 - 10:35:35 PM CDT | Assistant - AI-generated

I'll use a simple tree outline as the park symbol: a rounded canopy with a short trunk. I'll add a dedicated practice pad for park examples and keep your existing model working until you've saved enough examples to retrain it with parks.

108 | Oct 21, 2026 - 10:39:06 PM CDT | Assistant - AI-generated

The park practice pad is added, and Park now appears in the label and relabel selectors. Your existing model and all 52 saved examples are preserved. The six-category training checks and all 36 road tests pass; I'm checking the park's 3D appearance now.

109 | Oct 21, 2026 - 10:42:05 PM CDT | Assistant - AI-generated

Added **Park**, with a dedicated [park training pad](http://127.0.0.1:8892/learn.html#parkTraining).

Draw and save **five different tree outlines**, then click **Train local model**. Refresh the drawing desk afterward. Recognized parks become grassy patches with trees, flowers, and a bench.

Your existing examples are preserved. Park tests and all 36 drawing checks passed; project notes are updated.

![Park training section](/C:/Users/judes/OneDrive/Desktop/SimCity_Project/verification/park-training.jpg)

110 | Oct 22, 2026 - 10:01:39 PM CDT | User
Time to completion: 5m 28s (shared turn)

set up the phone camera connection so that I can draw the images on a piece of paper and they appear on the screen. Now that weve tested it in a sketchpad it should work on a live paper

111 | Oct 22, 2026 - 10:01:45 PM CDT | Assistant - AI-generated

I'll check the live paper-camera setup, open the iPhone connection screen, and verify that camera drawings feed into the city on your laptop.

112 | Oct 22, 2026 - 10:02:32 PM CDT | Assistant - AI-generated

I found a problem in the phone setup page: a missing paper-camera button was causing its setup script to stop, leaving the connection links unset. I'm fixing that and making freehand paper drawing the primary camera option. The laptop is on your home Wi-Fi at `192.168.1.178`.

113 | Oct 22, 2026 - 10:03:03 PM CDT | User
Time to completion: 4m 03s (shared turn)

use /goal if needed

114 | Oct 22, 2026 - 10:05:47 PM CDT | Assistant - AI-generated

The paper-camera links now work, and the connection uses the same saved classifier as the sketchpad. I verified trusted HTTPS and tested a paired phone-style drawing reaching the city API without changing your saved drawing. The existing Python firewall rules are enabled, so no firewall changes were needed.

I'll leave the connection QR code open. Starting Safari's camera and completing any certificate setup must happen on your iPhone.

115 | Oct 22, 2026 - 10:07:07 PM CDT | Assistant - AI-generated

The laptop is ready in **Drawing mode**, with the connection QR open. I fixed the broken phone setup links and verified the secure drawing connection.

On your iPhone:

1. Join the same Wi-Fi and scan the QR.
2. Follow the certificate instructions if needed.
3. Open **Paper drawing camera → Start rear camera**.
4. Tap the paper's corners: **top left → top right → bottom right → bottom left**.

Keep the phone still above the paper. Draw, then move your hand away—the city should update automatically.

The remaining check is with your actual iPhone camera and paper.

116 | Oct 22, 2026 - 11:18:37 PM CDT | User
Time to completion: 0m 32s

check out whats wrong with my camera view and drawing

117 | Oct 22, 2026 - 11:18:42 PM CDT | Assistant - AI-generated

I'll inspect the current camera page, recognition results, and laptop city to see where the drawing is going wrong.

118 | Oct 22, 2026 - 11:19:10 PM CDT | Assistant - AI-generated

The phone connection is working, but it's currently detecting **two disconnected road fragments, no objects, and one unrecognized shape**.

I can see the generated city, but the camera image stays on your iPhone. **Send a screenshot of the phone's camera view and recognition preview** so I can identify whether the problem is paper-corner calibration, lighting, or recognition—and fix the actual cause.

119 | Oct 22, 2026 - 11:19:56 PM CDT | User
Time to completion: 0m 03s

you cant see the live stream?

120 | Oct 22, 2026 - 11:20:00 PM CDT | Assistant - AI-generated

No—the current setup processes video on your iPhone and sends only recognized roads and objects to the laptop.

I can add a **live camera preview on the laptop** so we can inspect the paper image and recognition results together.

121 | Oct 22, 2026 - 11:20:20 PM CDT | User
Time to completion: 12m 14s (shared turn)

yeah do that itll make it much easier to troubleshoot

122 | Oct 22, 2026 - 11:20:23 PM CDT | Assistant - AI-generated

I'll add a live preview on the laptop showing both the phone's camera view and what the recognizer sees. It'll have an on/off control on the phone so you can choose when to share the preview.

123 | Oct 22, 2026 - 11:22:58 PM CDT | Assistant - AI-generated

The laptop monitor now has three views: the camera with paper-corner markers, the recognized paper, and the black-and-white ink used for recognition. It can show the camera before calibration, which should help us spot framing problems.

Preview images stay in memory and expire after five seconds without updates. I'm checking the sharing controls, access restrictions, and disconnect behavior before opening it for you.

124 | Oct 22, 2026 - 11:24:50 PM CDT | Assistant - AI-generated

The preview feature is installed. On your iPhone, refresh the paper-camera page, tap **Start rear camera**, and set the four paper corners again. Leave **Show live camera preview on my laptop** checked.

The laptop will then show the camera and recognition views. Refreshing Safari is necessary once to load the new preview code.

125 | Oct 22, 2026 - 11:26:31 PM CDT | User
Time to completion: 6m 02s (shared turn)

it classified a house as a buisness building. the road isnt bad though

126 | Oct 22, 2026 - 11:26:37 PM CDT | Assistant - AI-generated

The phone is now sending preview frames. I'll inspect the house's camera image, detected outline, and classification to see why it became an office. I'll leave the road recognition alone while checking that.

127 | Oct 22, 2026 - 11:27:37 PM CDT | Assistant - AI-generated

I can see the live image now. The house is reaching the recognizer sideways/upside down, so its roof appears like the tip of an arrow. The classifier was trained on upright symbols, which explains why it's choosing "office."

I'll check the orientation handling and make symbol recognition tolerate quarter turns, while keeping the road tracer unchanged.

128 | Oct 22, 2026 - 11:29:35 PM CDT | Assistant - AI-generated

The live house now appears as a **home**, and the road is still intact. The fix checks the isolated symbol in four orientations; it doesn't rotate or retrace the road.

The laptop preview is working too, so I can inspect the actual camera, recognition overlay, and detected ink together. I'm finishing the regression checks now.

129 | Oct 22, 2026 - 11:32:34 PM CDT | Assistant - AI-generated

The live preview is working, and I fixed the house classification.

The calibrated view had the house upside down. Recognition now checks four orientations and correctly generates a **home**, with the road unchanged. All 36 drawing tests pass.

Use **View live phone camera** to inspect all three preview panels. Images aren't saved.

![Corrected house and road](/C:/Users/judes/OneDrive/Desktop/SimCity_Project/verification/live-house-fixed-city.jpg)

130 | Oct 22, 2026 - 11:32:54 PM CDT | User
Time to completion: 0m 56s

tell me why it isnt reading my office building

131 | Oct 22, 2026 - 11:32:57 PM CDT | Assistant - AI-generated

I'll inspect the live office drawing, the detected ink, and the classifier's predictions to see why it's being rejected or mislabeled.

132 | Oct 22, 2026 - 11:33:51 PM CDT | Assistant - AI-generated

The recognizer is being too strict about a **small gap near the bottom-left of your office's outer rectangle**.

Because the outline isn't fully closed, it treats the windows as separate tiny drawings instead of grouping them into one building.

I tested the whole building together, and your model correctly identifies **Office**. The problem is the grouping code—it needs to tolerate imperfect building outlines, like we did for houses.

133 | Oct 22, 2026 - 11:34:27 PM CDT | User
Time to completion: 13m 44s (shared turn)

looks like the bounding boxes are too small and it isnt encompassing the whole drawing

134 | Oct 22, 2026 - 11:34:31 PM CDT | Assistant - AI-generated

I'll check how it groups the outline and windows, then adjust it so small gaps don't split one building into several boxes.

135 | Oct 22, 2026 - 11:35:54 PM CDT | Assistant - AI-generated

Yes—the boxes are around individual windows because the building was split before classification. The outer box already covers the whole office, but the gap in its border prevents the code from treating the windows as part of it.

I'll fix that grouping rule so a nearly closed frame and its windows produce one box for the whole building.

136 | Oct 22, 2026 - 11:38:14 PM CDT | User
Time to completion: 9m 58s (shared turn)

if there is too much of a difference between hand drawn drawings and drawings using a mouse, I can samples on paper to classify them but you need to add a way for me to do that.

137 | Oct 22, 2026 - 11:39:05 PM CDT | Assistant - AI-generated

Yes—I'll add a way to select a symbol directly from the live paper preview, label it, and save it as a training example.

For this office, the model already chooses Office when it receives the whole drawing. I'll finish the grouping fix as well, so it sends the full building to the classifier.

138 | Oct 22, 2026 - 11:43:22 PM CDT | Assistant - AI-generated

The live office now has one box around the full building and is recognized as **Office**. The house and road are still recognized too.

The paper-training controls are added. You'll be able to freeze the preview, select a whole symbol, label it, and save it. I'm also letting you retrain the existing categories without requiring Park samples first; Park will join once you've saved five examples.

139 | Oct 22, 2026 - 11:47:55 PM CDT | Assistant - AI-generated

The workflow is ready under **Teach from paper** in the live camera monitor. Save several different drawings there, then use **Review examples / train model** to retrain.

I verified the office now gets one box around the whole building. The house and road are preserved, and all 36 drawing checks plus the new grouping and paper-example tests pass. Your existing examples and model are unchanged.

140 | Oct 22, 2026 - 11:48:12 PM CDT | Assistant - AI-generated

Added **Teach from paper** below the live camera preview:

1. Click **Select a paper example**.
2. Drag around the **whole symbol**, including its details.
3. Choose its label and click **Save paper example**.
4. Collect different drawings, then open **Review examples / train model** and retrain.

Only the small training crop is saved.

I also fixed the grouping—your current office now gets one complete box and is correctly recognized. The house and road are preserved.

![Paper training controls](/C:/Users/judes/OneDrive/Desktop/SimCity_Project/verification/paper-training-controls.jpg)

141 | Oct 22, 2026 - 11:54:14 PM CDT | User
Time to completion: 3m 29s

i still need my old controls for drawing sample images digitally. Just make another option for using the camera. The current drawing in there should be for park

142 | Oct 22, 2026 - 11:54:18 PM CDT | Assistant - AI-generated

I'll keep the digital drawing pad and make the camera a separate sample-input option. I'll also check the current drawing and set its label to Park.

143 | Oct 22, 2026 - 11:55:34 PM CDT | Assistant - AI-generated

The digital drawing controls are still there, but the new camera workflow made them harder to find. I'll put **Draw digitally** and **Camera / paper** options together on the teaching page.

The current sketch is your tree. I'll load it into the digital sample pad with **Park** selected and preserve the original drawing.

144 | Oct 22, 2026 - 11:57:02 PM CDT | Assistant - AI-generated

The teaching page now has separate **Draw digitally** and **Camera / paper** options. Switching between them preserves the digital sketch.

I saved your current tree as a **Park** example. You now have one Park sample; four more different examples will let you include Park when you retrain.

145 | Oct 22, 2026 - 11:57:43 PM CDT | Assistant - AI-generated

Done—the teaching page now has separate **Draw digitally** and **Camera / paper** options. Your original drawing controls remain, and switching options preserves your sketch.

I saved the current tree as **Park**. You have **1 of 5** Park examples needed before retraining includes it.

![Digital and camera training options](/C:/Users/judes/OneDrive/Desktop/SimCity_Project/verification/digital-and-camera-training.jpg)

146 | Oct 23, 2026 - 12:01:03 AM CDT | User
Time to completion: 7m 53s

is there a reason its not reading my park symbol on the live paper

147 | Oct 23, 2026 - 12:01:07 AM CDT | Assistant - AI-generated

I'll check the live park drawing and whether the active model has been trained on Park examples yet.

148 | Oct 23, 2026 - 12:02:50 AM CDT | Assistant - AI-generated

Yes. You now have 12 Park examples, and the trained model correctly identifies the live tree when I feed it the whole symbol.

The failure happens before classification: the tree's open base makes a pre-filter reject it, and part of the outline then becomes a false road fragment. I'll fix that filter so this drawing can reach the Park classifier.

149 | Oct 23, 2026 - 12:06:11 AM CDT | Assistant - AI-generated

The live tree now appears as a **Park**, and the office, house, and hazard are still recognized. The false road fragment from the tree is gone.

I also refreshed the phone's model when the updated recognizer loaded, so it's using your newly trained Park category. I'm checking that the change still rejects roads and other shapes correctly.

150 | Oct 23, 2026 - 12:08:57 AM CDT | Assistant - AI-generated

Yes—the model knew Park, but a pre-filter rejected your tree because its base was open. Part of it then became a false road.

I fixed that and verified **Park now appears in the live city**, alongside your house, office, and hazard. No additional training was needed. All 36 drawing tests pass.

![Park recognized in the city](/C:/Users/judes/OneDrive/Desktop/SimCity_Project/verification/open-park-fixed-city.jpg)

151 | Oct 23, 2026 - 12:10:11 AM CDT | User
Time to completion: 4m 35s

is there a way to make it so that when the image isnt changing much the road dosent update? because even when the image is basically perfectly still and unchanging the road still remaps itself every second

152 | Oct 23, 2026 - 12:10:14 AM CDT | Assistant - AI-generated

I'll add a stability check so small camera fluctuations don't rebuild the road network, while actual drawing changes still update the city.

153 | Oct 23, 2026 - 12:12:46 AM CDT | Assistant - AI-generated

The camera noise is small enough to count as "still," but it slightly changes the traced road coordinates, which triggers a rebuild. I'm changing the update check to compare the ink with the last accepted drawing, so small fluctuations are ignored and real edits can accumulate into an update. The live preview will keep running.

154 | Oct 23, 2026 - 12:14:11 AM CDT | Assistant - AI-generated

The new check passes tests for camera jitter, gradual drawing changes, erasing, and the manual "Update city" button. It waits for a changed drawing to settle before publishing, and a failed save leaves the previous reference intact. You'll need to refresh the iPhone camera page once to load this change.

155 | Oct 23, 2026 - 12:14:46 AM CDT | Assistant - AI-generated

Yes—implemented. Tiny camera fluctuations now keep the existing roads in place. Actual drawing changes update after settling, while the live preview continues. “Update city” still forces an update.

Tests passed for jitter, additions, erasing, and manual updates.

Refresh the iPhone camera page, restart the camera, and tap the four paper corners again to activate it. I also recorded the behavior in the project notes.

156 | Oct 23, 2026 - 11:17:24 AM CDT | User
Time to completion: 3m 34s

traffic seems to be an issue, but whenever I draw a stoplight near an intersection it either messes up the drawing or isnt close enough. Here is the fix i want. If there is a stoplight drawn NEAR an intersection I want it to be put in/around the intersection so it can control traffic

157 | Oct 23, 2026 - 11:17:27 AM CDT | Assistant - AI-generated

I’ll make nearby drawn stoplights snap to the intersection they control, and check why placing one close to a road can disrupt recognition.

158 | Oct 23, 2026 - 11:19:07 AM CDT | Assistant - AI-generated

Nearby lights now attach to the nearest intersection, and the digital pole moves to a corner beside it. That lets you leave space between the stoplight drawing and the road ink. I’ve also added a count of controlled intersections and a warning when a light is too far away to attach.

159 | Oct 23, 2026 - 11:20:26 AM CDT | Assistant - AI-generated

The snapping and traffic tests pass: cars wait on red and proceed on green at an attached intersection. All 36 drawing regressions also pass. I’m loading the final change in your laptop view; this feature doesn’t require a phone refresh.

160 | Oct 23, 2026 - 11:20:58 AM CDT | Assistant - AI-generated

Implemented. A recognized stoplight drawn nearby now snaps beside the nearest intersection and controls its traffic. **Leave a clear gap between the symbol and road lines.**

Your laptop view is updated—no phone refresh needed. Snapping and red/green traffic tests passed, along with all 36 drawing checks. Project notes updated.

![Updated city with controlled-intersection count](verification/signal-snap-city.jpg)

161 | Oct 23, 2026 - 11:28:35 AM CDT | User
Time to completion: 6m 11s (shared turn)

check out the road and how the classifier kinda puts little road segments on the road. I want roads to be one contiunous line, so fix that

162 | Oct 23, 2026 - 11:28:39 AM CDT | Assistant - AI-generated

I’ll inspect the current road graph and preview to find where those extra little segments come from, then fix the tracing so the road stays continuous.

163 | Oct 23, 2026 - 11:30:05 AM CDT | Assistant - AI-generated

I found two artifacts in this sketch: a short duplicate branch alongside the main road, and tiny zigzags in its centerline. The first creates a false junction; the second makes the rendered road look lumpy. I'm adding cleanup for both while protecting real branches and loops.

164 | Oct 23, 2026 - 11:31:08 AM CDT | User
Time to completion: 3m 38s (shared turn)

dont just clean up this drawing though make sure things like this dont happen in future drawings

165 | Oct 23, 2026 - 11:31:14 AM CDT | Assistant - AI-generated

Yes—this is a change to the road tracer that every future sketch and camera drawing uses. I'm also keeping this sketch as a regression test and checking that the cleanup preserves genuine side roads, intersections, and loops.

166 | Oct 23, 2026 - 11:33:23 AM CDT | Assistant - AI-generated

The new tests pass on this sketch and its mirrored versions: each has three connected arms with no extra branch. The existing road, intersection, and loop tests also pass. The browser connection dropped during verification, so I'm reconnecting to check the result in the city view.

167 | Oct 23, 2026 - 11:34:47 AM CDT | Assistant - AI-generated

Fixed the underlying road tracer for **all future drawings**, including the phone camera. It removes duplicate little branches and smooths tiny zigzags while preserving real intersections and curves.

Your current road is updated. All 36 existing regressions and the new continuity tests passed. I also recorded the fix in the project notes.

![Corrected continuous road](C:/Users/judes/OneDrive/Desktop/SimCity_Project/verification/continuous-road-fixed.jpg)

168 | Oct 27, 2026 - 11:36:58 PM CDT | User
Time to completion: 0m 34s

Use edge to open up my simcity project on my laptop

169 | Oct 27, 2026 - 11:37:00 PM CDT | Assistant - AI-generated

I'll check the SimCity launcher and open the project in Edge.

170 | Oct 27, 2026 - 11:37:32 PM CDT | Assistant - AI-generated

Opened your SimCity project in Microsoft Edge. The local server is running and ready at http://127.0.0.1:8892.

<oai-mem-citation>
<citation_entries>
MEMORY.md:58-61|note=[Located the SimCity project before verifying its launcher]
</citation_entries>
<rollout_ids>
</rollout_ids>

</oai-mem-citation>

171 | Oct 28, 2026 - 09:59:18 PM CDT | User
Time to completion: 1m 13s

simcity is bugged and wont connect

172 | Oct 28, 2026 - 09:59:21 PM CDT | Assistant - AI-generated

I'll check SimCity's local server and connection settings, find what's failing, and verify the fix.

173 | Oct 28, 2026 - 09:59:58 PM CDT | Assistant - AI-generated

SimCity's server is stopped, and the laptop's Wi-Fi address has changed since its last run. That can also make an old phone link fail. I'll restart it, check both connection paths, and preserve your saved drawings and training samples.

174 | Oct 28, 2026 - 10:03:41 PM CDT | User
Time to completion: 1m 15s

simcity is down. fix it

175 | Oct 28, 2026 - 10:03:46 PM CDT | Assistant - AI-generated

I'll check why SimCity stopped, restore it, and verify that it opens with your saved data intact.

176 | Oct 28, 2026 - 10:04:35 PM CDT | Assistant - AI-generated

SimCity's server is responding, but Edge was still showing a connection-refused page. Reloading your existing tab restored the saved city. I'm checking that the simulation runs and the saved drawing and training data are unchanged.

177 | Oct 28, 2026 - 10:04:57 PM CDT | Assistant - AI-generated

[SimCity is working again](http://127.0.0.1:8892/). Edge was stuck on an old connection-refused page; reloading restored the running simulation. Your saved drawing and training data are unchanged.

![SimCity restored](/C:/Users/judes/Documents/Codex/2026-10-28/usi/outputs/simcity-restored.png)

<oai-mem-citation>
<citation_entries>
MEMORY.md:58-71|note=[Located SimCity project context before diagnosis]
</citation_entries>
<rollout_ids>
01a15c71-de4e-71b2-88b0-00316bd4c66a
</rollout_ids>
</oai-mem-citation>

178 | Oct 28, 2026 - 10:12:43 PM CDT | User
Time to completion: 0m 21s

the live camera views arent coming up

179 | Oct 28, 2026 - 10:12:48 PM CDT | Assistant - AI-generated

I'll check the live preview connection and the camera monitor to find where the feed is stopping.

180 | Oct 28, 2026 - 10:14:29 PM CDT | Assistant - AI-generated

All three live views are now visible: camera, recognized paper, and detected ink. I switched to **Drawing** mode and opened **View live phone camera**. The phone feed is connected and updating.

181 | Oct 28, 2026 - 10:18:19 PM CDT | User
Time to completion: 0m 30s

why is it reading uncertain for those houses

182 | Oct 28, 2026 - 10:18:22 PM CDT | Assistant - AI-generated

I'll inspect the current paper view and recognition results to see why the houses are being marked uncertain.

183 | Oct 28, 2026 - 10:18:50 PM CDT | Assistant - AI-generated

The camera sees the houses clearly, but the recognizer isn't confidently identifying three of them.

In the black-ink view, those three have thicker, overlapping roof strokes and protruding corners. The simpler house on the right is recognized. Your model has only **six house examples**, so these variations may be outside what it learned.

The "roads need two parallel lines" message is generic and misleading here. The best next step is to label these actual paper houses through **Teach from paper**, then retrain.

184 | Oct 28, 2026 - 10:21:21 PM CDT | User
Time to completion: 2m 45s

i need a place to see saved examples for paper too. i think its only showing the saved digital drawing examples right now

185 | Oct 28, 2026 - 10:21:24 PM CDT | Assistant - AI-generated

I'll check how saved paper examples are displayed and add a clear way to review them alongside your digital examples.

186 | Oct 28, 2026 - 10:22:52 PM CDT | Assistant - AI-generated

Paper examples use the same saved library, but the panel calls everything a "drawing," has no source filter, and doesn't refresh after a paper save. I'm adding **All / Camera & paper / Digital drawings** filters, source labels, and automatic refresh.

187 | Oct 28, 2026 - 10:23:41 PM CDT | Assistant - AI-generated

There are already seven saved paper examples. The updated panel now distinguishes them from the 64 digital examples and lets you filter either group. I'm verifying the paper-only view without disturbing your open drawing pad.

188 | Oct 28, 2026 - 10:24:05 PM CDT | Assistant - AI-generated

Added **Review saved examples → Example source → Camera / paper** and left it open. It now shows your **9 saved paper examples**, with previews and label correction controls.

Paper saves now refresh the list automatically. Existing camera tests passed.

![Saved paper examples](/C:/Users/judes/Documents/Codex/2026-10-28/usi/outputs/saved-paper-examples.png)

189 | Oct 28, 2026 - 10:29:53 PM CDT | User
Time to completion: 1m 52s

ok it should have enough data now but is still getting it wrong

190 | Oct 28, 2026 - 10:29:59 PM CDT | Assistant - AI-generated

I'll check whether the newest examples were included in training, then inspect the current mistakes to see whether the problem is training or recognition.

191 | Oct 28, 2026 - 10:31:46 PM CDT | Assistant - AI-generated

Your **35 house examples are saved**, and training finished after the newest examples were added.

I found a refresh gap: the phone loads the trained model when the page or recognizer reloads, but **retraining alone doesn't update an already-open camera page**. It may still be using the older model.

Refresh Safari on the iPhone, start the camera again, and reset the four paper corners. That loads the latest model. Its validation score is about **71%**, so some recognition errors may remain even after refreshing.

192 | Oct 28, 2026 - 10:37:11 PM CDT | User
Time to completion: 0m 22s

looks like the traffic light is too close and it can no longer read the road. is this a code fixable error or do i just need to give the road more space

193 | Oct 28, 2026 - 10:37:14 PM CDT | Assistant - AI-generated

I'll inspect the current drawing to see whether the traffic light is merging with the road edges or being rejected for another reason.

194 | Oct 28, 2026 - 10:37:33 PM CDT | Assistant - AI-generated

Both—more space is the immediate workaround, and the code can be improved.

In the black-ink preview, the traffic-light outlines appear to touch the road edges. The recognizer can merge them into one shape. It also clears a rectangle around detected symbols, which can erase nearby road pixels. One light is currently mislabeled **home**, too.

For now, leave a visible white gap—roughly **2–3 pen-stroke widths**—between each light and the road. That's a starting point, not a tested minimum.

The code fix is to separate nearby symbols more carefully and remove only their ink while preserving road edges. Adding more training examples alone won't solve that separation problem.

195 | Oct 28, 2026 - 10:38:04 PM CDT | User
Time to completion: 5m 23s

apply that code fix

196 | Oct 28, 2026 - 10:38:08 PM CDT | Assistant - AI-generated

I'll update symbol removal so it preserves nearby road edges, add checks for traffic lights close to roads, and verify the result on your live drawing.

197 | Oct 28, 2026 - 10:41:02 PM CDT | Assistant - AI-generated

The change now preserves nearby curb pixels instead of clearing a rectangle around each symbol. All 36 existing drawing and traffic checks pass. I'm adding a close-spacing regression to verify the specific failure you saw.

198 | Oct 28, 2026 - 10:42:08 PM CDT | Assistant - AI-generated

The live phone view has picked up the fix: the crossroad is visible again, and the left traffic light now controls the intersection. The right traffic light still isn't recognized. The new close-spacing test also reproduces the failure with the old code and passes with the fix.

199 | Oct 28, 2026 - 10:43:28 PM CDT | Assistant - AI-generated

Applied and active. Nearby symbols now preserve road edges instead of merging with or erasing them.

Live verification shows the crossroad restored and one working signal-controlled intersection. All regression checks passed, including eight close-spacing cases.

The right-hand signal still isn't recognized; physically touching ink may still need a small gap.

200 | Nov 06, 2026 - 02:27:39 PM CST | User
Time to completion: 2m 25s

the camera qr code seems to not be working. find a fix

201 | Nov 06, 2026 - 02:27:42 PM CST | Assistant - AI-generated

I'll check the SimCity server and camera pairing link, then fix what's preventing the QR code from working. I'll leave the PDF unchanged.

202 | Nov 06, 2026 - 02:28:53 PM CST | Assistant - AI-generated

I found the cause: the QR code still points to `192.168.1.180`, but your laptop's Wi-Fi address is now `192.168.1.189`. I'll restart SimCity to refresh the address and camera certificate, then regenerate the QR code.

203 | Nov 06, 2026 - 02:30:04 PM CST | Assistant - AI-generated

Fixed the stale QR address: it pointed to `.180`, while your laptop now uses `.189`. I restarted SimCity and left the refreshed paper-camera QR open in Edge.

Scan the new QR code with your iPhone on the same Wi-Fi. The camera page and connection tests passed; the actual phone connection still needs your scan.

Your saved drawings, trained model, and PDF are unchanged.

204 | Nov 06, 2026 - 02:43:33 PM CST | User
Time to completion: 1m 44s

looks like its messing up on some classifications. check whats going on

205 | Nov 06, 2026 - 02:43:36 PM CST | Assistant - AI-generated

I'll inspect the live recognition view and classifier results to see which drawings are being misread, then check whether the cause is segmentation, training data, or the model.

206 | Nov 06, 2026 - 02:45:13 PM CST | Assistant - AI-generated

The live view shows the houses, traffic light, and park being recognized, but the office and hazard are being missed. The main problem is before classification: small gaps in their detected outlines cause the recognizer to reject or split them. In an in-memory check, the model scored the hazard highly, but the "isolated symbol" check blocked it.

The preview and city also disagree: the preview shows four objects while the city still holds an older three-object result.

207 | Nov 06, 2026 - 02:45:18 PM CST | Assistant - AI-generated

I found two issues:

- **Office and hazard outlines are breaking up in the detected ink.** The office gets split into pieces, and the hazard is rejected before classification—even though the model recognizes it strongly when tested directly.
- **The city is holding an older result.** The live preview shows four objects, while the city still shows three.

The sideways paper view, blue pen, and printed notebook lines make detection harder. For an immediate improvement, use white paper with darker, closed outlines and tap **Update city**.

The code needs better handling of small outline gaps and recognition updates. Your training data and PDF are unchanged.

208 | Nov 06, 2026 - 02:45:34 PM CST | User
Time to completion: 7m 57s

fix those issues

209 | Nov 06, 2026 - 02:45:38 PM CST | Assistant - AI-generated

I'll fix the outline-gap handling and the stale city updates, then verify them against the live paper view and regression tests. I'll keep your training data and PDF unchanged.

210 | Nov 06, 2026 - 02:48:36 PM CST | Assistant - AI-generated

The repair candidate can recover all six visible symbols—two houses, office, traffic light, hazard, and park—without changing the ink or retraining the model. I'm now adding a separate check for stable object changes so the city can update when recognition improves, while still ignoring road jitter.

211 | Nov 06, 2026 - 02:52:20 PM CST | Assistant - AI-generated

The new outline and update tests pass, along with the existing camera and road-clearance checks. The recognizer repair should load automatically. To activate the updated stability check too, refresh the camera page in Safari, restart the camera, and tap the four paper corners again.

212 | Nov 06, 2026 - 02:53:14 PM CST | Assistant - AI-generated

The live preview and city now agree on all six symbols, with zero uncertain shapes. All 36 drawing and traffic regressions pass; the remaining model-refresh checks are finishing.

213 | Nov 06, 2026 - 02:53:31 PM CST | Assistant - AI-generated

Fixed both issues. The live city now recognizes **all six symbols**, with **zero uncertain shapes**. All 36 drawing/traffic regressions and the new outline/stability tests passed.

Refresh the iPhone camera page once, restart the camera, and recalibrate the corners to activate the improved update logic.

Your training data and PDF are unchanged.

214 | Nov 06, 2026 - 02:54:22 PM CST | User
Time to completion: 10m 51s (shared turn)

the area between the office and the road will sometimes classify as another road. make it so that dosent happen, both with the current office and future drawings

215 | Nov 06, 2026 - 02:54:25 PM CST | Assistant - AI-generated

I'll check why the office wall is being paired with the road edge, then fix that behavior for the current drawing and future ones. I'll leave the PDF unchanged.

216 | Nov 06, 2026 - 02:55:42 PM CST | User
Time to completion: 9m 31s (shared turn)

when the hazard sign is put in the middle of a road it likes to split the road alot. fix that issue too

217 | Nov 06, 2026 - 02:55:49 PM CST | Assistant - AI-generated

I'll address the hazard case too: the sign should be treated as an obstacle, without its strokes creating extra road branches or fragments.

218 | Nov 06, 2026 - 02:59:13 PM CST | Assistant - AI-generated

I reproduced the office problem: a confident "Road" prediction could bypass the symbol-outline checks and let an office wall serve as a curb. The new check prevents that. The hazard has a related failure—when part of its triangle disappears from the camera image, its remaining strokes can enter road tracing. I'm adding shape validation for that case.

219 | Nov 06, 2026 - 03:03:50 PM CST | Assistant - AI-generated

The new tests pass for both cases: office walls cannot become curbs even when the model predicts "Road," and a partly broken hazard inside a lane leaves one continuous road in horizontal, vertical, and mirrored layouts. I've installed the fix and am checking the live paper view and broader regressions.

220 | Nov 06, 2026 - 03:05:13 PM CST | Assistant - AI-generated

Fixed both behaviors for current and future drawings:

- Office walls can’t be used as road edges, even if the classifier guesses “Road.”
- Partly broken hazard signs are recognized without creating extra road branches.

The live view now shows six symbols and a clean four-road junction. All 36 existing regressions and the new targeted tests passed. The fix is already active; your PDF is unchanged.

221 | Nov 06, 2026 - 03:06:16 PM CST | User
Time to completion: 6m 26s

check out the office again and fix that issue

222 | Nov 06, 2026 - 03:06:20 PM CST | Assistant - AI-generated

I’ll inspect the office in the live view again and trace what’s still causing the problem. I’ll keep the PDF unchanged.

223 | Nov 06, 2026 - 03:07:33 PM CST | Assistant - AI-generated

The office outline is splitting into more pieces than the earlier fix handled. A narrow wall fragment gets excluded, leaving the office ungrouped and allowing some of its ink into road tracing. I’ll extend the grouping to include those fragments, while requiring the combined pieces to form a bounded enclosure.

224 | Nov 06, 2026 - 03:10:43 PM CST | Assistant - AI-generated

The new test reproduces the failure in the old code. The revised version groups the office and its windows correctly across mirrored and rotated layouts, preserves the nearby road, and still rejects a frame with a whole wall missing. I’m applying it to the live project now.

225 | Nov 06, 2026 - 03:12:43 PM CST | Assistant - AI-generated

Fixed the remaining office issue. Narrow wall and window fragments now combine into one office instead of becoming separate shapes or false road edges.

Verified on your live drawing and with a test that failed on the previous code. All 36 drawing regressions passed. The fix is active; your PDF is unchanged.

226 | Nov 06, 2026 - 03:15:53 PM CST | User
Time to completion: 2m 03s

whats wrong with both my computer and simcity. i cant click on the drawing tab, and my computer is acting a little weird

227 | Nov 06, 2026 - 03:15:58 PM CST | Assistant - AI-generated

I’ll check whether SimCity is blocking clicks or the whole computer is slowing down, then address what I can without disturbing your saved work.

228 | Nov 06, 2026 - 03:16:57 PM CST | Assistant - AI-generated

I found why Drawing won’t respond: SimCity’s 3D renderer failed to start, and that error stopped the code that enables the controls. Edge reports that the page lost its WebGL graphics context and was blocked from creating another.

CPU use is low and about 12 GB of RAM is free, so this doesn’t look like a CPU or memory overload. I’m checking for a graphics-driver or browser graphics failure next.

229 | Nov 06, 2026 - 03:17:57 PM CST | Assistant - AI-generated

SimCity hit an Edge graphics error. Edge blocked its 3D renderer after a WebGL context loss, which stopped startup before the buttons were enabled.

I reloaded it and verified that **Drawing works again and the simulation runs**.

Your computer wasn't overloaded: CPU use was low, about **12 GB of RAM was free**, and both GPUs reported OK. I found no recent graphics-driver crash, so the broader desktop oddness isn't explained yet.

Your saved work and PDF are unchanged.

230 | Nov 06, 2026 - 03:26:52 PM CST | User
Time to completion: 6m 39s

fix the traffic signal issue again

231 | Nov 06, 2026 - 03:26:55 PM CST | Assistant - AI-generated

I'll inspect the traffic-light symbol in the live view and fix the remaining recognition failure. I'll keep the PDF unchanged.

232 | Nov 06, 2026 - 03:29:02 PM CST | Assistant - AI-generated

The traffic light is being rejected when its outer box has a small break, even though the model recognizes it strongly. Its outline then enters road tracing and can create extra segments. I'm adding a check for the surrounding frame and three interior light marks so a minor break doesn't discard the whole signal.

233 | Nov 06, 2026 - 03:32:21 PM CST | Assistant - AI-generated

The new test passes with the light drawn horizontally, vertically, and mirrored. It also rejects empty frames and two-light shapes. The existing snapping and red/green traffic-control tests pass too. I'll activate the fix and check the live result.

234 | Nov 06, 2026 - 03:33:14 PM CST | Assistant - AI-generated

The fix is active, and the saved city includes the signal again. I also verified the "signal" label in the live camera view. The broader road tests are finishing to check that this change preserves real roads and intersections.

235 | Nov 06, 2026 - 03:33:32 PM CST | Assistant - AI-generated

Fixed the traffic-light recognition issue. A partly broken outer box can now be recognized using its frame and three light marks, instead of feeding those strokes into road tracing.

Verified in the live view and saved city. The new recognition tests, signal-control checks, and all 36 drawing regressions passed. The fix is active; your PDF is unchanged.