

Appendix to
“Predicting within-utterance projection variation”
by Gregory Scontras and Judith Tonhauser, published in *Meaning*

Fig. A1 gives two sample stimuli for the item ‘Jackson ran ten miles’. The remaining experiment stimuli are like those in Fig. 3 in the paper and Fig. A1 paired with a positive or negative *know*- or *think*-utterance, as detailed in this document.

Images: The four images shown in the stimuli can be found at <https://github.com/judith-tonhauser/SuB29-Scontras-Tonhauser/tree/main/experiments/main/main02/images>.

Context before the image:

The context before the image depended on the item (‘charley’ or ‘jackson’), whether the utterance was simple or complex (i.e., *think* and *know*), and on the QUD condition (ai/QUD CC? vs. nai/QUD BEL?):

```
'charley':
  {'ai':
    {'simple': "Sue runs a language school. She's currently working through a list
of her teachers | Kate, Tom, Charley, Tatiana, and Riccardo | to identify who speaks
Spanish. Sue keeps track on this list:",
    'complex': "Sue runs a language school. She's currently working through a list
of her teachers | Kate, Tom, Charley, Tatiana, and Riccardo | to identify who speaks
Spanish. She occasionally consults Cole, who knows some teachers better. Sue keeps
track on this list:"},
    'nai':
    {'simple': "Sue runs a language school. She's trying to figure out how well her
five assistants Kate, Tom, Cole, Tatiana, and Riccardo know her remote teacher Charley.
Sue keeps track on this list:",
    'complex': "Sue runs a language school. She's trying to figure out how well her
five assistants Kate, Tom, Cole, Tatiana, and Riccardo know her remote teacher Charley.
Sue keeps track on this list:"}},

'jackson':
  {'ai':
    {'simple': "Sue runs a fitness club. She's currently working through a list of
her clients | Kate, Tom, Charley, Tatiana, and Riccardo | to identify who ran ten
miles over the weekend. Here is Sue's list:",
    'complex': "Sue runs a fitness club. She's currently working through a list of
her clients | Kate, Tom, Charley, Tatiana, and Riccardo | to identify who ran ten
miles over the weekend. She occasionally consults her assistant Cole, who knows some
clients better. Here is Sue's list:"},
    'nai':
    {'simple': "Sue runs a fitness club. She's trying to evaluate how well her five
assistants Kate, Tom, Cole, Tatiana, and Riccardo know her client Jackson. Here is
Sue's list:",
    'complex': "Sue runs a fitness club. She's trying to evaluate how well her five
assistants Kate, Tom, Cole, Tatiana, and Riccardo know her client Jackson. Here is
Sue's list:"}}
```

Sue runs a fitness club. She's trying to evaluate how well her five assistants Kate, Tom, Cole, Tatiana, and Riccardo know her client Jackson. Here is Sue's list:

Assistants	Believes that Jackson ran ten miles?
Kate	yes
Tom	no
Cole	
Tatiana	
Riccardo	

Next up, she wants to record in her list whether **COLE** believes that Jackson ran ten miles. Sue's business partner tells her: "*Cole doesn't know that Jackson ran ten miles.*"

First question:

Given what you have read above, how likely is it that Cole believes that Jackson ran ten miles?

Second question:

Given what you have read above, how likely is it that Jackson ran ten miles?

(a) BEL? QUD, utterance 'Cole doesn't know that Jackson ran ten miles'.

Sue runs a fitness club. She's currently working through a list of her clients — Kate, Tom, Jackson, Tatiana, and Riccardo — to identify who ran ten miles over the weekend. She occasionally consults her assistant Cole, who knows some clients better. Here is Sue's list:

Clients	Ran ten miles?
Kate	yes
Tom	no
Jackson	
Tatiana	
Riccardo	

Next up, she wants to record in the list whether **JACKSON** ran ten miles. Sue says to her business partner: "*Cole doesn't think that Jackson ran ten miles.*"

First question:

Given what you have read above, how likely is it that Jackson ran ten miles?

Second question:

Given what you have read above, how likely is it that Cole believes that Jackson ran ten miles?

(b) CC? QUD, utterance 'Cole doesn't think that Jackson ran ten miles'.

Figure A1: Sample experiment trials, with item 'Jackson ran ten miles'.

Context after the image:

The context after the image depended on the item ('charley' or 'jackson') and on the QUD condition (ai/QUD CC? vs. nai/QUD BEL?):

```

'charley':
  {'ai': "Next up, she wants to record in the list whether <b>CHARLEY</b> speaks
Spanish. Sue says to her business partner:",
  'nai': "Next up, she wants to record in her list whether <b>COLE</b> believes that
Charley speaks Spanish. Her business partner tells her:"},

'jackson':
  {'ai': "Next up, she wants to record in the list whether <b>JACKSON</b> ran ten
miles. Sue says to her business partner:",
  'nai': "Next up, she wants to record in her list whether <b>COLE</b> believes that
Jackson ran ten miles. Sue's business partner tells her:"}

```

Utterances:

- 'charley' item
 - Charley speaks Spanish.
 - Charley doesn't speak Spanish.
 - Cole knows that Charley speaks Spanish.
 - Cole doesn't know that Charley speaks Spanish.
 - Cole thinks that Charley speaks Spanish.
 - Cole doesn't think that Charley speaks Spanish"
- 'jackson' item
 - Jackson ran ten miles.
 - Jackson didn't run ten miles.
 - Cole knows that Jackson ran ten miles.
 - Cole doesn't know that Jackson ran ten miles.
 - Cole thinks that Jackson ran ten miles.
 - Cole doesn't think that Jackson ran ten miles.