

Time Series Regression and Forecasting

Juergen Meinecke

Research School of Economics, Australian National University

Announcements

Time Series Terminology, Autocorrelation

Practical Guidelines and Example

Week 12 Quiz

Covers material (lecture, workshop, labs) from weeks 9, 10, and 11

Logistics:

- runs via Canvas (NOT my Github site!)
- 15 question multiple choice test
- quiz will be available from 9:00am on the Wednesday until 3:00pm on the Thursday
- during this 30 hour time window you can attempt the quiz once
- once you start the quiz, there's no time limit for your attempt (other than that it will shut down at 3.00pm on Thursday)
 - if you start 9.00am on Wednesday, then you have 30 hours to complete the quiz
 - if you start 2.30pm on Thursday, then you have 30 minutes to complete the quiz

Additional Consultations

To answer any remaining questions that you may have and to support your learning towards the final exam, we are going to offer the following additional consultation sessions:

Two sessions hosted by MiLim and Xiaohan to cover any remaining questions regarding Python, lab participation, or assignment 2 marking:

- Wednesday June 3 from 11-12pm @ Arndt 1009 (MiLim)
- Thursday June 4 from 11-12pm @ Arndt 1009 (Xiaohan)

Three sessions hosted by Juergen covering course material:

- Tuesday June 2 from 11-12pm @ Arndt 1022
- Tuesday June 9 from 11-12pm @ Arndt 1022
- Monday June 15 from 11-12pm @ Arndt 1022

Announcements

Time Series Terminology, Autocorrelation

Practical Guidelines and Example

Practical Guidelines for Time Series Analysis

Example: CPI and Inflation

Pseudo Out-of Sample Forecasts

Suppose I give you a time series Y_t and ask you to produce forecasts, what should you do?

Let's try to tie up all loose ends and come up with some practical advice

Given the time series Y_t , here's what you should do to produce the best forecast...

- Graph it

Sometimes you can spot deterministic trends in graphs (e.g., GDP)

A graph will definitely not help you spot a stochastic trend

- Run an ADF unit root test on Y_t

- If you reject the null hypothesis of a unit root:

Estimate the AR(p) model for Y_t :

$$Y_t = \beta_0 + \alpha t + \beta_1 Y_{t-1} + \beta_2 Y_{t-2} + \cdots + \beta_p Y_{t-p} + u_t$$

(It's always safe to include a deterministic time trend)

You can easily estimate this in Python

Use the AR(p) model for Y_t to produce your forecasts

- If you cannot reject the null hypothesis of a unit root:
Generate first differences ΔY_t of the data and run a unit root test on ΔY_t

In 90% of practical situations, you will reject the null hypothesis of a unit root in ΔY_t (in other words, first differencing effectively removes the unit root)

This suggests that you should use an AR(p) model for ΔY_t :

$$\Delta Y_t = \beta_0 + \alpha t + \beta_1 \Delta Y_{t-1} + \beta_2 \Delta Y_{t-2} + \cdots + \beta_p \Delta Y_{t-p} + u_t$$

Since ΔY_t is stationary, you can easily estimate this in Python
Use the AR(p) model for ΔY_t to produce your forecasts

Roadmap

Announcements

Time Series Terminology, Autocorrelation

Practical Guidelines and Example

Practical Guidelines for Time Series Analysis

Example: CPI and Inflation

Pseudo Out-of Sample Forecasts

During the last two weeks I have used inflation as the running example to illustrate important concepts

Recall that we defined inflation to be

$$\text{infl}_t := 400 \cdot (\ln(\text{cpi}_t) - \ln(\text{cpi}_{t-1}))$$


(this is the *annualized* version of quarter-to-quarter inflation; but it would work just the same if we hadn't used the annualized version)

Our goal:

Come up with the best AR(p) model to forecast inflation

Let's go through the steps

Graphing the data



Deterministic trend: not obvious

Stochastic trend: never obvious

Test for unit root

A few slides ago...

Python Code

```
> from statsmodels.tsa.stattools import adfuller
> adfuller(df.infl.dropna(), maxlag = 4, regression='ct')

(-4.4533799279869495,
 0.0017974526474593738,
 4,
 311,
 '1%': -3.988178023764844,    '5%': -3.4247019735849102,    '10%': -3.1354051510159615,
 1344.5691815374666)
```

Dickey Fuller critical value is -3.41

Reject the null hypothesis of unit root here

Therefore, our best time series model is this one:

$$\begin{aligned}\text{infl}_t = & \beta_0 + \alpha t + \beta_1 \text{infl}_{t-1} + \beta_2 \text{infl}_{t-2} \\ & + \beta_3 \text{infl}_{t-3} + \beta_4 \text{infl}_{t-4} + u_t\end{aligned}$$

Let's estimate it...

Python Code (output edited)

```
> ar4trend = smf.ols('infl ~ l1infl + l2infl + l3infl + l4infl + trend',  
                    data=df, missing='drop').fit(use_t=False)  
> print(ar4trend.summary())
```

OLS Regression Results

```
=====
```

Dep. Variable:	infl	R-squared:	0.558
Model:	OLS	Adj. R-squared:	0.551
Method:	Least Squares	F-statistic:	77.37
No. Observations:	312		
Covariance Type:	nonrobust		

```
=====
```

	coef	std err	z	P> z	[0.025	0.975]

Intercept	0.7524	0.294	2.563	0.010	0.177	1.328
l1infl	0.6158	0.056	10.927	0.000	0.505	0.726
l2infl	0.0095	0.064	0.148	0.882	-0.115	0.134
l3infl	0.3130	0.064	4.916	0.000	0.188	0.438
l4infl	-0.1667	0.056	-2.989	0.003	-0.276	-0.057
trend	4.117e-06	0.001	0.003	0.998	-0.003	0.003

```
=====
```

What should we do with these estimates now?

Reminder:

the time series CPIAUCSL ran from 1947:Q1 to 2026:Q1

That's 317 observations on CPIAUCSL

That's 316 observations on `infl`

Remember that our main goal is to produce forecasts

Let's produce an inflation forecast for 2026:Q2

It's very easy given our $AR(4)$ estimates

Recall the observed data on inflation

Python Code

```
> df.infl.tail(5)
quarter
2025Q1    3.631112
2025Q2    1.638084
2025Q3    3.042151
2025Q4    2.850893
2026Q1    3.141706
```

Obtain forecast by plugging into the estimated model:

$$\begin{aligned}\widehat{\text{infl}}_{2026:Q2|2026:Q1} &= 0.7524 + 0.000004117 \cdot 317 \\ &\quad + 0.6158 \cdot (3.1417) + 0.0095 \cdot (2.8509) \\ &\quad + 0.3130 \cdot (3.0422) - 0.1667 \cdot (1.6381) \\ &= 3.3945\end{aligned}$$

Roadmap

Announcements

Time Series Terminology, Autocorrelation

Practical Guidelines and Example

Practical Guidelines for Time Series Analysis

Example: CPI and Inflation

Pseudo Out-of Sample Forecasts

The CPIAUCSL time series runs from 1947:Q1 to 2026:Q1

To measure forecast performance, we could follow this little algorithm:

1. pretend like your data already ends in $s=2005:Q1$
2. estimate an AR(4) model for infl_t for the time frame 1947:Q1 to s
3. calculate a forecast for period $s + 1$: $\widehat{\text{infl}}_{s+1|s}$
4. compare the forecast to the actual realization infl_{s+1} ; difference is the forecast error: $\text{infl}_{s+1} - \widehat{\text{infl}}_{s+1|s}$
5. shift s up by one period and jump back to step 2

Repeat until you reach end of your data set ($s \leq T$), with $T := 2026:Q1$

This algorithm creates a shifting or rolling one-quarter pseudo out-of-sample forecast

So we obtain lots of one-quarter forecasts of inflation for the time period 2005:Q2 to 2026:Q1


This puts us in a position to compare our one-quarter forecasts to the *actual* inflation numbers

This is a bit complicated to code in Python, so I won't ask you to do it yourselves


Nevertheless, I have implemented this algorithm in Python and ran it over the inflation data

Here's the output in two pictures...

Inflation: actual versus forecast



Forecast error
(vertical difference between two lines from previous slide)



Is this a good model or a bad model?

This simple AR(4) model already does a reasonable job

And it took you only two and a half weeks of time series econometrics to be able to do this!

Where from here?

You could try different AR(p) models
(What's the optimal 'choice' of p ?)

We could use an estimate of the so-called mean square forecast error (MSFE) to judge which model produces the best forecasts

You will learn much more on time series regression and forecasting in courses like EMET3007 or EMET3008

If you care more about the micro-econometric applications that we covered in weeks 1-9 of the semester, then EMET3004 or EMET3006 are right for you