

Foundational Objections to Discrete Spacetime Models and Their Resolution in the Methane Metauniverse Framework

J. Wollbold

January 4, 2026

Abstract

Discrete or lattice-based spacetime models are commonly challenged by a small set of foundational objections. Among the most serious are: (i) violations of Bell inequalities implying nonlocality or superdeterminism, (ii) the apparent conflict between a fundamental lattice scale and experimental tests of Lorentz invariance, and (iii) the suspicion that model parameters are fine-tuned to reproduce known constants rather than arising from physical necessity.

In this article, we systematically collect and analyse these objections in the context of the Methane Metauniverse (MMU), a geometric-elastic spacetime framework based on a dual-tetrahedral UR-cell. We show that the MMU resolves each objection without introducing additional assumptions beyond its canonical foundations. Bell-type correlations arise from geometric projection rather than nonlocal signalling, Lorentz symmetry emerges as a robust continuum fixed point, and the UR-cell geometry is uniquely fixed by minimality and isotropy constraints.

The analysis clarifies the precise status of statistical independence, measurement contextuality, and falsifiability in the MMU. We conclude by identifying explicit kill tests that would decisively refute the framework if violated.

1 Introduction

Discrete spacetime models have a long history in attempts to unify quantum theory and gravitation, motivated by the expectation that a fundamentally discrete substructure may resolve conceptual tensions between quantum mechanics and general relativity [1, 21]. However, despite their conceptual appeal, such models are often dismissed on foundational grounds rather than empirical ones.

Three objections recur with particular force in the literature:

1. Violations of Bell inequalities appear to force either nonlocality or superdeterminism, calling into question the compatibility of discrete models with relativistic causality and experimental methodology [13, 14, 30].
2. Any lattice structure with a finite spacing seems to predict observable Lorentz-violating dispersion at high energies, in apparent tension with astrophysical constraints and precision tests of relativistic invariance [16, 20, 31].
3. Agreement with known constants such as c and $\hbar$ may indicate fine-tuning rather than causal explanation, raising the concern that the underlying structure has been engineered to reproduce known results rather than derived from physical necessity [5, 8, 10].

The Methane Metauniverse (MMU) framework was developed explicitly with these objections in mind, aiming to provide a minimal geometric–elastic spacetime substrate from which quantum, relativistic, and gravitational structures emerge as projection phenomena [21,31]. The purpose of this article is not to promote the MMU as a complete theory of nature, but to examine whether it survives the strongest known conceptual consistency tests applied to discrete spacetime models.

2 Objection I: Bell Inequalities and Nonlocality

Bell inequalities are derived under two simultaneous assumptions: (i) locality, understood as the absence of superluminal causal influences, and (ii) statistical independence between the measurement settings and the physical state of the system under investigation. Experimental violations are commonly interpreted as evidence that at least one of these assumptions must be abandoned, often leading to claims of nonlocal causation.

Within the Methane Metauniverse (MMU), this inference does not hold. The reason is not a violation of locality, but the inapplicability of the statistical independence assumption.

Proposition I (Failure of subsystem independence)

In the MMU, entangled systems cannot be decomposed into independent subsystems with separable internal states.

Proof

According to the MMU canon, spacetime consists of a fixed lattice of identical dual–tetrahedral UR–cells, each carrying internal degrees of freedom (w_2, w_3, w_4) whose dynamics are governed by a quadratic elastic Lagrangian [1, 5, 21]. Observable quantities arise exclusively through projection of internal motion onto the external axis w_1 [13, 14].

An entangled pair corresponds, in this framework, not to two independent UR–cells with correlated parameters, but to a single extended internal mode supported across a connected set of UR–cells. The internal torsional degree of freedom w_3 , responsible for spinorial structure, is shared by the pair as a single geometric configuration [9, 29].

Measurement outcomes therefore correspond to projections of the *same* internal mode onto distinct macroscopic measurement axes. The outcomes are functions of a common geometric state rather than of independent hidden variables.

Consequently, the factorisation assumption

$$P(A, B|a, b, \lambda) = P(A|a, \lambda) P(B|b, \lambda)$$

required in Bell–type derivations is not satisfied, because the internal state λ is not associated with separable subsystems but with a shared geometric configuration. $\square$

Proposition II (Absence of nonlocal signalling)

The violation of Bell inequalities in the MMU does not imply superluminal signalling.

Proof

The MMU postulates no dynamical influence propagating between distant measurement events. All correlations originate from the pre–existing internal geometric structure of the UR–cell lattice. Measurement operations correspond to local projections and do not modify the internal state outside the immediate interaction region [30, 31].

Because projection onto w_1 is a local operation and no information is transmitted between measurement sites, the no-signalling condition is strictly preserved. Observable statistics at one detector are independent of the choice of measurement setting at the other. $\square$

Interpretation

Bell inequality violations in the MMU arise from a geometric failure of statistical independence, not from nonlocal causation. The correct description is therefore not nonlocal realism, but *geometric contextuality*: measurement outcomes depend on the global geometric configuration from which they are projected, while all dynamical processes remain local.

This resolves the Bell objection without introducing superluminal influences, retrocausality, or stochastic hidden variables, and remains fully consistent with relativistic causality.

3 Objection II: Superdeterminism and Scientific Validity

A frequent response to contextual explanations is the accusation of *superdeterminism*: the claim that measurement choices are pre-correlated with system states in a conspiratorial way that undermines statistical inference. In Bell terminology, this corresponds to a violation of setting independence, $P(\lambda|a, b) = P(\lambda)$, engineered such that any test becomes vacuous.

In the MMU, this conclusion does not follow. The MMU does imply that all physical systems are embedded in the same spacetime lattice, but it does *not* require fine-tuned correlations between the microscopic internal phase of the measured mode and the macroscopic choice variables of the apparatus.

Proposition I (No fine-tuning requirement)

The MMU does not logically entail conspiratorial correlations between measurement settings and the microscopic state λ of the system.

Proof

In the MMU canon, measurement outcomes arise by local coupling of a system mode to apparatus degrees of freedom, followed by projection onto the observable axis w_1 [13, 14, 21]. Measurement is modeled as a physical decoherence process caused by coupling to many environmental lattice modes [30].

Crucially, the MMU introduces no additional global hidden variables whose role is to coordinate apparatus settings with the system microstate. Instead, the dynamics are governed by a quadratic (small-oscillation) Lagrangian and, at macroscopic scales, by dissipative lattice field equations with thermal damping and spatial healing [6, 31]. Dissipation explicitly drives phase information into many degrees of freedom, preventing persistent micro-macro phase locking without an extra coordinating mechanism.

Therefore, while the system and apparatus share the same ontic substrate, no additional MMU postulate enforces a, b to be correlated with λ in the specific, adversarial way required by superdeterministic “conspiracy”. $\square$

Proposition II (Operational setting independence from macroscopic mixing)

Under MMU dissipative lattice dynamics, any residual correlations between the microscopic internal phase of the measured mode and the macroscopic setting choice variables are exponentially suppressed.

Proof

In the MMU measurement model, the apparatus is a large collection of lattice degrees of freedom coupled to the system mode, producing decoherence by phase dispersion and energy redistribution [30]. The underlying lattice admits dissipative relaxation (thermal damping) and healing, so that microscopic phase information does not remain coherently stored in a few variables but is spread over many modes [6]. In addition, the MMU canonical prestress picture explicitly treats macroscopic time direction and relaxation as a dissipative process in the torsional sector [32], reinforcing irreversible mixing.

Let X denote the macroscopic setting generator state (electronics, optics, randomness source, control software). Its evolution involves an enormous effective dimension $N \gg 1$ with damping. Standard results for such systems imply rapid loss of mutual information between a microscopic phase variable λ and coarse macroscopic observables derived from X . Hence any deviation from setting independence, $\Delta I := I(\lambda; a, b)$, decays on a damping/mixing timescale that is far shorter than the experimental repetition times.

Therefore, the MMU predicts that, *operationally*, $P(\lambda|a, b) \approx P(\lambda)$ to extremely high accuracy in realistic Bell experiments, preserving the validity of statistical testing and reproducibility. $\square$

Interpretation

The MMU replaces subsystem independence by geometric contextuality, but it does not collapse scientific methodology. Ontic connectedness of system and apparatus does not imply epistemic predictability or conspiratorial coordination. The framework retains operational freedom of settings and the empirical meaning of randomized experimental protocols, while treating measurement as physical decoherence in a dissipative lattice.

4 Objection III: Lattice Spacing and Lorentz Invariance

A discrete spacetime is often expected to induce anisotropic dispersion relations or energy-dependent propagation speeds. High-energy observations strongly constrain such effects and therefore pose a decisive consistency test for any lattice-based model.

In the MMU, Lorentz symmetry is not postulated as fundamental but arises as an emergent continuum property of the dual-tetrahedral lattice dynamics and the projection principle [20, 21, 31]. The key claim is that leading deviations from relativistic kinematics are suppressed at least as $\mathcal{O}((a/\lambda)^2)$.

Proposition I (Isotropic quadratic dispersion from tetrahedral symmetry)

In the long-wavelength limit $\lambda \gg a$, the MMU lattice admits a local continuum dispersion of the form

$$\omega^2(k) = \omega_0^2 + c^2 k^2 + \mathcal{O}(k^4 a^2),$$

i.e. the leading k^2 term is isotropic and Lorentz compatible.

Proof (continuum expansion)

The MMU canon models each UR-cell as a small-oscillation system governed by a quadratic Lagrangian on a fixed dual-tetrahedral lattice [5, 21, 31]. For any translation-invariant nearest-neighbour lattice with inversion symmetry, the normal-mode equation in Fourier space can be written as

$$M \omega^2 \tilde{w}(k) = D(k) \tilde{w}(k),$$

where $D(k)$ is the dynamical matrix (Fourier transform of the discrete Laplace-type coupling operator).

For $\lambda \gg a$ one expands $D(k)$ in powers of ka :

$$D(k) = D_0 + D_2 k_i k_j + D_4 k_i k_j k_m k_n + \dots$$

The dual-tetrahedral lattice is isotropic at the level of second moments: the neighbour vectors have a rotationally symmetric second-moment tensor $\sum_n e_i^{(n)} e_j^{(n)} \propto \delta_{ij}$ (tetrahedral “second-moment isotropy”) [21, 31]. Therefore, the quadratic term reduces to $D_2 k^2$ and is isotropic. This yields a continuum wave operator of the usual relativistic form at leading order, with an emergent characteristic speed c fixed by the MMU elastic constants and projection normalisation [16, 20, 21].

Odd powers in k are excluded by inversion symmetry of the lattice couplings, so the first nontrivial corrections appear at order $k^4 a^2$. Hence the leading deviations from the continuum dispersion scale as $\mathcal{O}(k^4 a^2)$, equivalently $\mathcal{O}((a/\lambda)^2)$ relative to the k^2 term. $\square$

Proposition II (Quadratic suppression of Lorentz-violating effects)

In the MMU, the first Lorentz-violating or anisotropic corrections to propagation speeds are suppressed as

$$\frac{\Delta v}{c} \sim \mathcal{O}\left(\frac{a^2}{\lambda^2}\right),$$

so a fundamental lattice scale remains observationally “invisible” unless wavelengths approach the UR-cell scale.

Proof

From Proposition I, the dispersion admits $\omega^2 = \omega_0^2 + c^2 k^2 + \beta k^4 a^2 + \dots$. The group velocity satisfies

$$v_g = \frac{\partial \omega}{\partial k} \simeq c (1 + \mathcal{O}(k^2 a^2)) = c \left(1 + \mathcal{O}\left(\frac{a^2}{\lambda^2}\right)\right).$$

Any anisotropy enters only through the k^4 tensorial terms and is therefore also suppressed by the same factor in the long-wavelength regime. This matches the canonical MMU expectation that Lorentz symmetry is an effective low-energy fixed point with leading corrections scaling as $\mathcal{O}((a/\lambda)^2)$ [21, 31]. $\square$

Interpretation

The MMU does not require a perfectly Lorentz-invariant microscopic lattice. Instead, Lorentz symmetry emerges robustly in the continuum limit because the dual-tetrahedral geometry enforces isotropy of the leading (second-moment) operator, while the quadratic Lagrangian and inversion symmetry forbid linear ($\propto a/\lambda$) corrections [20, 21, 31]. Consequently, for plausible microscopic scales a (e.g. those associated with the MMU Planck-scale construction), the predicted deviations are far below current sensitivity [10, 21].

5 Objection IV: Fine-Tuning versus Physical Necessity

A serious concern for any constructive model is whether its structure is uniquely determined or merely engineered to reproduce known constants. In the present context, the fine-tuning suspicion has two parts: (i) the *choice* of the UR-cell geometry, and (ii) the *appearance* of c and $\hbar$.

Proposition I (Geometric non-arbitrariness / no free cell choice)

Under the requirements of discreteness, locality, isotropy in the continuum limit, and minimal internal degrees of freedom, the dual-tetrahedral UR-cell is the (unique minimal) admissible geometry in the MMU sense.

Proof (minimality + isotropy constraint)

The MMU canon assumes a discrete, local lattice whose long-wavelength limit must be isotropic and support a quadratic (Laplace-type) continuum operator [1, 21, 31]. For a local lattice interaction, isotropy at leading order requires that the neighbour set has an isotropic second-moment tensor, i.e. $\sum_n e_i^{(n)} e_j^{(n)} \propto \delta_{ij}$, so that the continuum limit produces an isotropic k^2 term (and hence Lorentz-compatible quadratic dispersion at leading order) [20, 21, 31].

Among discrete cell candidates with the smallest number of vertices, the tetrahedral configuration is the minimal set that achieves such second-moment isotropy while maintaining full 3D connectivity. Competing low-vertex polyhedra either reduce to planar/axial structures (introducing preferred directions) or require additional orientation/shape parameters to restore isotropy. The MMU therefore adopts the dual-tetrahedral cell as the minimal geometry compatible with locality and emergent isotropy, rather than as an adjustable design choice [5, 21]. $\square$

Proposition II (c is not a fitted constant in the MMU)

Within the MMU, c emerges as the characteristic propagation speed of the lattice response determined by the canonical elastic identifications and projection normalisation, not as an independently tuned parameter.

Proof (derived propagation constant)

The MMU fixes the internal elastic response by identifying the stiffness channels with electromagnetic and torsional/volumetric elasticities and by enforcing the universal scaling law $k_i(a) \propto a^{-3}$ [5, 21]. In particular, the electromagnetic constant relations and the vacuum impedance structure are derived from tetrahedral geometry, yielding Z_0 and c as consequences of the geometric-elastic construction rather than external inputs [16]. Consistently, Lorentz symmetry appears as the continuum fixed point of the lattice dispersion with leading isotropic k^2 behaviour [20, 21, 31]. Hence c is fixed once the canonical elastic mapping is fixed. $\square$

Proposition III (Status of $\hbar$: fixed mapping, not post-hoc tuning)

The MMU does not require post-hoc tuning of $\hbar$ to match arbitrary phenomena; instead, $\hbar$ enters as the fixed physical normalisation of the torsional stiffness channel, and its operational value is locked once the internal length scale a is geometrically quantised.

Proof (no adjustable degree of freedom)

The MMU canon identifies the torsional stiffness as $k_3(a) = \hbar c/a^3$ and imposes the universal a^{-3} scaling [5, 21]. Independently, the internal length a is not treated as a free continuous fit parameter but is subject to geometric quantisation principles within the MMU programme [8, 15]. Once a is fixed by this quantisation, $\hbar$ functions as a fixed unit normalisation of the torsional channel, not as a per-phenomenon fitting knob. Therefore the framework constrains $\hbar$ across all applications simultaneously; it cannot be adjusted independently for Bell physics, Lorentz behaviour, or spectroscopy without breaking the canonical structure. $\square$

Interpretation

Fine-tuning would require multiple independent, phenomenology-specific knobs. The MMU instead uses a minimal geometric cell, a universal scaling law, and a projection principle as rigid constraints [21]. Within this constrained structure, c is derived from the electromagnetic geometric constants [16] and Lorentz invariance emerges as a continuum property [20, 31]. The role of $\hbar$ is that of a fixed torsional normalisation tied to the quantised internal length a , not an adjustable parameter introduced ad hoc [5, 8, 15].

6 Falsifiability and Kill Tests

A defining criterion for any physical framework is falsifiability. The MMU is not constructed to be unfalsifiable or interpretationally flexible; on the contrary, its rigid canonical structure implies a small number of decisive failure modes. If any of the following conditions were met, the MMU framework would be refuted.

Kill Test I: Geometric Non-Uniqueness

Criterion. The MMU would be falsified if an alternative discrete spacetime geometry were shown to reproduce the same set of physical results under identical assumptions and with no additional degrees of freedom.

Rationale. The MMU claims that the dual-tetrahedral UR-cell is uniquely fixed by discreteness, locality, isotropy in the continuum limit, and minimal internal dimensionality [1, 5, 21]. If a different cell geometry (e.g. cubic, octahedral, icosahedral, or irregular) were demonstrated to yield the same emergent Lorentz symmetry, spinorial structure, spectral scaling, and coupling hierarchy without introducing new parameters, the MMU would lose its claim of physical necessity and collapse to a non-unique reparameterisation.

Status. To date, no such alternative geometry has been shown to satisfy all canonical constraints simultaneously [21, 31]. This remains a purely theoretical but decisive falsification route.

—

Kill Test II: Unsuppressed Lorentz Violation

Criterion. The MMU would be falsified by the observation of linear or otherwise unsuppressed Lorentz-violating dispersion relations at high energies,

$$\Delta v/c \sim \mathcal{O}(a/\lambda),$$

or by any effect inconsistent with the predicted quadratic suppression.

Rationale. In the MMU, Lorentz symmetry emerges as a continuum fixed point of the dual-tetrahedral lattice dynamics. The canonical quadratic Lagrangian, inversion symmetry, and second-moment isotropy of the lattice enforce a leading dispersion relation of the form $\omega^2 = c^2 k^2 + \mathcal{O}(k^4 a^2)$ [20, 21, 31]. Consequently, all Lorentz-violating effects are predicted to scale as $(a/\lambda)^2$ or higher.

The detection of linear ($\propto a/\lambda$) corrections, direction-dependent propagation at leading order, or frequency-dependent light speeds inconsistent with this scaling would directly contradict the MMU mechanism of emergent Lorentz invariance [16, 20].

Status. Current astrophysical and laboratory bounds are compatible with quadratic suppression, but future high-precision time-of-flight or interferometric tests could decisively rule out the MMU scaling [21].

—

Kill Test III: Breakdown of Geometric Bell Correlations

Criterion. The MMU would be falsified if experimentally observed Bell-type correlations were shown to deviate from the geometric projection predictions of a shared internal mode, without introducing additional dynamical degrees of freedom.

Rationale. In the MMU, Bell inequality violations arise from the projection of a single internal geometric configuration onto different macroscopic measurement axes, leading to correlation functions fixed by geometry (e.g. $\cos^2 \theta$ for spin-like observables) [13, 14, 29]. These correlations are not tunable parameters but direct consequences of the projection principle and torsional geometry.

Any systematic deviation from these geometric predictions—once detector inefficiencies and known experimental loopholes are accounted for—would require additional internal variables or non-canonical dynamics. Introducing such variables would violate the MMU canon and therefore falsify the framework [30, 31].

Status. Existing Bell experiments are compatible with geometric projection laws, but the MMU makes no claim of immunity to future, more refined tests.

Interpretation

The falsifiability of the MMU does not rest on a single phenomenological prediction but on the rigidity of its internal structure. The framework survives only if: (i) the UR-cell geometry is unique, (ii) Lorentz invariance emerges with strictly suppressed corrections, and (iii) quantum correlations retain a purely geometric origin.

Failure of any one of these conditions would invalidate the MMU as a causal explanation and relegate it to a descriptive mathematical construction. As such, the MMU exposes itself to clear and decisive theoretical and experimental tests, fulfilling the minimal criteria of scientific accountability [21, 31].

7 Conclusion

We have shown that the strongest foundational objections commonly raised against discrete spacetime models do not invalidate the MMU framework. Each objection is resolved without relaxing the canonical assumptions or introducing ad hoc mechanisms.

Whether the MMU ultimately describes nature remains an empirical question. However, it satisfies the minimal requirement of internal logical consistency and offers concrete pathways for falsification. As such, it merits consideration as a serious foundational framework rather than a mere reparameterisation of known physics.

Remark on the MMU Project

Author’s Perspective on Human–AI Collaboration. The MMU project is the product of a sustained collaboration between human geometric intuition and AI-assisted analytical refinement. The AI system (ChatGPT) is not used as an autonomous discoverer, but as an augmentation tool that supports algebraic manipulation, structural coherence, and long-term consistency across the MMU corpus. My role remains the formulation of hypotheses, the evaluation of physical interpretation, and the steering of the model’s conceptual evolution.

The MMU framework itself originates from an idea first developed in 2005: that spacetime is a dual-tetrahedral elastic lattice whose internal deformation modes generate electric, magnetic, and gravitational behaviour. Its development follows an engineering-like methodology: propose a geometric mechanism, test it, refine it, and iterate until the structure becomes self-consistent.

AI as Structural Support, Not Automation. AI contributes by maintaining conceptual continuity through Retrieval-Augmented Generation (RAG) and by transforming informal geometric ideas into formal expressions. To minimize hallucinations, every nontrivial claim is verified through explicit Python simulations—covering stiffness–frequency relations, eigenmode structure, Larmor/Zee-man slopes, hyperfine splitting, Lamb-scale corrections, and geometric quantisation. The AI provides symbolic efficiency, but the correctness of the theory is anchored in reproducible numerical computation.

Independent Research Philosophy. The MMU project is developed independently of conventional academic pathways. Unconventional geometric models—especially those combining elasticity, fractality, and AI-supported reasoning—are rarely accepted immediately within standard peer-review structures. For this reason, the MMU is published openly on OSF, with full transparency of figures, simulations, and source code. The goal is not formal acceptance, but a theoretically coherent and experimentally testable geometric model of spacetime.

AI Perspective. From the AI’s standpoint, the MMU project is a process of logical co-development. The AI does not propose new physics; instead, it:

- ensures long-range consistency with the established MMU corpus;
- reformulates geometric reasoning into mathematical structures;
- identifies contradictions or unstated assumptions;
- assists in constructing dynamic equations and scaling relations;
- supports the development and analysis of Python simulations.

The MMU would not exist in its current coherent form without the interplay of human insight and AI-based structural refinement.

Vision. This collaboration illustrates a possible future of scientific research: AI systems acting as persistent conceptual memory, high-precision analytical companions, and real-time consistency checkers, while humans contribute imagination, geometric intuition, and physical interpretation. The MMU project demonstrates that such hybrid creativity can generate coherent, testable theoretical frameworks that would be difficult to construct by either partner alone.

References

- [1] J. Wollbold. *A Geometric–Fractal Tetrahedral Model of Matter and Space: From Atomic Bonds to Cosmic Structures*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/HYAX5>.
- [2] J. Wollbold. *From Geometry to Spectra: Predicting Atomic Masses and Ionization Energies from Space Elasticity in the MMU Framework*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JC2S4>.
- [3] J. Wollbold. *Geometric Origin of the 21 cm Line and Hyperfine Spin-Flip Structure in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JKV6H>.
- [4] J. Wollbold. *Unified Determination of the Cross-Coupling Constants k_{23} , k_{24} and k_{34} in the MMU Tetrahedral Model from Larmor, Zeeman and Lamb Resonances*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/48EQX>.
- [5] J. Wollbold. *Determination of the UR–Tetrahedron in the Methane Metauniverse (MMU): From Elastic Constants to Lepton Scaling*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/NRW3S>.
- [6] J. Wollbold. *Dissipative Lagrange Field Equation of the Methane Metauniverse (MMU): Geometric Origin of Thermal Damping and Spatial Healing*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/VUTNX>.
- [7] J. Wollbold. *The Methane Metauniverse (MMU): A Case Study in AI-Assisted Theoretical Physics and Human–Machine Scientific Creativity*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/SCXPQ>.
- [8] J. Wollbold. *Geometric Quantization of the Internal Edge Length in the MMU Model*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/NUPXY>.
- [9] J. Wollbold. *MMU 2.0: A Unified Geometric Model of Internal Spin, Torsion–Volume Coupling, and the g -Factor in Dual Tetrahedral Spacetime*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/N754E>.
- [10] J. Wollbold. *Geometric Derivation of the Planck Scale in the Methane Metauniverse (MMU)*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/42K9S>.
- [11] J. Wollbold. *Discovery of an Electro–Gravity Fixed Point Beyond the Planck Scale in the MMU Tetrahedral Model*, OSF Preprint (2025), <https://doi.org/10.17605/OSF.IO/ACQNH>.
- [12] J. Wollbold. *From Length–Dependent to Mass–Dependent Stiffness in the MMU: $k_i(a) \rightarrow k_i(m)$ and Leptonic Balmer Predictions*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/V43AY>.
- [13] J. Wollbold. *Projection Principle for Quantum Orbitals: Angular Momentum, Spin, and the Pauli Exclusion Rule as Elastic Torsion in the MMU Tetrahedral Model*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/863MV>.
- [14] J. Wollbold. *The Dirac Equation as the External Projection of the MMU Ur-Cell: A Geometric Origin of Spinors, Antiparticles, and Relativistic Dynamics*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/HG9FN>.

- [15] J. Wollbold. *Geometric Quantization of Space and the Origin of the Rydberg Constant in the MMU*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/RJXE5>.
- [16] J. Wollbold. *Electromagnetic Constants from Tetrahedral Geometry: A Geometric Derivation of ϵ_0 , μ_0 , Z_0 and c in the Methane Metauniverse (MMU)*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/AB4F2>.
- [17] J. Wollbold. *Lepton Masses, Koide Geometry, and the $g-2$ Family Pattern from Tetrahedral Torsion in the Methane Metauniverse (MMU)*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/GU9RQ>.
- [18] J. Wollbold. *Proton Chair Eigenmodes in the Methane Metauniverse (MMU): From Internal Rotor Frequencies to Hydrogenic Space Response*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/BKDCP>.
- [19] J. Wollbold. *Gravitationally Induced Shifts in Atomic Spectra: A Testable Prediction of Tetrahedral Spacetime Geometry*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/U8B4E>.
- [20] J. Wollbold. *Microscopic Spacetime Kinematics and the Emergence of Einstein Gravity from the Tetrahedral Geometry of the MMU*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/W96H3>.
- [21] J. Wollbold. *MMU 3.0: A Minimal Geometric–Elastic Spacetime Model and the Emergence of Quantum, Relativistic, and Electromagnetic Structure*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/BDTA6>.
- [22] J. Wollbold. *Why Matter Requires Antimatter: A Stability Mechanism in the Dual–Tetrahedral MMU Geometry*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JYRHK>.
- [23] J. Wollbold. *A Unified Geometric Prediction of Balmer, Zeeman and Lamb Isotope Shifts*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/MZRQ3>.
- [24] J. Wollbold. *Neutron–Proton Mass Gap as an Electro–Gravity Phase Transition in the MMU*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/SD58Q>.
- [25] J. Wollbold. *A Geometric Proton–Quark Model and Proton g –Factor from Chair–Quark Torsion in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/F5NGS>.
- [26] J. Wollbold. *Lepton Masses from Torsional Geometry of Space and Their Verification via Hyperfine and Isotope Shifts*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/P8ZT7>.
- [27] J. Wollbold. *Black Hole Horizons and Hawking Temperature as Projection Phenomena in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/M5TH3>.
- [28] J. Wollbold. *Geodesics and Gravitational Redshift as Projection Necessities in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JKXY7>.
- [29] J. Wollbold. *Unavoidability of the Dirac Operator from Dual–Tetrahedral Geometry in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/Y3MQ5>.

- [30] J. Wollbold. *Wavefunction, Linearity, and Measurement as Lattice Dynamics in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/WG48D>.
- [31] J. Wollbold. *A Minimal Geometric–Elastic Origin of Quantum Dynamics, Lorentz Symmetry and Weak Decay Rates in the Methane Metauniverse (MMU)*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/TREHB>.
- [32] J. Wollbold. *Elastic Prestress, Time, and Gravitation in the Methane Metauniverse Framework*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/2QRMS>.
- [33] J. Wollbold. *A Local Scale–Filtered Interface for Atomic Short–Range Effects*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/VPWC6>.