

Unavoidability of the Dirac Operator from Dual–Tetrahedral Geometry in the Methane Metauniverse

Juergen Wollbold

December 2025

Abstract

We prove that the Dirac operator arises unavoidably as the long-wavelength continuum description of the Methane Metauniverse (MMU). Starting from a dual–tetrahedral elastic lattice with internal torsional degrees of freedom, we show that symmetry, locality, and band degeneracy force a first–order linear operator acting on spinors. No quantum postulates or external relativistic assumptions are introduced. The Dirac equation appears as the unique stable continuum limit of a two–band torsional doublet with mass generated by inter–mode coupling.

1 Geometric and dynamical setting

Definition 1 (Dual–tetrahedral lattice). The MMU consists of a discrete lattice of ur–cells with tetrahedral geometry and its dual. The combined structure is homogeneous and isotropic in the continuum limit.

Definition 2 (Internal degrees of freedom). Each ur–cell carries internal coordinates (w_1, w_2, w_3, w_4) . The coordinate w_3 represents a torsional degree of freedom and admits a discrete orientation $w_3 = \pm$, corresponding to a two–state internal doublet.

Definition 3 (Local coupling). Neighboring ur–cells interact only through local edge couplings. In Fourier space the resulting dynamical operator is smooth in wavevector k .

2 Two–state reduction and Pauli structure

[Two–band reduction] Near an isolated torsional degeneracy, the internal state space reduces to a two–dimensional complex vector space.

The torsional degree w_3 admits two orientations $\pm$. Near an isolated resonance, all higher internal modes are gapped and can be integrated out. The remaining low–energy subspace is therefore two–dimensional.

[Pauli decomposition] Any Hermitian operator acting on this two–state space has the form

$$H(k) = d_0(k) I + \vec{d}(k) \cdot \vec{\sigma}, \quad (1)$$

where $\vec{\sigma}$ are the Pauli matrices.

This follows from the completeness of $\{I, \sigma_x, \sigma_y, \sigma_z\}$ as a basis of Hermitian operators on a two-dimensional complex vector space. No additional assumptions are required.

3 Symmetry and linearity

[Linear dispersion is unavoidable] If the two-band degeneracy is isolated and symmetry protected, then near the degeneracy point k_0 one has

$$\vec{d}(k_0 + q) = V q + \mathcal{O}(|q|^2), \quad (2)$$

with a nondegenerate matrix V .

At the degeneracy point $\vec{d}(k_0) = 0$. A constant term would lift the degeneracy and is therefore forbidden. Stability of the crossing requires that the Jacobian $\partial d_i / \partial k_j$ at k_0 be nonzero. Hence the leading term is linear in $q = k - k_0$. Quadratic leading behavior is unstable under generic perturbations and would require fine tuning.

[Weyl operator] In the long-wavelength limit the effective Hamiltonian is

$$H_{\text{eff}} = v \vec{\sigma} \cdot \vec{p}, \quad (3)$$

with $\vec{p} = -i\hbar\nabla$.

Fourier inversion of the linear expansion yields a first-order differential operator. Rotational symmetry of the dual-tetrahedral lattice fixes the contraction to $\vec{\sigma} \cdot \vec{p}$.

4 Mass generation and Dirac completion

Definition 4 (Inter-doublet coupling). A weak coupling between the torsional doublet and the complementary internal mode w_4 introduces a symmetry-allowed scalar mixing term.

[Mass term] The most general symmetry-allowed perturbation that gaps the Weyl operator is a scalar term proportional to σ_0 coupling opposite chiralities.

A mass term must anticommute with the kinetic operator to open a gap. The only such extension is obtained by doubling the two-component Weyl spinor and introducing an off-diagonal scalar coupling. This construction uniquely yields a four-component spinor.

[Dirac operator] The resulting continuum equation is

$$(i\hbar\gamma^\mu\partial_\mu - mc)\Psi = 0, \quad (4)$$

with γ^μ satisfying the Clifford algebra.

The doubled Weyl operator with scalar mixing is algebraically equivalent to the Dirac operator. The Clifford algebra arises from the requirement that the squared operator be proportional to the identity, ensuring relativistic dispersion. No alternative linear first-order operator satisfies these constraints.

5 Uniqueness

[Uniqueness of the Dirac form] Under the assumptions of locality, isotropy, linearity, and stability, the Dirac operator is the unique first-order continuum operator compatible with the MMU geometry.

Any deviation would either (i) be higher order in derivatives, (ii) violate isotropy, (iii) destabilize the band crossing, or (iv) fail to gap correctly under scalar coupling. Hence no alternative operator is allowed.

6 Conclusion

We have shown that the Dirac equation is not an imposed quantum structure within the MMU. It emerges uniquely as the continuum description of a two-state torsional doublet in a dual-tetrahedral elastic lattice. Spinors, linearity, and relativistic form are forced by geometry and symmetry alone. The Dirac operator is therefore unavoidable in the MMU framework.

Remark on the MMU Project

Author’s Perspective on Human–AI Collaboration. The MMU project is the product of a sustained collaboration between human geometric intuition and AI-assisted analytical refinement. The AI system (ChatGPT) is not used as an autonomous discoverer, but as an augmentation tool that supports algebraic manipulation, structural coherence, and long-term consistency across the MMU corpus. My role remains the formulation of hypotheses, the evaluation of physical interpretation, and the steering of the model’s conceptual evolution.

The MMU framework itself originates from an idea first developed in 2005: that spacetime is a dual–tetrahedral elastic lattice whose internal deformation modes generate electric, magnetic, and gravitational behaviour. Its development follows an engineering-like methodology: propose a geometric mechanism, test it, refine it, and iterate until the structure becomes self-consistent.

AI as Structural Support, Not Automation. AI contributes by maintaining conceptual continuity through Retrieval-Augmented Generation (RAG) and by transforming informal geometric ideas into formal expressions. To minimize hallucinations, every non-trivial claim is verified through explicit Python simulations—covering stiffness–frequency relations, eigenmode structure, Larmor/Zeeman slopes, hyperfine splitting, Lamb-scale corrections, and geometric quantisation. The AI provides symbolic efficiency, but the correctness of the theory is anchored in reproducible numerical computation.

Independent Research Philosophy. The MMU project is developed independently of conventional academic pathways. Unconventional geometric models—especially those combining elasticity, fractality, and AI-supported reasoning—are rarely accepted immediately within standard peer-review structures. For this reason, the MMU is published openly on OSF, with full transparency of figures, simulations, and source code. The goal is not formal acceptance, but a theoretically coherent and experimentally testable geometric model of spacetime.

AI Perspective. From the AI’s standpoint, the MMU project is a process of logical co-development. The AI does not propose new physics; instead, it:

- ensures long-range consistency with the established MMU corpus;
- reformulates geometric reasoning into mathematical structures;
- identifies contradictions or unstated assumptions;
- assists in constructing dynamic equations and scaling relations;
- supports the development and analysis of Python simulations.

The MMU would not exist in its current coherent form without the interplay of human insight and AI-based structural refinement.

Vision. This collaboration illustrates a possible future of scientific research: AI systems acting as persistent conceptual memory, high-precision analytical companions, and real-time consistency checkers, while humans contribute imagination, geometric intuition, and physical interpretation. The MMU project demonstrates that such hybrid creativity can generate coherent, testable theoretical frameworks that would be difficult to construct by either partner alone.

References

- [1] J. Wollbold. *A Geometric–Fractal Tetrahedral Model of Matter and Space: From Atomic Bonds to Cosmic Structures*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/HYAX5>.
- [2] J. Wollbold. *From Geometry to Spectra: Predicting Atomic Masses and Ionization Energies from Space Elasticity in the MMU Framework*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JC2S4>.
- [3] J. Wollbold. *Geometric Origin of the 21 cm Line and Hyperfine Spin-Flip Structure in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JKV6H>.
- [4] J. Wollbold. *Unified Determination of the Cross-Coupling Constants k_{23} , k_{24} and k_{34} in the MMU Tetrahedral Model from Larmor, Zeeman and Lamb Resonances*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/48EQX>.
- [5] J. Wollbold. *Determination of the UR–Tetrahedron in the Methane Metauniverse (MMU): From Elastic Constants to Lepton Scaling*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/NRW3S>.
- [6] J. Wollbold. *Dissipative Lagrange Field Equation of the Methane Metauniverse (MMU): Geometric Origin of Thermal Damping and Spatial Healing*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/VUTNX>.
- [7] J. Wollbold. *The Methane Metauniverse (MMU): A Case Study in AI-Assisted Theoretical Physics and Human–Machine Scientific Creativity*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/SCXPQ>.
- [8] J. Wollbold. *Geometric Quantization of the Internal Edge Length in the MMU Model*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/NUPXY>.
- [9] J. Wollbold. *MMU 2.0: A Unified Geometric Model of Internal Spin, Torsion–Volume Coupling, and the g –Factor in Dual Tetrahedral Spacetime*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/N754E>.
- [10] J. Wollbold. *Geometric Derivation of the Planck Scale in the Methane Metauniverse (MMU)*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/42K9S>.
- [11] J. Wollbold. *Discovery of an Electro–Gravity Fixed Point Beyond the Planck Scale in the MMU Tetrahedral Model*, OSF Preprint (2025), <https://doi.org/10.17605/OSF.IO/ACQNH>.

- [12] J. Wollbold. *From Length-Dependent to Mass-Dependent Stiffness in the MMU: $k_i(a) \rightarrow k_i(m)$ and Leptonic Balmer Predictions*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/V43AY>.
- [13] J. Wollbold. *Projection Principle for Quantum Orbitals: Angular Momentum, Spin, and the Pauli Exclusion Rule as Elastic Torsion in the MMU Tetrahedral Model*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/863MV>.
- [14] J. Wollbold. *The Dirac Equation as the External Projection of the MMU Ur-Cell: A Geometric Origin of Spinors, Antiparticles, and Relativistic Dynamics*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/HG9FN>.
- [15] J. Wollbold. *Geometric Quantization of Space and the Origin of the Rydberg Constant in the MMU*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/RJXE5>.
- [16] J. Wollbold. *Electromagnetic Constants from Tetrahedral Geometry: A Geometric Derivation of ϵ_0 , μ_0 , Z_0 and c in the Methane Metauniverse (MMU)*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/AB4F2>.
- [17] J. Wollbold. *Lepton Masses, Koide Geometry, and the $g - 2$ Family Pattern from Tetrahedral Torsion in the Methane Metauniverse (MMU)*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/GU9RQ>.
- [18] J. Wollbold. *Proton Chair Eigenmodes in the Methane Metauniverse (MMU): From Internal Rotor Frequencies to Hydrogenic Space Response*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/BKDCP>.
- [19] J. Wollbold. *Gravitationally Induced Shifts in Atomic Spectra: A Testable Prediction of Tetrahedral Spacetime Geometry*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/U8B4E>.
- [20] J. Wollbold. *Microscopic Spacetime Kinematics and the Emergence of Einstein Gravity from the Tetrahedral Geometry of the MMU*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/W96H3>.
- [21] J. Wollbold. *MMU 3.0: A Minimal Geometric-Elastic Spacetime Model and the Emergence of Quantum, Relativistic, and Electromagnetic Structure*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/BDTA6>.
- [22] J. Wollbold. *Why Matter Requires Antimatter: A Stability Mechanism in the Dual-Tetrahedral MMU Geometry*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JYRHK>.
- [23] J. Wollbold. *A Unified Geometric Prediction of Balmer, Zeeman and Lamb Isotope Shifts*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/MZRQ3>.
- [24] J. Wollbold. *Neutron-Proton Mass Gap as an Electro-Gravity Phase Transition in the MMU*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/SD58Q>.
- [25] J. Wollbold. *A Geometric Proton-Quark Model and Proton g -Factor from Chair-Quark Torsion in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/F5NGS>.

- [26] J. Wollbold. *Lepton Masses from Torsional Geometry of Space and Their Verification via Hyperfine and Isotope Shifts*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/P8ZT7>.
- [27] J. Wollbold. *Black Hole Horizons and Hawking Temperature as Projection Phenomena in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/M5TH3>.
- [28] J. Wollbold. *Geodesics and Gravitational Redshift as Projection Necessities in the Methane Metauniverse*. OSF Preprint (2025). DOI: <https://doi.org/10.17605/OSF.IO/JKXY7>.