

AIRCRAFT AND SIMULATOR SETUP

1. Time / Weather / A/C Position **As Chosen**
 --- IF FLYING ON IVAO ---
 - a. A/C Position **Free of other traffic**
 - b. IVAO Pilot Client **Connect**
2. A/C Refueling / Boarding **Initiate**
3. Sidestick, Throttle, Rudders, External Monitor **Connected**

COCKPIT INSPECTION

1. LDG Gear **DOWN & Synced to Hardware**
2. THR LVR **IDLE & Synced to Hardware**

COCKPIT PREPARATION

1. Parking Brake	Set
2. Ground Spoilers	Retracted & Disarmed
3. Flaps	0
4. ENG MASTER SW 1-4	OFF
5. L & R WIPER	OFF
6. ENG Mode Selector	NORM
7. ELECTRICAL POWER UP	
a. BAT 1, ESS BAT, BAT 2, APU BAT	On
b. EXT 2, EXT 3 (EXT 1, EXT, 4)	On
8. OVHD Panel	All White Lights Out
a. Lower Left to Upper Right	
9. ADIRS 1, 2, 3	NAV
10. Lights	Set
a. NAV	ON
b. STROBE	AUTO
11. EMER EXIT LT	ARM
12. NO SMOKING	AUTO
13. SEAT BELTS	ON
14. Fuel Pumps	ON, MAIN before STBY pumps
15. FIRE TEST	Push
16. APU MASTER SW & START SW	ON
17. CCD & KBD Left and Right Side	ON
18. System Panel	Check Systems
a. ENG FADEC GND PWR (Overhead Panel)	ON
b. ENG Page	Check OIL QT
c. ENG FADEC GND PWR	OFF & Guarded
d. DOOR Page	Check OXYGEN QT
e. FUEL Page	Check FOB & Balanced
f. HYD Page	Check GREEN and YELLOW Hydraulic Reservoir
g. STS (Status) Page	Check no warnings / errors
h. RCL LAST	Check no suppressed warnings

COCKPIT PREPARATION - CONTINUED

19. FCU **Check / Set**
- a. QNH **Set**
 - b. EFIS **Set CSTR, ARPT, VOR2, VOR1**
 - c. VV (Vertical Velocity Vector) **ON**
 - d. FD **ON**
20. PFD / ND **Check for flags, warnings, other indications**
- a. Indicators **CLB, NAV, 1FD2**

MCDU Setup

1. ACFT STATUS Page
 - a. A/C and Engine Type **Check Correct**
 - b. NAV DATABASE **Up to Date**
2. ACTIVE > INIT Page
 - a. CPNY F-PLN REQUEST **Push**
 - b. RECEIVED CPNY F-PLN > INSERT **Push**
 - c. CPNY WIND REQUEST **Push (INOP)**
 - d. TRIP WIND **Enter average wind component**
 - e. Follow suggested menus at bottom
3. IRS Page **Check IRS 1, 2, 3 green NAV**
4. DEPARTURE Page **Enter Departure Route**
 - a. In F-PLN Page **Enter Arrival Route**
5. NAVAIDS Page **Check / Set Required Nav Aids**
6. FUEL & LOAD Page
 - a. ZFW & ZFWCG **Enter**
 - b. BLOCK Fuel **Enter FOB**
 - c. TAXI Fuel **1.0T**
 - d. ALTN **Enter Alternate Fuel**
 - e. FINAL **Check 00:30**
7. T.O. PERF Page
 - a. Use Simbrief tool to calculate performance values
 - b. THS FOR **From Loadsheets, ZFWCG click blue arrows**
 - c. THS FOR **Blue Diamond Percent value from envelop**
8. SEC Flight Plan **INOP**

BEFORE START

1. APU BLEED	ON
2. EXT PWR	OFF
3. COCKPIT PREPARATION CHECKLIST	Completed
4. START and ENROUTE Clearance	Obtained
5. SQUAWK	Set
6. INITIAL CLIMB	Set / Check
7. SURV Page	Click DEFAULT SETTINGS
8. BEACON Light	ON
9. BEFORE START CHECKLIST	Completed

PUSH BACK AND START-UP

1. Follow pushback instructions	
2. ENG MODE SELECTOR	IGN START
3. ENG 1 MASTER	ON
--- ONCE ENG 1 N2 at 10% ---	
4. ENG 2 MASTER	ON
--- ONCE START VALVE ENG 1 CLOSED ---	
5. ENG 3 MASTER	ON
--- ONCE START VALVE ENG 2 CLOSED AND ENG 3 N2 at 10% ---	
6. ENG 4 MASTER	ON
--- ONCE ALL ENGINES STARTED ---	
7. ENG MODE SELECTOR	NORM
8. APU BLEED	OFF
9. APU MASTER SW	OFF
10. Spoilers	Armed
11. RUDDER TRIM	RESET
12. FLAPS	Set
13. Status Flags	Check None
14. Pitch Trim	Set according to magenta value in PFD
15. Flight Controls	Check
16. AFTER START CHECKLIST	Completed

TAXI

1. AUTO BRK TO to RTO ARM
2. EFIS TERR & TRAF
3. TAXI CHECKLIST Completed
4. NOSE Light TAXI
5. RWY TURN OFF ON
6. Brakes Check

BEFORE TAKEOFF

1. XPDR TA/RA
2. Lights TO
 - a. Strobe Light ON
3. LINE-UP CHECKLIST Completed
4. T/O Clearance Obtained

TAKEOFF

1. Thrust 30%

--- ONCE STABILIZED ---
2. Thrust TO

CLIMB

1. Gear Up at positive climb
2. Flaps Up according to speed
3. Spoilers OFF

--- AT PASSING FL 100 ---
4. Lights OFF

--- ONCE PITCH BELOW 7.5 DEGREES ---
5. SEAT BELTS OFF

CRUISE

1. TCAS	BELOW
--- BEFORE DESCEND ---	
2. Approach Briefing	Perform
3. QNH	Preselect
4. Arrival Routing	Check
5. MCDU > PERF > APPR	Set Weather and Minimum
6. BTV	Setup
a. ND	PLAN Mode
b. Range	ZOOM
c. ND	Select Landing Runway
d. ND	Select BTV EXIT
e. AUTO BRK	BTV

DESCEND

1. Managed Profile	Verify
--- 30 MINUTES BEFORE LANDING ---	
2. SEAT BELTS	ON
--- ONCE PASSING FL 100 ---	
3. Lights	ON
--- ON PASSING TRL ---	
4. Baro	Set Local QNH
--- ONCE CLEARED TO ALTITUDE AND BELOW FL 100 ---	
5. APPROACH CHECKLIST	Completed

APPROACH

1. APPR PHASE	Activate
a. When on heading and selected speed, shortly before approach	
2. ILS	Confirm Identifier
--- BEFORE FINAL DESCEND ---	
3. Speed	Managed or Reduce manually
4. Flaps	Down according to speed
--- ON FINAL DESCEND ---	
5. Spoilers	Armed
6. GEAR	DOWN
7. LANDING CHECKLIST	Completed

AFTER LANDING

1. Landing Lights	OFF
2. NOSE Light	TAXI
3. STROBE Light	AUTO
4. Spoilers	OFF
5. Flaps	0
6. APU MASTER SW & APU START SW	ON
--- ONCE CLOSE TO PARKING POSITION ---	
7. NOSE Lights	OFF
8. RWY TURNOFF Lights	OFF

PARKING

1. PARK BRK	ON
--- ONCE APU AVAILABLE ---	
2. ENG MASTER 1, 2, 3, 4	OFF
3. BEACON Light	OFF
4. APU BLEED	ON
5. EXT PWR 2 & 3	ON
6. FUEL Pumps	OFF, right to left
7. SEAT BELTS	OFF
8. XPDR & TCAS	STBY
9. PARKING CHECKLIST	Completed