

AIRCRAFT AND SIMULATOR SETUP

1. Time / Weather / A/C Position **As Chosen**
 --- IF FLYING ON IVAO ---
 - a. A/C Position **Free of other traffic**
 - b. IVAO Pilot Client **Connect**
2. Sidestick, Throttle, Rudders **Connected**

Cockpit Inspection

1. ENG MASTER SW 1 & 2 **OFF**
2. ENG START Selector **NORM**
3. Landing Gear Lever **DOWN**
4. Wipers **OFF**
5. BAT 1 & 2, BAT EMER 1 & 2 **Check Voltage**

Electrical Power-Up

1. BAT 1 & BAT EMER 1 **ON**
2. BAT EMER 2 & BAT 2 **ON**
3. EXT 2 & 1 **AUTO**
4. IRS 1, 2, 3 **NAV**

Refueling and Boarding

1. Exclusively use GSX's own interface for loading
2. OIS > FLT OPS STS **Simbrief Import**
3. FOB **Check less than required**
 --- If more FOB than required ---
 - a. OIS > Loadsheet **Manually set less fuel**
4. GSX **Perform Boarding etc.**

FMS Setup 1

1. ACFT Status **Check Information**
2. INIT Page **Enter Flight Plan Information**
 - a. CPNY Flight Plan **Request, then Insert**

Aircraft Status Check

1. ECAM Control > RCL ALL **Press, Check No Messages**
2. ECAM Control > DISPATCH **Press, Check No Messages**
3. Radio Management Panels L & R **Both On**
4. Fire Test **Perform**
5. APU MASTER & START SW **ON**
6. Oxygen **Check Quantity**
7. ENG OIL QTY **Check**
8. HYD QTY **Confirm in green box**
9. FLAPS **UP & matches indication**
10. Speed Brake Lever **Retract**
11. Accumulator Pressure **Check**
12. Oxygen **Test**

Cockpit Setup

1. Overhead Panel **Set**
 - a. RCDR GND CTL **ON**
 - b. SEAT BELTS **On once fuel loaded**
 2. AIR DATA **AUTO**
 3. FMS **NORM**
 4. ANTI-SKID **ON**
 5. BARO **Set QNH**
 6. XPDR **STBY**
-
- Once APU Available
-
7. APU BLEED **ON**
 8. EXT 1 & 2 **OFF**

FMS Setup 2

- | | |
|---------------------------------|--------------------|
| 1. FMS Init Page | Follow Page Layout |
| 2. Cockpit Preparation CL | Completed |

Before Pushback

- | | |
|--------------------------------------|----------------------|
| 1. BARO | Check Local QNH |
| 2. ALT | Set Initial Climb |
| 3. WXR | Confirm AUTO |
| 4. XPDR | AUTO & Set Squawk |
| 5. TCAS | STBY & ABV |
| 6. Parking Brake | Confirm Set |
| 7. Windows & Doors | Confirm Closed |
| 8. External Equipment & Chocks | Removed |
| 9. Before Start CL | Down to Beacon Light |
| Once Cleared For Pushback | |
| 10. BEACON Light | ON |
| 11. Before Start CL | Completed |
| Once Pushback Completed | |
| 12. Parking Brake | ON |

Engine Start

- | | |
|-----------------------------|--------------|
| 1. Thrust Levers | Confirm Idle |
| 2. ENG START Selector | IGN START |
| 3. ENG MASTER SW 1 | ON |
| Once ENG 1 AVAIL | |
| 4. ENG MASTER SW 2 | ON |
| Once ENG 2 AVAIL | |
| 5. ENG START Selector | NORM |

After Start

- | | |
|--------------------------|-------------------------|
| 1. APU BLEED | OFF |
| 2. ANTI-ICE | As Required |
| 3. APU MASTER SW | OFF |
| 4. AUTO BRAKE RTO | ARM |
| 5. GND Spoilers | Arm |
| 6. Rudder Trim | Reset |
| 7. Flaps | As Required for Takeoff |
| 8. Trim | Check Automatically Set |
| 9. Flight Controls | Check |
| 10. After Start CL | Completed |

Taxi

- | | |
|------------------------|-----------|
| 1. Nose Light | Taxi |
| 2. Parking Brake | Off |
| 3. Brakes | Test |
| 4. Taxi CL | Completed |

Before Takeoff

1. FMA Modes	Check CLB & NAV Armed
2. Speeds	Check
3. Initial Climb	Check
4. Flaps	Check
5. TCAS	TA/RA
6. TO Config	Pushed, No Blue
7. LDG Lights	ON
8. ND	Range as required
Once Cleared For Takeoff	
9. Nose Light	TO
10. Strobe Lights	ON
11. Chrono	Start
12. Lineup CL	Completed

Takeoff

1. Pitch	Down Halfway
2. ENG 1 & 2	Set to 25%
Once Engines Stabilized	
3. Power	As Required For TO
4. Brakes	Release
Speed 80 - 100 kts	
5. Pitch	Neutral
At Vr	
6. Pitch	Around 15 Degrees

After Takeoff

- | | |
|-----------------------|-----------------------|
| 1. Gear | Up on positive climb |
| 2. Flaps | Up according to speed |
| Once Flaps UP | |
| 3. GND Spoilers | Disarm |
| 4. Nose Light | OFF |

Climb

- | | |
|---------------------------|---------|
| 1. FMA Modes | Monitor |
| Once Passing TA | |
| 2. BARO | STD |
| Once Passing FL100 | |
| 3. LDG Lights | OFF |
| 4. SEAT BELTS | OFF |

Cruise

- | | |
|--------------------------------|-----------------------------|
| 1. TCAS | BLW |
| 2. Fuel Checks | Perform at least every hour |
| 3. Step Climbs | |
| a. FMS > PERF > CRZ Page | Open Step Alts Page |

Before Descend

1. WX & Landing Information Obtain
 - a. A350 is landing category D
 - b. BARO Preselect local QNH
2. Perf > APPR Page Enter Information
3. Landing Performance Calculate
4. Arrival Routing Enter / Check

--- If flying ILS approach ---

 - a. FMS POSITION > NAVAIDS Page Check ILS Information
5. BTW Programmed

Descend

1. Icing Conditions
 - a. Visible Moisture
 - b. SAT (static air temperature) > -40
 - c. TAT (total air temperature) < +10
 - d. With engines at idle TAT < -10

When Passing FL250
2. SEAT BELTS ON

When Passing FL100
3. LDG Lights ON
4. Nose Lights Taxi

--- If flying ILS approach ---

 - a. LS ON

On Passing TRL
5. BARO Set local QNH

Approach

1. Approach Mode **Activate**
2. Configuration
 - a. Flaps 1 **12 DME THR / 4000 ft AGL**
 - b. Flaps 2 **8 DME THR / 3000 ft AGL**
 - c. Gear Down **6 DME THR / 2000 ft AGL**
 - d. Below 200 kt **10 DME THR**
- _____ **On FAF / FAP** _____
3. Flaps **Down according to speed**
4. Approach Checklist **Completed**
- _____ **On Passing 2000 ft AGL** _____
5. Gear **Down**
6. Speed Brakes **ARM**
- _____ **Once Cleared For Landing** _____
7. Nose Light **TO**
8. Landing Checklist **Completed**

Landing

1. ECAM LDG Memo **No Blue**
- _____ **On Passing 1000 ft AGL** _____
2. Fully Stabilized
- _____ **At 40 ft AGL** _____
3. Flare **Initiate**
4. Thrust **Idle**
- _____ **At 70 kts** _____
5. Reverse Thrust **Idle**
- _____ **Before Leaving RWY** _____
6. Thrust Reversers **Stowed**

After Landing

1. Speed Brakes	Disarm
2. Flaps	UP
3. WXR	OFF
4. LDG Lights	OFF
5. Nose Light	Taxi
6. Strobe Lights	AUTO
7. APU	Start
8. TCAS	STBY
When Entering Apron	
9. Nose Lights	OFF

Parking

1. Parking Brake	Set
2. XPDR	STBY
Once APU Running	
3. ENG MASTER SW 2 & 1	OFF
Once Engines Shutdown	
4. BEACON Light	OFF
5. Fuel Pumps	OFF
6. Seat Belt Signs	OFF
7. Parking CL	Completed

Shutdown

- 1. ADIRS OFF
- 2. Crew Oxygen OFF
- 3. Exterior Lights OFF
- 4. EXT PWR As Required
- 5. APU OFF
- 6. EMER EXIT Lights OFF
- 7. Signs OFF
- 8. Securing CL Completed