

Manual Editor Boilerplate

Juan Garcia

2025-06-30

Table of contents

1	Text formatting	2
1.1	Typography	2
1.1.1	Fonts	2
1.1.2	Underlined text	2
1.2	Indentation and spacing	3
1.2.1	Line breaks	3
1.2.2	Padding	3
1.2.3	Center / left / right positioned text	4
1.2.4	Blank spaces	4
1.3	Lists	5
1.3.1	Unordered lists (bullet list)	5
1.3.2	Ordered lists	5
2	Boxes and tables	6
2.1	Boxes	6
2.2	Tables	7
3	General guidelines	8
3.1	Format	8
3.1.1	Aesthetic rules	8
3.1.2	Spacing between paragraphs	11
3.1.3	Ordered and unordered lists	12
3.1.4	CAP manual	17
3.1.5	Conventions to facilitate reading	21
3.1.6	Availability of the interRAI instruments with CAP output in our main customer base	23
3.2	SmartyPants	23
3.3	KaTeX	23
3.4	UML diagrams	24

1 Text formatting

1.1 Typography

1.1.1 Fonts

1.1.1.1 Bold font The bold font is coded using the `<b></b>` pair:

| **Code:**

```
<b>Definition</b>
```

| **Output:**

Definition

1.1.1.2 Italic font The italic font is coded using the `<i></i>` pair:

| **Code:**

```
<i>Definition</i>
```

| **Output:**

Definition

1.1.1.3 Bold / Italic The bold and italic fonts can be combined in a single instance:

| **Code:**

```
<b><i>Definition</i></b>
```

| **Output:**

Definition

1.1.2 Underlined text

Underlined text is coded using the `<u></u>` pair:

| **Code:**

```
This area should be approached with <u>sensitivity</u>.
```

| **Output:**

This area should be approached with *sensitivity*.

1.2 Indentation and spacing

1.2.1 Line breaks

Line breaks are coded using the `<br>` format. It can be used repeatedly to make for several line breaks:

| **Code:**

Definition

```
<br> # one line break
```

Definition

```
<br><br> # two line breaks
```

Definition

| **Output:**

Definition

Definition

Definition

1.2.2 Padding

To create an indented (or “padded”) block of text that works across all formats, you should use a fenced Div block with a custom padding-left style, like `<div style="padding-left:3em;">`.

| **Code:**

```
<b>Definition</b>
```

```
<div style="padding-left:3em;">
```

```
<b>F1a. Participation in social activities of long-standing interest</b> - The person
```

```
↪ engaged in social activities that have been of long-standing interest to him or her.
```

```
↪ The activities may be quite varied and should be counted as long as they involve
```

```
↪ interaction with at least one other person. Examples include attending meetings of
```

```
↪ informal clubs or religious services, playing bridge or bingo, volunteering at the
```

```
↪ local clothing bank, or gossiping with the neighbours on their front porches in the
```

```
↪ evening.
```

```
</div>
```

| **Output:**

Definition

F1a. Participation in social activities of long-standing interest — The person engaged in social activities that have been of long-standing interest to him or her. The activities may be quite varied and should be counted as long as they involve interaction with at least one other person. Examples include attending meetings of informal clubs or religious services, playing bridge or bingo, volunteering at the local clothing bank, or gossiping with the neighbours on their front porches in the evening.

Code:

| **Output:**

Code:

| **Output:**

This is an example of a right aligned text

1.2.4 Blank spaces

Code:

Day Month Year

| Output:

[0][1] [0][3] [1][9][4][2]
 Day Month Year

1.3 Lists

Lists can be ordered (using numbers for every section) or unordered (using bullets only).

1.3.1 Unordered lists (bullet list)

Unordered lists are coded using the `<ul></ul>` pair. Each section (or row) is marked with `<li></li>`:

| **Code:**

```
This area should be approached with sensitivity. The recording of the response should not
↳ reflect what you believe may have occurred but rather what the person or the record
↳ indicates.
```

```
<ul>
```

```
<li><b>G1d.      Victim of physical assault or abuse</b> - Any form of physical abuse
↳ experienced by the person, regardless of his or her age when the incident(s) occurred
↳ (for example, any incident resulting in non-accidental injury, physical confinement,
↳ excessive physical discipline, or withdrawal of necessities of life, such as food and
↳ shelter).</li>
```

```
<br>
```

```
<li><b>G1e. Victim of emotional abuse</b> - Person has been in a pervasive and hostile
↳ emotional environment created by an abuser for the purposes of control. The abused
↳ person's self-esteem, identity, energy, ability to feel and question, wants, and
↳ needs are invalidated by the abuser.</li>
```

```
</ul>
```

| **Output:**

This area should be approached with sensitivity. The recording of the response should not reflect what you believe may have occurred but rather what the person or the record indicates.

- **G1d. Victim of physical assault or abuse** — Any form of physical abuse experienced by the person, regardless of his or her age when the incident(s) occurred (for example, any incident resulting in non-accidental injury, physical confinement, excessive physical discipline, or withdrawal of necessities of life, such as food and shelter).
- **G1e. Victim of emotional abuse** — Person has been in a pervasive and hostile emotional environment created by an abuser for the purposes of control. The abused person's self-esteem, identity, energy, ability to feel and question, wants, and needs are invalidated by the abuser.

1.3.2 Ordered lists

Ordered lists add a consecutive number (starting from '1') to every block of the list. The code for ordered list is the `<ol></ol>` pair and every block is marked with the `<li></li>` pair, same as with unordered lists:

| Code:

```
This area should be approached with sensitivity. The recording of the response should not
↪ reflect what you believe may have occurred but rather what the person or the record
↪ indicates.
```

```
<ol>
```

```
<li><b>Victim of physical assault or abuse</b> - Any form of physical abuse experienced
↪ by the person, regardless of his or her age when the incident(s) occurred (for
↪ example, any incident resulting in non-accidental injury, physical confinement,
↪ excessive physical discipline, or withdrawal of necessities of life, such as food and
↪ shelter).</li>
```

```
<br>
```

```
<li><b>Victim of emotional abuse</b> - Person has been in a pervasive and hostile
↪ emotional environment created by an abuser for the purposes of control. The abused
↪ person's self-esteem, identity, energy, ability to feel and question, wants, and
↪ needs are invalidated by the abuser.</li>
```

```
</ol>
```

| Output:

This area should be approached with sensitivity. The recording of the response should not reflect what you believe may have occurred but rather what the person or the record indicates.

1. **G1d. Victim of physical assault or abuse** — Any form of physical abuse experienced by the person, regardless of his or her age when the incident(s) occurred (for example, any incident resulting in non-accidental injury, physical confinement, excessive physical discipline, or withdrawal of necessities of life, such as food and shelter).
2. **G1e. Victim of emotional abuse** — Person has been in a pervasive and hostile emotional environment created by an abuser for the purposes of control. The abused person's self-esteem, identity, energy, ability to feel and question, wants, and needs are invalidated by the abuser.

2 Boxes and tables

Boxes and tables are special ways to present information that the author wants to be put into perspective (by comparing items by row and column) or that is specially important and needs to stand out from the rest of the text.

2.1 Boxes

A box is coded using the `<div class="box"></div>` tag. This creates a standard box enclosing the text:

| Code:

```
<div class="box">
  <div style="text-align: center;">Example of How to Code Life Events
</div>
</div>
```

| **Output:**

Example of How to Code Life Events

2.2 Tables

A table is composed of columns and rows. Rows are coded with `<tr></tr>` and each row can have several cells in succession, one for each column, using `<td></td>` to mark each cell. If the user wants the top cell to act as a header, then the code for the cell changes to `<th></th>`. If needed, the length of a cell can be changed using `colspan="3"` with the desired width, counting in numbers of cells that that particular cell spans (by changing the number '3'). The width of the row can be defined using `rowspan="2"` also with the desired number of cells on the row that the cell in question will span. In practice, it is coded like this:

| **Code:**

```
<table border="1">
  <tr>
    <th>Morning</th>
    <th>Afternoon</th>
    <th colspan="3">Night</th>
  </tr>
  <tr>
    <td rowspan="2">Make bed</td>
    <td>Visit to doctor</td>
    <td colspan="3">Socialize</td>
  </tr>
  <tr>
    <td>Grocery shopping</td>
    <td>Watch movie</td>
    <td>Read</td>
    <td>Sleep</td>
  </tr>
</table>
```

| **Output:**

Morning	Afternoon	Night		
Make bed	Visit to doctor	Socialize		
Make bed	Grocery shopping	Watch movie	Read	Sleep

3 General guidelines

3.1 Format

3.1.1 Aesthetic rules

3.1.1.1 Structure of the sections The manual is usually structured in several sections that follow a regular pattern. To speed up the process of transferring the contents of the interRAI manual into the tool, it is advisable to create a skeleton schema on a text editor (like Notepad++). An example of this schema for the English language would be the following:

| **Code:**

```
<b>Title</b><br><br>

<b>Intent</b>
<div style="padding-left:3em;">
</div><br>

<b>Definitions</b>
<div style="padding-left:3em;">
    <b></b>
</div><br>

<b>Process</b>
<div style="padding-left:3em;">
    <b></b>
</div><br>

<b>Coding</b>
<div style="padding-left:3em;">
</div>
```

This schema is generally observed on all interRAI manuals across the multiple localizations for language and country. It is a common feature for all the instruments, regardless of the version or intended population. Not all the sections on the schema are used on some items on the manual, but the order of the sections is usually preserved.

3.1.1.2 Visual harmonization As the interRAI manuals are used in several countries across different languages, it is only natural that some manuals differ in terms of paragraph positioning, font, capitalization, text structure... etc.

To achieve a homogeneous appearance across manuals, it is important to put some common rules in place to settle any differences in style. The purpose of this guide is to document these rules and to be used as a reference.

3.1.1.3 Titles, headings and sub-headings The manuals are usually provided as a word document and have a general introduction presenting the purpose of the interRAI manuals in general, the intended use for this specific instrument on the target population, an eventual localization on multilingual countries and an index detailing the contents of the document.

All these sections are not reflected on the user interface version of the manual via the Manual Editor tool, but are visible on the pdf document uploaded to the documentation section. The Manual Editor usually starts on Section A (sometimes AA) of the manual. The headings and sub-headings of this section are not to be transcribed onto the Manual Editor.

So, for example, this section of the manual on the source document appears like this:

interRAI Community Health (CHA) 9.1.3 Canadian Edition
January 12, 2011

Text of FINAL typeset pages

Section A

Identification Information

Intent	This section contains personal identifiers necessary to identify the person and link sequential assessments in an electronic database.
--------	--

A1.	Name
-----	------

Definition	Person's legal name.
------------	----------------------

Coding	Use printed letters. Enter in the following order:
--------	--

A1a. First name

A1b. Middle initial

A1c. Last name (surname/family name)

A1d. Jr./Sr.

If the person has no middle initial, leave Item A1b blank. Likewise, leave Item A1d blank if appropriate.

Figure 1: Section A1

However, there is no need to include the headings. On the manual, this section looks like this:

Code:

```
<b>A1. Name</b>
<br><br>

<b>Definition</b>
```

```
<div style="padding-left:3em;">
    Person's legal name.
</div>
<br>

<b>AA1 Name of Client</b><br><br>
<b>Intent</b>
<div style="padding-left:3em;">
    To record the name of the client receiving services from the home
    care agency.
</div><br>
<b>Definition</b>
<div style="padding-left:3em;">
    Client's legal name, which represents the full name of the person.
</div><br>

<b>Coding</b>
<div style="padding-left:3em;">
    Use printed letters. Enter in the following order: <br><br>
    <b>a. Last/Family Name,</b><br>
    <b>b. First Name,</b><br>
    <b>c. Middle Name/Initial.</b><br>
    <br>
    If the client has no middle initial, leave item "c" blank.
</div>
```

| Output:

A1. Name

Definition

Person's legal name.

AA1 Name of Client

Intent

To record the name of the client receiving services from the home care agency.

Definition

Client's legal name, which represents the full name of the person.

Coding

Use printed letters. Enter in the following order:

a. Last/Family Name,

b. First Name,

c. Middle Name/Initial.

If the client has no middle initial, leave item "c" blank.

3.1.2 Spacing between paragraphs

This part is particularly tricky: when inserting code onto the Manual Editor tool, the visualization functionality that gives a preview of how the page will look like on the user interface can be somewhat misleading. It is possible to get the impression that the paragraphs between a section are closer or further away than they really are. This is the case, for example, when inserting spaces after a list, a box or a table.

To get a coherent look on all the manuals, please adhere to the following rules when separating paragraphs:

- Always use one `<br>` space to separate lines and two `<br><br>` spaces to separate paragraphs if the paragraph is not the last one before the closing `</div>` tag when using the padding style. If the paragraph ends with `</div>` then use `</div><br>` instead of `<div><br><br>` to separate the next paragraph.

| **Example code:**

```
<b>Coding</b>
<div style="padding-left:3em;">
  <b>M. Male</b><br>
  <b>F. Female</b><br>
  <b>UN. Not assigned male or female</b>
</div><br>
This is a text that only serves to demonstrate the space between the list and the
↪ following lines.
```

| **Output:**

Coding

M. Male

F. Female

UN. Not assigned male or female

This is a text that serves to demonstrate the space between the list and the following lines.

- If a new paragraph begins after the end of a list with padding style `<div style="padding-left:3em;"></div>` there is no need to use a single `<br>` space after the end of the list `<ul></ul>` or `<ol></ol>` or after `</div>` if no text is placed between `</ol>` and `</div>` as the browser will automatically make a space, and putting a space here would make the separation too wide.

| **Example code:**

```
<b>A4. Marital Status</b>
<br><br>
```

```
<b>Coding</b>
<div style="padding-left:3em;">
Choose the answer that describes the current marital status of the person. If the person
↪ is in a common-law relationship, score the item "<b>2</b>" for "Married". If the
↪ person is in a same-sex relationship that is legally recognized as a marriage, score
↪ the item "<b>2</b>" for "Married". If the person is in a long-term same-sex
↪ relationship that is not legally recognized as a marriage, score the item "<b>3</b>"
↪ for "Partner/significant other".
<br>

<ol>
  <li><b>Never married</b></li>
  <li><b>Married</b></li>
  <li><b>Partner/Significant other</b></li>
  <li><b>Widowed</b></li>
  <li><b>Separated</b></li>
  <li><b>Divorced</b></li>
</ol>
</div>
This is a text that only serves to demonstrate the space between the list and the
↪ following lines.
```

| **Output:**

Choose the answer that describes the current marital status of the person. If the person is in a common-law relationship, score the item “**2**” for “Married”. If the person is in a same-sex relationship that is legally recognized as a marriage, score the item “**2**” for “Married”. If the person is in a long-term same-sex relationship that is not legally recognized as a marriage, score the item “**3**” for “Partner/significant other”.

1. **Never married**
2. **Married**
3. **Partner/Significant other**
4. **Widowed**
5. **Separated**
6. **Divorced**

This is a text that only serves to demonstrate the space between the list and the following lines.

3.1.3 Ordered and unordered lists

Lists will result in a different formatting on the browser, as opposed to simply using bullets or numbering paragraphs.

- **Ordered list vs numbered paragraph** If an ordered list is created after a padded paragraph, the list will have an added indentation with respect to the same text that is using only paragraphs with numbers.

| Example code:

```
<b>A8. Reason for Assessment</b>
<br><br>

<b>Intent</b>
<div style="padding-left:3em;">
To document the reason for completing the assessment.
</div>
<br>

<b>Coding</b>
<div style="padding-left:3em;">
Enter the number corresponding to the reason for assessment.
<br>

<b>1. First assessment</b> - An assessment that is done at the time of entry into the
  ↳ home care system, or when initially determining eligibility for home care/home health
  ↳ services.
<br><br>

<b>2. Routine reassessment</b> - A regularly scheduled follow-up assessment to ensure
  ↳ that the care plan is appropriate and current.
<br><br>

</div>
```

| Output:

A8. Reason for Assessment

Intent

To document the reason for completing the assessment.

Coding

Enter the number corresponding to the reason for assessment.

1. First assessment — An assessment that is done at the time of entry into the home care system, or when initially determining eligibility for home care/home health services.
2. Routine reassessment — A regularly scheduled follow-up assessment to ensure that the care plan is appropriate and current.
3. Return assessment — An assessment conducted when the person returns from the hospital or re-enters the home care system after a planned absence.

As seen on the example, the padded text after ‘Coding’ has the same indentation as the numbered paragraphs.

If we were to use an ordered list on the same text, we would get the following:

| **Code:**

```
<b>A8. Reason for Assessment</b>
<br><br>

<b>Intent</b>
<div style="padding-left:3em;">
To document the reason for completing the assessment.
</div>
<br>

<b>Coding</b>
<div style="padding-left:3em;">
Enter the number corresponding to the reason for assessment.
<br><br>

<ol>
  <li><b>First assessment</b> - An assessment that is done at the time of entry into the
    ↳ home care system, or when initially determining eligibility for home care/home
    ↳ health services.</li><br>

  <li><b>Routine reassessment</b> - A regularly scheduled follow-up assessment to ensure
    ↳ that the care plan is appropriate and current.</li><br>

  <li><b>Return assessment</b> - An assessment conducted when the person returns from the
    ↳ hospital or re-enters the home care system after a planned absence.</li><br>
</ol>
</div>
```

| **Output:**

A8. Reason for Assessment

Intent

To document the reason for completing the assessment.

Coding

Enter the number corresponding to the reason for assessment.

First assessment — An assessment that is done at the time of entry into the home care system, or when initially determining eligibility for home care/home health services.

Routine reassessment — A regularly scheduled follow-up assessment to ensure that the care plan is appropriate and current.

Return assessment — An assessment conducted when the person returns from the hospital or re-enters the home care system after a planned absence.

Now the list appears nested under the padded text, with the text displaying three degrees of indentation.

- When to use an ordered list:

As the occurrence of numbered paragraphs is high on the source text, and ordered lists impose a certain formatting, it is recommended to abstain from using an ordered list when the paragraphs on the source text are ordered using numbers. Furthermore, sometimes it is the case that a paragraph has a numbered list, but the options on the list do not follow a consecutive logic (as in the case of 0, 1, 2, 3, and 8). For all these reasons, numbered paragraphs are preferred to ordered lists.

An ordered list could be used when nested inside a section containing only the list itself, without additional padded text, for example here:

| **Code:**

```
<b>Coding</b>
<ol>
  <li><b>First assessment</b> - An assessment that is done at the time of entry into the
    ↪ home care system, or when initially determining eligibility for home care/home
    ↪ health services.</li><br>

  <li><b>Routine reassessment</b> - A regularly scheduled follow-up assessment to ensure
    ↪ that the care plan is appropriate and current.</li><br>

  <li><b>Return assessment</b> - An assessment conducted when the person returns from the
    ↪ hospital or re-enters the home care system after a planned absence.</li><br>
</ol>
</div>
<br>
```

| **Output:**

Coding

First assessment — An assessment that is done at the time of entry into the home care system, or when initially determining eligibility for home care/home health services.

Routine reassessment — A regularly scheduled follow-up assessment to ensure that the care plan is appropriate and current.

Return assessment — An assessment conducted when the person returns from the hospital or re-enters the home care system after a planned absence.

- Use of spaces after items on a list or numbered paragraph

Usually, numbered paragraphs will contain several lines as rendered on the Manual Editor tool or the typical browser window (normally over 1024 pixels). These long numbered paragraphs need to be separated using two spaces `<br><br>` or a single space after the end of list item marker `</li><br>` as seen in the code examples before.

However, short numbered items should use only one space `<br>` and short lists items should not contain any spaces (the end of item marker `</li>` is enough to get the separation needed for the list). Here are some examples of both:

- A short numbered paragraph

| Code:

```
# Here is an example of a short numbered paragraph
<b>A4. Marital Status</b>
<br><br>

<b>Coding</b>
<div style="padding-left:3em;">
Choose the answer that describes the current marital status of the person. If the person
  ↳ is in a common-law relationship, score the item "<b>2</b>" for "Married". If the
  ↳ person is in a same-sex relationship that is legally recognized as a marriage, score
  ↳ the item "<b>2</b>" for "Married". If the person is in a long-term same-sex
  ↳ relationship that is not legally recognized as a marriage, score the item "<b>3</b>"
  ↳ for "Partner/significant other".
<br><br>

<b>1.   Never married</b><br>
<b>2.   Married</b><br>
<b>3.   Partner / Significant other</b><br>
<b>4.   Widowed</b><br>
<b>5.   Separated</b><br>
<b>6.   Divorced</b>
</div>
<br>
```

| Output:

A4. Marital Status

Coding

Choose the answer that describes the current marital status of the person. If the person is in a common-law relationship, score the item “2” for “Married”. If the person is in a same-sex relationship that is legally recognized as a marriage, score the item “2” for “Married”. If the person is in a long-term same-sex relationship that is not legally recognized as a marriage, score the item “3” for “Partner/significant other”.

1. Never married 2. Married 3. Partner/Significant other 4. Widowed 5. Separated 6. Divorced

- The same short paragraph in list form

| Code:

```
<div class="custom-snippet">
<b>A4. Marital Status</b>
<br><br>

<b>Coding</b>
```

```

<div style="padding-left:3em;">
Choose the answer that describes the current marital status of the person. If the person
↪ is in a common-law relationship, score the item "<b>2</b>" for "Married". If the
↪ person is in a same-sex relationship that is legally recognized as a marriage, score
↪ the item "<b>2</b>" for "Married". If the person is in a long-term same-sex
↪ relationship that is not legally recognized as a marriage, score the item "<b>3</b>"
↪ for "Partner/significant other".
<br><br>

<ol>
  <li><b>Never married</b></li>
  <li><b>Married</b></li>
  <li><b>Partner/Significant other</b></li>
  <li><b>Widowed</b></li>
  <li><b>Separated</b></li>
  <li><b>Divorced</b></li>
</ol>
</div>
</div>
<br>

```

| **Output:**

A4. Marital Status

Coding

Choose the answer that describes the current marital status of the person. If the person is in a common-law relationship, score the item “2” for “Married”. If the person is in a same-sex relationship that is legally recognized as a marriage, score the item “2” for “Married”. If the person is in a long-term same-sex relationship that is not legally recognized as a marriage, score the item “3” for “Partner/significant other”.

Never married

Married

Partner/Significant other

Widowed

Separated

Divorced


3.1.4 CAP manual

The CAP manual should be considered separately, as it has some peculiarities that could result in considerable differences between formats:

- The floating window where the ‘Manual’ tab is placed (along with the ‘Results’ and ‘Compare’ tabs) is placed on the center of the browser page and is much wider than the panel on the right, where the manual for the assessment questions is placed on the assessment view. For

the user, this means that the text paragraphs are wider horizontally (as there is more room for displaying longer sentences) but shorter vertically.

- The blocks of text are more visible as separate units, compared to the manual panel, where sometimes a long paragraph can take all the visible space on the page, making it impossible to know where it starts or ends. In the CAP view, as the window is wider, the paragraphs usually have visible boundaries, making it easier to consider each paragraph as a separate unit.
- The importance of these features lies in the fact that when formatting the CAP manual, the paragraphs within the same section should not be separated from each other by a double break mark `<br><br>` as this would make it difficult to see the limits of the sections within the CAP manual; furthermore making the resulting presentation unnecessarily long. A single `<br>` symbol is enough to mark the end of a paragraph and the beginning of the next.
- Note that the main sections of the document (Problem, Triggers and Guidelines) should be rendered with the `<h3></h3>` tag. This makes it easier to spot each section as a separate block.
- The ‘Overall Goals of Care’ should be inside a table along these lines `<div align="center"><table border="1" rules="none"><tbody></tbody></table></div>`



Physical Activities Promotion (PACTIV)

Results Manual Compare

Problem

The Physical Activities Promotion CAP identifies persons who engage in low levels of physical activity — that is, they engage in less than 2 hours of physical activity over a 3- day period (performing instrumental tasks around the home, walking, or carrying out a planned exercise program). At this level of engagement, most persons are at an elevated risk of having a number of health complications and physical decline.

The benefits of a more intensive schedule of physical activity include enhanced cardiovascular endurance, better mood, a lower risk of falling, a slowing of functional decline, and better control of weight. Persons who engage in higher levels of regular physical activity, such as walking, have been shown to have better balance, more mobility, and greater strength in their legs.

Frail persons residing in long-term care facilities may benefit as well from targeted exercise programs, with a resultant slowing in loss of abilities in everyday activities of daily life (for example, dressing and walking). Cognitively impaired persons may also benefit from increased physical activity and, as is true for everyone, they are more likely to participate in activities that they did before or that they currently enjoy. For example, persons who played golf may enjoy putting practice. Studies have shown benefits of walking programs in long-term care facilities, evening walking for wanderers, and multisensory exercise programs.

Achieving a consistent pattern of at least 1 hour of physical activity a day can be a challenge. Thus, for persons triggered by this CAP, one needs to follow a gradual four-step program: (1) educate the person about the benefits of higher levels of physical activity; (2) identify why the person has not been more active; (3) schedule a step-by-step program of physical activity acceptable to the person; and (4) encourage the person to gradually adopt and then continue with the physical activity program over an extended period of time.

Effective physical activity counseling programs assist the person in developing a concrete plan consistent with his or her goals, while providing acceptable strategies to overcome barriers. These barriers might include a lack of interest, the objection of loved ones, an absence of time to engage in the activities, poor weather, fluctuating health status, unexpected health events that involve periods of bed rest or inactivity, or limitations due to a stroke or cognitive impairment that restricts either understanding or the ability to consistently follow through on the agreed plan. But regardless of the barriers, the goal of this CAP is to work with the person to find a suitable physical activity strategy that fits into his or her lifestyle.

Overall Goals of Care	
• Increase hours of exercise and physical activity.	
• Prevent loss of independent function in IADLs, ADLs, and mobility.	
• Develop concrete goals and strategies to address potential barriers.	
• Among the specific strategies to be considered, include the following: involvement in housework and shopping, mobility indoors and outdoors, increasing the distance walked (or wheeled), and increasing the speed of walking.	
• For lower functioning persons, engage the family, staff, or caregivers in counseling activities and strategizing to overcome barriers.	

Figure 2: General CAP view

- There are sections clearly limited which follow a similar structure in most of the CAPs. These sections should have the headings formatted with the `<h3></h3>` tag.

- The headings for each subsection, have the opening title in bold and the paragraph directly underneath. It is not recommended to leave a double space

 right after the title in bold and before the paragraph as this would make visually separating the paragraphs more difficult. However, paragraphs with opening titles in bold (subsection) should be two ‘break’ spaces apart

.

Address Toxic Effects of Excessive Caffeine Intake

High dosages of caffeine can lead to harmful symptoms, as indicated above. Generally, the negative effects of caffeine toxicity subside about 6 hours after intake. If the young person has recently consumed a high dose of caffeine (> 3 mg/kg), consider the following to ensure his or her safety:

- Seek medical attention for the young person immediately if he or she is exhibiting symptoms of caffeine overdose, for example, extreme anxiety, heart palpitations, seizure.
- For less severe symptoms that do not necessitate medical intervention, provide a calm environment and work to make him or her comfortable until the caffeine is eliminated from his or her system naturally.

Manage Withdrawal Symptoms

Withdrawal symptoms typically occur 12 to 24 hours after caffeine consumption and the effects can last between 2 and 9 days with no further caffeine intake. Symptoms of caffeine withdrawal include headaches, fatigue, decreased mood and concentration, and flu-like symptoms (for example, nausea, vomiting, muscle pain, or stiffness). There can be some difficulty in correctly attributing the symptoms to caffeine withdrawal. Strategies to alleviate these symptoms include:

- Keep the young person hydrated with lots of (noncaffeinated) fluids.
- Tend to symptoms directly (for example, for a headache, use a cold compress and a quiet, dimly lit room). Use over-the-counter medications as appropriate (for example, dimenhydrinate for the relief of nausea and vomiting).
- Address fatigue and drowsiness by allowing time for naps or longer sleep periods.
- Allow time for the young person’s body to naturally relieve the caffeine withdrawal symptoms.
- Use physical activity to elevate mood and release daily stress (see Physical Activity CAP).

Figure 3: Subsection in bold

- The ‘Triggers’ section should not be nested, with the ‘TRIGGERED’ and ‘NOT TRIGGERED’ subsection in capitals and bold font.

Physical Activities Promotion CAP Trigger

The goal of this CAP is to increase physical activity levels of functionally capable sedentary adults. In order to be successful and appropriate, a plan to overcome medical barriers and conditions should be designed in collaboration with the person's physician.

TRIGGERED TO FACILITATE IMPROVEMENT

This subgroup is defined by two factors:

- First, the person is engaged in less than 2 hours of physical activity over the last 3 days.
- Second, the person has one or more of the following positive assets:
 - Moves in the residence without help or cueing
 - Goes up and down stairs without help
 - Believes he or she could be more independent
 - Caregiver believes the person could be more independent
 - The person has good prospects of recovery from current diseases or conditions

Given these functional reserves, persons in this subgroup are the most likely to be able to achieve increased hours of physical activity. Yet, only a small fraction of this population has been shown to improve (about 11%) over the following 90-day period, and the principal focus of care is to increase the likelihood of this happening. Note that this group includes about 30% of persons receiving home care, 25% of persons in long-term care facilities, and 15% of older adults living independently in the community.

NOT TRIGGERED

All other persons.

Figure 4: Triggers view

- The 'Additional Resources' title should be in bold and not nested, but the section itself should be nested.
- The 'Authors' section should be centered inside a table (both the title and the authors), with the title of the section in bold, but the authors themselves should not be in bold font.

Additional Resources

Heyn P. 2003. The effect of a multisensory exercise program on engagement, behavior, and selected physiological indexes in persons with dementia. *American Journal of Alzheimer's Disease and Other Dementias* (18,4): 247–51.

Holmberg SK. 1997. A walking program for wanderers: Volunteer training and development of an evening walker's group. *Geriatric Nursing* (18,4): 160–65.

MacRae PG, Asplund LA, Schnelle JF, Ouslander JG, Abrahamse A, Morris C. 1996. A walking program for nursing home residents: Effects on walk endurance, physical activity, mobility, and quality of life. *JAGS* (44,2): 175–80.

Martin JL, Marler MR, Harker JO, Josephson KR, Alessi CA. 2007. A multicomponent nonpharmacological intervention improves activity rhythms among nursing home residents with disrupted sleep/wake patterns. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences* 62: 67–72.

Miriam Hospital Physical Activity Research Center: www.lifespan.org/behavmed/researchphysical.htm

Nelson ME, Rejeski WJ, Blair SN, Dubcan PW, et al. 2007. Physical activity and public health in older adults. Recommendations from the American College of Sports Medicine and the American Heart Association. *Circulation*: 116.

University of Rhode Island Cancer Prevention Research Center: www.uri.edu/research/cprc/translational.htm

Authors
Katherine Berg, PhD, PT
John N. Morris, PhD, MSW

Figure 5: Authors view

- The main title of the CAP manual is always visible at the top of the page, even when scrolling down. For that reason, it is important that the headings or sub-headings do not use the <h2></h2> (or greater) tag, as this makes the title loose prominence:

Home Environment Optimization (ENVIR)



Overall Goals of Care

- Improve the safety of the environment in which the person lives.

Home Environment Optimization CAP Trigger

This CAP triggers for frail adults who live in the community in a home environment with problematic features and who have physical or mental conditions that complicate these problems or allow the problems to put the person at higher risk of adverse outcomes.

Figure 6: Title vs Heading font

3.1.5 Conventions to facilitate reading

This section aims to set a standard to avoid text cluttering or lack of spacing between orthographic symbols which makes the manual harder to read.

- Words joined by the forward slash character /

Note

This happens when the manual makes a reference to terms that have a close relationship and could be easily interchanged. This is usually conveyed by joining the words without spaces with a / character.

|Examples: ‘Continuing care hospital/unit’ ‘Hospice facility/palliative care unit’

Important

It is recommended to leave a space before and after the / character. So the previous examples would look like this:

|Corrected examples: ‘Continuing care hospital / unit’ ‘Hospice facility / palliative care unit’

- Words in bold on the original manual shown in normal font or vice versa

Note

Some words, like the author’s list in the screenshot before, will be copied with normal font even if shown in bold on the original manual. This is also intended for clarity. Likewise, words that are not in bold on the original manual (like ‘Trigger’) get transcribed in bold to set the

limits of a section.

- Lists with short sentences vs lists with long sentences

💡 Tip

When transcribing ordered lists, it is recommended not to use the format unless strictly necessary, as mentioned before. It is also important to separate short sentences with just one
 space, but use two

 spaces for longer sentences. This renders the long blocks of text neatly separated.

|Example of a list with short sentences:

```
<b>Coding</b>
<div style="padding-left:3em;">
<b>0.    Never</b><br>
<b>1.    More than 30 days ago</b><br>
<b>2.    8 to 30 days ago</b><br>
<b>3.    4 to 7 days ago</b><br>
<b>4.    In last 3 days</b><br>
<b>8.    Unable to determine</b>
<br><br>
```

|Output:

Coding

0. Never 1. More than 30 days ago 2. 8 to 30 days ago 3. 4 to 7 days ago 4. In last 3 days 8. Unable to determine

|Example of a list with long sentences:

```
<b>Coding</b>
<div style="padding-left:3em;">
<b>0.    No decline</b> - There was no change or there was an increase in the person's
  ⇨ level of participation in social activities.
<br><br>

<b>1.    Decline, not distressed</b> - The person experienced a decline in his or her
  ⇨ level of participation in social activities without a corresponding increase in his
  ⇨ or her distress.
<br><br>

<b>2.    Decline, distressed</b> - Both decline and distress are observed or reported.
</div>
```

|Output:

Coding

o. No decline — There was no change or there was an increase in the person’s level of participation in social activities.

1. Decline, not distressed — The person experienced a decline in his or her level of participation in social activities without a corresponding increase in his or her distress.

2. Decline, distressed — Both decline and distress are observed or reported.

3.1.6 Availability of the interRAI instruments with CAP output in our main customer base

interRAI Instrument	Finland	Switzerland	Canada
Home Care (HC)	YES	YES	YES
Long-Term Care Facilities (LTCF)	YES	YES	YES
Acute Care (AC-CGA)	NO	YES	YES
Palliative Care (PC)	NO	NO	YES
Mental Health (MH)	YES	YES	YES
Child & Youth Mental Health (ChYMH)	YES	NO	YES
Intellectual Disability (ID)	YES	YES	YES
Emergency Department Screener (ED)	YES	YES	YES
Community Mental Health (CMH)	YES	YES	YES
Children & Youth MH + Developmental Disabilities	YES	NO	YES

3.2 SmartyPants

SmartyPants converts ASCII punctuation characters into “smart” typographic punctuation HTML entities. For example:

	ASCII	HTML
Single backticks	'Isn't this fun?'	‘Isn’t this fun?’
Quotes	"Isn't this fun?"	“Isn’t this fun?”
Dashes	-- is en-dash, --- is em-dash	– is en-dash, — is em-dash

3.3 KaTeX

You can render LaTeX mathematical expressions using [KaTeX](#):


The *Gamma function* satisfying $\Gamma(n) = (n - 1)!$ $\forall n \in \mathbb{N}$ is via the Euler integral

$$\Gamma(z) = \int_0^{\infty} t^{z-1} e^{-t} dt.$$


You can find more information about **LaTeX** mathematical expressions [here](#).

3.4 UML diagrams

You can render UML diagrams using [Mermaid](#). For example, this will produce a sequence diagram:



And this will produce a flow chart:



i Note

Note that there are five types of callouts, including: note, tip, warning, caution, and important.

⚠ Warning

Callouts provide a simple way to attract attention, for example, to this warning.

! Important

Danger, callouts will really improve your writing.

💡 Helpful Tip

This is an example of a callout with a custom title.

This is a default callout with no type specified.

3.5 Expand To Learn About Collapse

🔥 Caution

This is an example of a 'folded' caution callout that can be expanded by the user. You can use `collapse="true"` to collapse it by default or `collapse="false"` to make a collapsible callout that is expanded by default.