Q_No	Quiz_Topic	Question	Option1	Option2	Option3	Option4	Option5
1	Mean Mock	Which of the following tools is used to debug Node is application	JSLint	ESLint	EventEmitter	Node Inspector	NA NA
2	Mean Mock	Given Following Javascript code what will be the output? Var val1=[1,2,3]; var val2=[6,7,8]; var result = val1.concal(val2); document.writeIn(result)	1, 2, 3	1, 2, 3, 6, 7, 8	Error	6, 7, 8	NA
3	Mean Mock	Which jQuery function is used to prevent code from running, before the document is	\$(document.load()	\$document.ready()	\$body.onload()	\$body.ready()	NA
4	Mean Mock	fully loaded? What are the methods used to provide effects in jQuery?	Show()	Hide()	toggle	All of the above	NA
5	Mean Mock	is the command line tool that installs updates or uninstall Node packages ?	package-manager	npm	repl	package-installer	NA
6	Mean Mock	What is the default ECMAScript target version given by -t parameter of tsc	ES3	ES6	ES2015	ES2016	NA.
		compiler? Where can you place styles that are only used	in the global	in the			110
7	Mean Mock	by a single component in angular application? In Angular which decorator is used to create	style.css	app.component.css	in the module	in the html file	NA
8	Mean Mock	your own custom-defined pipe? where can you put Javascript code inside in	a) @Pipe In <head> section</head>	b) @Piped In <body> section</body>	c) PipeModule	d) @PipeDeco None, it can exist	NA NA
10	Mean Mock	HTML Page The process by which the browser decides	only  Event Triggering	only  Event Listening	Event Handling	in external file  Event Propogation	NA NA
	Wican Wock	which object to trigger event handlers is	Event magering	Ideal for synchronous	Event Hundaring	Application can be	110
11	Mean Mock	Which of the following statements is false about Node.js	IO operations are non blocking	and CPU intensive tasks	Supports caching of modules	scaled horizontally and vertically	NA
12	Mean Mock	Given HTML code: select names" myselect" ide" myselect" coption values" h"-internet/option>coption values s"-javascript/option>coption values s"s"-bxcript/option>coption values s"s"-bxcript/option>coption values s"s"-bxcript/option>coption values s"s"-bxcript/option>coption the following correct code for retrieving dropdown list using javascript	var x = document.getEleme ntsByTagName("sel ect")	var x = document.getElemen tsByID("myselect")	Both a and b	None	NA
13	Mean Mock	How many \$RootScope an angular JS application can have?	Zero	One	Two	Infinity	NA
14	Mean Mock	Lets say below code is run on node. Which of the following is a valid URL for user to get response as "Hello John"? Var express = require("express"); var app = express(); app.get(','name',(req.res)=>res.send("Hello" +req.params.name)); app.listen(4000);	localhost/john	localhost:4000/john	localhost?name=joh n	localhost:4000?na me=john	NA
15	Mean Mock	What will be output of the following Javascript code; var num = parseInt("123abc");	123	123abc	Exception	NaN	NA
16	Mean Mock	Node.js is alanguage	Server Side	Client side	Intermediate	Network side	NA
17	Mean Mock	In Angular which decorator is used to configure your module class?  Which of the following can be used to	a) @NgModule	b) @NgConfigure	c) NgApp	d) @NgAngular	NA
18	Mean Mock	convert javascript object to string  As the webapp architecture is concerned	JSON.Parse()	JSON.Stringify()	JSON.Null()	JSON.Objectify()	NA
19	Mean Mock	which type of testing is used as a integration testing?	Component	Content	Navigation	Both a and c	NA
20	Mean Mock	In Node.js class is used to consume custom events	Event Emitter	Events	NodeEvent	CustomEventHandl er	NA
21	Mean Mock	What will following code return? Function constfuncs(){ var funcs = []; for(var I = 0; I < 10; i++) funcs[i] = funct(){returni;}; return funcs;} var funcs= consfuncs();	return an Array	9	0	None of the above	NA
22	Mean Mock	How many callback functions can be attached to handle a request in Express	Exactly one	Two	Three	Unlimited	NA
23	Mean Mock	Predict the output of following javascript code <script> let js = 'JS Programmer'; console.log(typeof js); js = 1; console.log(typeof js); </script>	string number	string string	null null	string integer	NA
24	Mean Mock	Which of the following is utility function in Jauery	Jquery.each()	Jquery.parseJSON()	Jquery.noConfict()	Jquery.conflict()	NA
25	MEAN Mock	what will be output of the following code in angular html page ; <div>  Result:{{2 + 2}}</div>	Result:{{2+2}}	Result:4	Result:{2+2}	None of the above	NA
26	MEAN Mock	Where you can define child route in angular application	in the routes array	in the component	in the html element	in the URL	NA
27	MEAN Mock	In Javascript how you will find that which character appear in the fifth position in the	substring	charPos()	indexOf()	charAt()	NA
28	MEAN Mock	string  What are the core features of Express framework	Allows to set up middlewares to respond to http requests	Defining a routing table which can work as per HTTP Method	Dynamically render html pages	All of the above	NA
29	MEAN Mock	What will be output of following javascript code? Function totalelements[){ var allgenders-vdocument.getElementsByName(" gender"); aller('total Genders' + allgenders.length); }-dorm>-(input Iyees"radio" name a"gender" values"male">-sinput types"radio" name a"gender" values"female">-sinput types"radio" name a"gender" values"female">-sinput types"valio" noticles "totalelements" values" total genders">-x/form>-y/f	requests	and URL  Error	2	1	NA
30	MEAN Mock	Inside which html element we put Javascript code	<script></td><td><js></td><td><scripting></td><td>None of the above</td><td>NA</td></tr><tr><td>31</td><td>MEAN Mock</td><td>SetTimeOut belongs to which Javascript object What is the correct syntax for angular is</td><td>Window</td><td>Navigator</td><td>History</td><td>Element</td><td>NA</td></tr><tr><td>32</td><td>MEAN Mock</td><td>What is the correct syntax for angular js expression  Which is correct syntax for displaying</td><td>[expr] alertbox("Javascript</td><td>{[expr}] alert("Javascript</td><td>{{expr}} msgbox("Javascript</td><td>[{expr}] messagebox("Javas</td><td>NA</td></tr><tr><td>33</td><td>MEAN Mock</td><td>"Javascript Pragrammer" in alert box?  SetTimeOut method is used to</td><td>Programmer")  make a event sleep</td><td>Programmer")  register a function which will be invoked</td><td>Programmer") invoke event after</td><td>cript Programmer")  None of the above</td><td>NA NA</td></tr><tr><td></td><td></td><td>SetTimeOut method is used to  Which of the following is used to select all p</td><td></td><td>after certain time</td><td>certain time</td><td></td><td></td></tr><tr><td>35</td><td>MEAN Mock</td><td>elements with class red</td><td>\$p#red</td><td>\$p.red</td><td>\$p.\$red</td><td>None of the above</td><td>NA</td></tr><tr><td>36</td><td>MEAN Mock</td><td>Assume html element as <div id ="MYID"> how can you select this element using Jquery Which of the method in Jquery is used to hide</td><td>\$("#MYID")</td><td>\$(".MYID")</td><td>\$("MYID")</td><td>None of the above</td><td>NA</td></tr><tr><td>37</td><td>MEAN Mock</td><td>selected element</td><td>hide()</td><td>hidden() on property is used to</td><td>Invisible() on property is used</td><td>fade()</td><td>NA</td></tr><tr><td>38</td><td>MEAN Mock</td><td>Which of the following is true about EventEmitter on property?</td><td>on property is used to fire an event</td><td>bind a function with the event</td><td>to locate an event handler</td><td>None of the above</td><td>NA</td></tr><tr><td>39</td><td>MEAN Mock</td><td>Which of the following can send a rendered view template in Express JS?</td><td>app.render(view,[lo cals], callback);</td><td>res,render(view,[local s],callback);</td><td>Both a and b</td><td>None of the above</td><td>NA</td></tr></tbody></table></script>				

40	MEAN Mock Which of following is an unit testing framework for Angular Application	jasmine	karma	protractor	None of the above	NA	
----	--	---------	-------	------------	-------------------	----	--