

An unhandled exception occurred while processing the request.

Win32Exception: O sistema não pode encontrar o arquivo especificado.

Unknown location

SqlException: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: SQL Network Interfaces, error: 52 - Unable to locate a Local Database Runtime installation. Verify that SQL Server Express is properly installed and that the Local Database Runtime feature is enabled.)

```
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, object providerInfo, string newPassword, SecureString newSecurePassword, bool redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, bool applyTransientFaultHandling, string accessToken)
```

[Stack](#) [Query](#) [Cookies](#) [Headers](#) [Routing](#)

Win32Exception: O sistema não pode encontrar o arquivo especificado.

[Show raw exception details](#)

SqlException: A network-related or instance-specific error occurred while establishing a connection to SQL Server. The server was not found or was not accessible. Verify that the instance name is correct and that SQL Server is configured to allow remote connections. (provider: SQL Network Interfaces, error: 52 - Unable to locate a Local Database Runtime installation. Verify that SQL Server Express is properly installed and that the Local Database Runtime feature is enabled.)

```
System.Data.SqlClient.SqlInternalConnectionTds..ctor(DbConnectionPoolIdentity identity, SqlConnectionString connectionOptions, SqlCredential credential, object providerInfo, string newPassword, SecureString newSecurePassword, bool redirectedUserInstance, SqlConnectionString userConnectionOptions, SessionData reconnectSessionData, bool applyTransientFaultHandling, string accessToken)
```

```
System.Data.SqlClient.SqlConnectionFactory.CreateConnection(DbConnectionOptions options, DbConnectionPoolKey poolKey, object poolGroupProviderInfo, DbConnectionPool pool, DbConnection owningConnection, DbConnectionOptions userOptions)
```

```
System.Data.ProviderBase.DbConnectionFactory.CreatePooledConnection(DbConnectionPool pool, DbConnection owningObject, DbConnectionOptions options, DbConnectionPoolKey poolKey, DbConnectionOptions userOptions)
```

```
System.Data.ProviderBase.DbConnectionPool.CreateObject(DbConnection owningObject,
DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
System.Data.ProviderBase.DbConnectionPool.UserCreateRequest(DbConnection owningObject,
DbConnectionOptions userOptions, DbConnectionInternal oldConnection)
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject, uint
waitForMultipleObjectsTimeout, bool allowCreate, bool onlyOneCheckConnection,
DbConnectionOptions userOptions, out DbConnectionInternal connection)
System.Data.ProviderBase.DbConnectionPool.TryGetConnection(DbConnection owningObject,
TaskCompletionSource<DbConnectionInternal> retry, DbConnectionOptions userOptions, out
DbConnectionInternal connection)
System.Data.ProviderBase.DbConnectionFactory.TryGetConnection(DbConnection
owningConnection, TaskCompletionSource<DbConnectionInternal> retry, DbConnectionOptions
userOptions, DbConnectionInternal oldConnection, out DbConnectionInternal connection)
System.Data.ProviderBase.DbConnectionInternal.TryOpenConnectionInternal(DbConnection
outerConnection, DbConnectionFactory connectionFactory,
TaskCompletionSource<DbConnectionInternal> retry, DbConnectionOptions userOptions)
System.Data.SqlClient.SqlConnection.TryOpen(TaskCompletionSource<DbConnectionInternal>
retry)
System.Data.SqlClient.SqlConnection.Open()
System.Data.Entity.Infrastructure.Interception.InternalDispatcher<TInterceptor>.Dispatch<TTarget,
TInterceptionContext>(TTarget target, Action<TTarget, TInterceptionContext> operation,
TInterceptionContext interceptionContext, Action<TInterceptor, TTarget, TInterceptionContext>
executing, Action<TInterceptor, TTarget, TInterceptionContext> executed)
System.Data.Entity.Infrastructure.Interception.DbConnectionDispatcher.Open(DbConnection
connection, DbInterceptionContext interceptionContext)
System.Data.Entity.SqlServer.SqlProviderServices+<>c__DisplayClass60_0.<UsingConnection>b__0()
System.Data.Entity.SqlServer.DefaultSqlExecutionStrategy+<>c__DisplayClass2_0.<Execute>b__0()
System.Data.Entity.SqlServer.DefaultSqlExecutionStrategy.Execute<TResult>(Func<TResult>
operation)
System.Data.Entity.SqlServer.DefaultSqlExecutionStrategy.Execute(Action operation)
System.Data.Entity.SqlServer.SqlProviderServices.UsingMasterConnection(DbConnection
sqlConnection, Action<DbConnection> act)
System.Data.Entity.SqlServer.SqlProviderServices.CreateDatabaseFromScript(Nullable<int>
commandTimeout, DbConnection sqlConnection, string createDatabaseScript)
System.Data.Entity.SqlServer.SqlProviderServices.DbCreateDatabase(DbConnection connection,
Nullable<int> commandTimeout, StoreItemCollection storeItemCollection)
System.Data.Entity.Migrations.Utilities.DatabaseCreator.Create(DbConnection connection)
System.Data.Entity.Migrations.DbMigrator.EnsureDatabaseExists(Action
mustSucceedToKeepDatabase)
System.Data.Entity.Internal.DatabaseCreator.CreateDatabase(InternalContext internalContext,
Func<DbMigrationsConfiguration, DbContext, MigratorBase> createMigrator, ObjectContext
objectContext)
System.Data.Entity.Database.Create(DatabaseExistenceState existenceState)
System.Data.Entity.CreateDatabaseIfNotExists<TContext>.InitializeDatabase(TContext context)
System.Data.Entity.Internal.InternalContext.PerformInitializationAction(Action action)
System.Data.Entity.Internal.InternalContext.PerformDatabaseInitialization()
System.Data.Entity.Internal.RetryAction<TInput>.PerformAction(TInput input)
```

```

System.Data.Entity.Internal.LazyInternalContext.InitializeDatabaseAction(Action<InternalContext>
action)
System.Data.Entity.Internal.InternalContext.GetEntitySetAndBaseTypeForType(Type entityType)
System.Data.Entity.Internal.Linq.InternalSet<TEntity>.Initialize()
System.Data.Entity.Internal.Linq.InternalSet<TEntity>.GetEnumerator()
AspNetCoreGeneratedDocument.Views_Habito_Index.ExecuteAsync() in Index.cshtml
+   | 37. @foreach (var item in Model) {
Microsoft.AspNetCore.Mvc.Razor.RazorView.RenderPageCoreAsync(IRazorPage page, ViewContext
context)
Microsoft.AspNetCore.Mvc.Razor.RazorView.RenderPageAsync(IRazorPage page, ViewContext
context, bool invokeViewStarts)
Microsoft.AspNetCore.Mvc.Razor.RazorView.RenderAsync(ViewContext context)
Microsoft.AspNetCore.Mvc.ViewFeatures.ViewExecutor.ExecuteAsync(ViewContext viewContext,
string contentType, Nullable<int> statusCode)
Microsoft.AspNetCore.Mvc.ViewFeatures.ViewExecutor.ExecuteAsync(ViewContext viewContext,
string contentType, Nullable<int> statusCode)
Microsoft.AspNetCore.Mvc.ViewFeatures.ViewExecutor.ExecuteAsync(ActionContext actionContext,
IView view, ViewDataDictionary viewData, ITempDataDictionary tempData, string contentType,
Nullable<int> statusCode)
Microsoft.AspNetCore.Mvc.ViewFeatures.ViewResultExecutor.ExecuteAsync(ActionContext context,
ViewResult result)
Microsoft.AspNetCore.Mvc.ViewResult.ExecuteResultAsync(ActionContext context)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.
<InvokeNextResultFilterAsync>g__Awaited|30_0<TFilter, TFilterAsync>(ResourceInvoker invoker,
Task lastTask, State next, Scope scope, object state, bool isCompleted)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResultExecutedContextSealed
context)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.ResultNext<TFilter, TFilterAsync>(ref
State next, ref Scope scope, ref object state, ref bool isCompleted)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.InvokeResultFilters()
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.
<InvokeNextResourceFilter>g__Awaited|25_0(ResourceInvoker invoker, Task lastTask, State next,
Scope scope, object state, bool isCompleted)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed
context)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(ref State next, ref Scope scope, ref
object state, ref bool isCompleted)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.InvokeFilterPipelineAsync()
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.
<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.
<InvokeAsync>g__Awaited|17_0(ResourceInvoker invoker, Task task, IDisposable scope)
Microsoft.AspNetCore.Routing.EndpointMiddleware.<Invoke>g__AwaitRequestTask|6_0(Endpoint
endpoint, Task requestTask, ILogger logger)
Microsoft.AspNetCore.Authorization.AuthorizationMiddleware.Invoke(HttpContext context)
Microsoft.AspNetCore.Diagnostics.DeveloperExceptionPageMiddleware.Invoke(HttpContext
context)

```

Show raw exception details
