### 1. Create a new file named lab5.txt using the vi/vim editor and enter at least five lines of text.

**Output:**

```
File saved: "lab5.txt"
```

### 2. Open an existing file named lab5.txt using vi/vim and display its contents.

**Output:**

```
Welcome to Kali Linux
Linux is an operating system.
I am learning vi and vim editor.
This is my lab sheet 5.
Text editing is easy.
```

### 3. Demonstrate switching between Normal mode, Insert mode and Command-Line mode in vi/vim.

**Output:**

```
Normal mode: cursor movement and editing commands are accepted.
Insert mode: -- INSERT -- appears; text can be typed.
Command-Line mode: : appears at the bottom for commands such as :w, :q and :wq.
```

### 4. Insert new text before and after the current cursor position and verify the changes.

**Output:**

```
The inserted text appears before and after the character at the cursor position.
Example: LinuxBEFOREAFTER is an operating system.
```

### 5. Add a new line below the current line and another new line above the current line using vi/vim commands.

**Output:**

```
New line above
Welcome to Kali Linux
New line below
```

### 6. Save the current file without exiting vi/vim.

**Output:**

```
"lab5.txt" [written]
```

### 7. Save the current file and exit vi/vim using the appropriate command.

**Output:**

```
"lab5.txt" [written]
Returned to the terminal prompt.
```

### 8. Exit vi/vim without saving the changes made to a file.

**Output:**

```
Changes discarded.
Returned to the terminal prompt.
```

### 9. Move the cursor to the beginning and end of a line using vi/vim commands.

**Output:**

```
0  -> cursor moves to the first character of the line.
$  -> cursor moves to the last character of the line.
```

### 10. Move the cursor to the beginning and end of the file using vi/vim commands.

**Output:**

```
gg -> cursor moves to line 1.
G  -> cursor moves to the last line.
```

### 11. Delete a character, a word and a complete line using appropriate vi/vim commands.

**Output:**

```
The character under the cursor, the word, or the current line is deleted according to the command used.
```

### 12. Copy the current line and paste it below the current line.

**Output:**

```
The current line is copied and a duplicate appears immediately below it.
```

### 13. Copy multiple lines and paste them at another location in the file.

**Output:**

```
Three lines are copied and pasted below the destination line.
```

### 14. Search forward for a specified word in the file and move between matching occurrences.

**Output:**

```
/Linux -> highlights the next forward match.
n     -> moves to the next matching occurrence.
N     -> moves to the previous matching occurrence.
```

### 15. Search backward for a specified word in the file and move between matching occurrences.

**Output:**

```
?Linux -> searches backward for Linux.
n      -> moves to the next match in the backward search direction.
N      -> moves in the opposite direction.
```

### 16. Replace the first occurrence of a specified word on the current line using vi/vim.

**Output:**

```
The first occurrence of Linux on the current line is replaced with Kali.
```

### 17. Replace all occurrences of a specified word throughout the file using a suitable substitution command.

**Output:**

```
All occurrences of Linux in the file are replaced with Kali.
```

### 18. Undo the last change and then redo the change using vi/vim commands.

**Output:**

```
u      -> last change is undone.
Ctrl+r -> the undone change is restored.
```

### 19. Use line numbers to display the current line number and jump directly to a specified line.

**Output:**

```
Line numbers are displayed on the left.
Ctrl+g displays the current file and cursor position.
:3 moves the cursor to line 3.
```

### 20. Create, edit, search, replace, copy, paste, save and exit a text file using vi/vim as a complete workflow.

**Output:**

```
The file is created and edited successfully.
Search and replace are performed, a line is copied and pasted, and the file is saved.
Returned to the terminal prompt.
```