


Plagiarism Detection Report by SmallSEOTOOLS



● Plagiarism	0%	● Partial Match	0%
● Exact Match	0%	● Unique	100%

Scan details

Total Words	Total Characters	Plagiarized Sentences	Unique Sentences
637	5881	0	13 (100%)

#1 100% Unique

Aim

To develop an interactive calculator using HTML, CSS and JavaScript events and DOM manipulation.

Problem Definition

Build an interactive calculator that responds to button clicks and keyboard input and dynamically updates the result using JavaScript event handling. The calculator should accept numbers from buttons, perform addition, subtraction, multiplication and division, update the display dynamically, and provide a Clear (C) function. It should also support keyboard input for numbers and important operations.

Theory

(100 words)

An event is an action that happens on a webpage, such as a mouse click or keyboard key press. JavaScript event handling allows a webpage to respond to these actions. The `addEventListener()` method is used to listen for events such as click and keydown. In this practical, events are used to operate calculator buttons and keyboard input. JavaScript functions are used to perform calculations and update the DOM dynamically. The `Number()` function converts text values into numbers, while `if` and `else if` statements select the required arithmetic operation.

(100 Words)

Step for Implementation:

Create a project folder named Calculator.

Create index.html, style.css, and script.js.

Create the calculator display using an input element.

Create buttons for numbers and operators.

Give unique IDs to the buttons.

Use getElementById() to access HTML elements.

Use addEventListener() for button click events.

Create a function to add numbers to the display.

Store the first number and selected operator.

Create a function to perform calculations.

Use if and else if for +, -, *, and /.

Display the calculated result.

Create a Clear function.

Add keyboard event handling using keydown.

Test the calculator using both buttons and keyboard input.

Code:

My Calculator

My Calculator

7

8

9

/

4

5

6

*

1

2

3

-

C

0

=

+

```
body {
```

```
text-align: center;
```

```
font-family: Arial, sans-serif;
```

```
}
```

```
#display {

width: 250px;

height: 40px;

font-size: 20px;

margin-bottom: 10px;

}

button {

width: 55px;

height: 45px;

margin: 3px;

font-size: 18px;

}

let display = document.getElementById("display");

let firstNumber = "";

let operator = "";

function addNumber(number) {

display.value += number;

}
```

```
function setOperator(op) {  
  
firstNumber = display.value;  
  
operator = op;  
  
display.value = "";  
  
}
```

```
function calculate() {  
  
let secondNumber = display.value;  
  
let result;
```

```
if (operator == "+") {  
  
result = Number(firstNumber) + Number(secondNumber);  
  
}
```

```
else if (operator == "-") {  
  
result = Number(firstNumber) - Number(secondNumber);  
  
}
```

```
else if (operator == "**") {  
  
result = Number(firstNumber) * Number(secondNumber);  
  
}
```

```
else if (operator == "/") {  
  
result = Number(firstNumber) / Number(secondNumber);  
  
}
```

```
display.value = result;
```

```
}
```

```
function clearDisplay() {
```

```
display.value = "";
```

```
firstNumber = "";
```

```
operator = "";
```

```
}
```

```
document.getElementById("seven").addEventListener("click", function() {
```

```
addNumber(7);
```

```
});
```

```
document.getElementById("eight").addEventListener("click", function() {
```

```
addNumber(8);
```

```
});
```

```
document.getElementById("nine").addEventListener("click", function() {
```

```
addNumber(9);
```

```
});
```

```
document.getElementById("four").addEventListener("click", function() {  
  
addNumber(4);  
  
});
```

```
document.getElementById("five").addEventListener("click", function() {  
  
addNumber(5);  
  
});
```

```
document.getElementById("six").addEventListener("click", function() {  
  
addNumber(6);  
  
});
```

```
document.getElementById("one").addEventListener("click", function() {  
  
addNumber(1);  
  
});
```

```
document.getElementById("two").addEventListener("click", function() {  
  
addNumber(2);  
  
});
```

```
document.getElementById("three").addEventListener("click", function() {  
  
    addNumber(3);  
  
});
```

```
document.getElementById("zero").addEventListener("click", function() {  
  
    addNumber(0);  
  
});
```

```
document.getElementById("add").addEventListener("click", function() {  
  
    setOperator("+");  
  
});
```

```
document.getElementById("subtract").addEventListener("click", function() {  
  
    setOperator("-");  
  
});
```

```
document.getElementById("multiply").addEventListener("click", function() {  
  
    setOperator("*");  
  
});
```

```
if (event.key >= "0" && event.key
```