05/09/2023

Azure Storage Types
Access and Authentication
Azure Active Directory (Azure AD) Integration, Shared Access Signatures (SAS)
Role-Based Access Control (RBAC), Access Control Lists (ACLs)
Virtual Network Service Endpoints, Private Endpoints (Preview)

Azure Data Factory

ETL v/s ELT
Datasets, Integration Runtime
Parameters, System Variables
Data Flows, Linked Services
Triggers, Activities, Debugging and Monitoring
Pipeline, Pipeline Chaining


Azure Active Directory Integration for authorizing access to blob, queue and table resources. Microsoft recommends using Azure AD credentials to authorize requests to data when possible for optimal security and ease of use.

We can use Azure role-based access control to manage a security principal permission to blob, queue and table resources in the storage account.

Access Keys and SAS (pdf)

ETL - Extract, Transforms, & Load ELT - Extract, Load, & Transform

Azure Data Factory



Create Data Factory

Basics Git configuration Networking Advanced Tags Review + create

View automation template

TERMS

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; and (b) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See the Azure Marketplace Terms for additional details.

Basics

Subscription npunext-1680261963256


Resource group azurerg

Name juhi-datafactory

Region East US Version V2

Previous Next Create

Create a storage account




Create a storage account


Create


Review **Basics** Advanced Networking Data protection Encryption Tags **Basics** Subscription npunext-1680261963256 Resource Group azurerg Location eastus Storage account name juhistorage7 Deployment model Resource manager Performance Standard Replication Read-access geo-redundant storage (RA-GRS) **Advanced** Enable hierarchical namespace Disabled Enable network file system v3 Disabled Allow cross-tenant replication Disabled


Download a template for automation


< Previous





























Puzzle answer:

- 1. Data Integration
- 2. Complex
- 3. Pipeline
- 4. Dataset
- 5. Trigger
- 6. Parameters
- 7. System variables
- 8. ETL and ELT
- 9. Pipeline
- 10. Pipelines