

DevOps- Useful Commands

AWS CLI Commands



1. **aws configure** – Configure AWS CLI credentials
2. **aws s3 ls** – List S3 buckets
3. **aws s3 cp file.txt s3://mybucket/** – Copy file to S3
4. **aws s3 sync . s3://mybucket/** – Sync local files to S3
5. **aws s3 rm s3://mybucket/file.txt** – Delete file from S3
6. **aws ec2 describe-instances** – List EC2 instances
7. **aws ec2 start-instances --instance-ids i-1234567890** – Start EC2 instance
8. **aws ec2 stop-instances --instance-ids i-1234567890** – Stop EC2 instance
9. **aws ec2 terminate-instances --instance-ids i-1234567890** – Terminate EC2 instance
10. **aws ec2 create-key-pair --key-name MyKeyPair** – Create a new key pair
11. **aws ec2 describe-volumes** – List EBS volumes
12. **aws ec2 create-volume --size 10 --region us-east-1** – Create an EBS volume
13. **aws ec2 attach-volume --volume-id vol-12345 --instance-id i-12345 --device /dev/sdf** – Attach volume
14. **aws ec2 describe-security-groups** – List security groups

15. **aws lambda list-functions** – List Lambda functions
16. **aws lambda invoke --function-name my_lambda output.json** – Invoke a Lambda function
17. **aws eks update-kubeconfig --name cluster_name** – Configure kubectl for EKS
18. **aws rds describe-db-instances** – List RDS instances
19. **aws rds stop-db-instance --db-instance-identifier mydb** – Stop RDS instance
20. **aws rds start-db-instance --db-instance-identifier mydb** – Start RDS instance
21. **aws ec2 create-snapshot --volume-id vol-12345** – Create EBS snapshot
22. **aws ec2 describe-snapshots** – List EBS snapshots
23. **aws cloudwatch describe-alarms** – List CloudWatch alarms
24. **aws ssm send-command --document-name AWS-RunShellScript --targets "Key=instanceIds,Values=i-12345" --parameters commands="df -h"** – Run command on EC2
25. **aws iam list-users** – List IAM users
26. **aws iam list-roles** – List IAM roles
27. **aws route53 list-hosted-zones** – List Route 53 hosted zones
28. **aws route53 create-hosted-zone --name example.com** – Create a Route 53 hosted zone
29. **aws cloudformation list-stacks** – List CloudFormation stacks
30. **aws cloudformation create-stack --stack-name my-stack --template-body file://template.json** – Create a stack
31. **aws cloudformation delete-stack --stack-name my-stack** – Delete a stack
32. **aws ecr get-login-password --region us-east-1 | docker login --username AWS --password-stdin account_id.dkr.ecr.us-east-1.amazonaws.com** – Login to ECR
33. **aws ecr create-repository --repository-name myrepo** – Create an ECR repository

- 34. aws ecr list-repositories** – List ECR repositories
- 35. aws dynamodb list-tables** – List DynamoDB tables
- 36. aws dynamodb describe-table --table-name mytable** – Describe a DynamoDB table
- 37. aws dynamodb put-item --table-name mytable --item '{"id": {"S": "123"}, "name": {"S": "Test"}}'** – Insert item into DynamoDB
- 38. aws sns list-topics** – List SNS topics
- 39. aws sns publish --topic-arn arn:aws:sns:us-east-1:12456789012:MyTopic - -message "Hello"** – Send SNS message
- 40. aws sqs list-queues** – List SQS queues
- 41. aws sqs send-message --queue-url https://sqs.us-east-1.amazonaws.com/12456789012/My Queue --message-body "Test message"** – Send message to SQS
- 42. aws sqs receive-message --queue-url https://sqs.us-east-1.amazonaws.com/12456789012/My Queue** – Receive SQS message
- 43. aws kms list-keys** – List KMS keys
- 44. aws kms encrypt --key-id key-id --plaintext "Hello"** – Encrypt text using KMS
- 45. aws kms decrypt --ciphertext-blob fileb://encrypted.txt** – Decrypt KMS ciphertext
- 46. aws ec2 describe-key-pairs** – List EC2 key pairs
- 47. aws ec2 delete-key-pair --key-name MyKeyPair** – Delete a key pair
- 48. aws s3 mb s3://my-new-bucket** – Create a new S3 bucket
- 49. aws s3 rb s3://my-new-bucket --force** – Delete an S3 bucket
- 50. aws cloudfront list-distributions** – List CloudFront distributions