

Ansible Commands with Example Usage

1. `ansible --version`

Shows installed Ansible version.

Example: `ansible --version`

2. `ansible all -m ping`

Check connectivity to all hosts in inventory.

Example: `ansible all -m ping`

3. `ansible-playbook play.yml`

Run a playbook.

Example: `ansible-playbook site.yml`

4. `ansible-inventory --list`

Display inventory details.

Example: `ansible-inventory --list -y`

5. `ansible-vault create secrets.yml`

Create encrypted file.

Example: `ansible-vault create pass.yml`

6. `ansible-vault edit secrets.yml`

Edit encrypted file.

Example: `ansible-vault edit pass.yml`

7. `ansible-vault encrypt file.yml`

Encrypt an existing file.

Example: `ansible-vault encrypt vars.yml`

8. `ansible-vault decrypt file.yml`

Decrypt a file.

Example: `ansible-vault decrypt vars.yml`

9. `ansible-playbook play.yml --check`

Run a playbook in dry-run mode.

Example: `ansible-playbook deploy.yml --check`

10. `ansible all -a "uname -a"`

Run ad-hoc shell command.

Example: `ansible web -a "df -h"`

11. `ansible all -m copy -a "src=/tmp/a dest=/tmp/b"`

Copy file to remote host.

Example: `ansible db -m copy -a "src=conf.ini dest=/etc/conf.ini"`

12. `ansible all -m service -a "name=httpd state=started"`

Manage services.

Example: `ansible web -m service -a "name=nginx state=restarted"`

13. `ansible-galaxy install geerlingguy.mysql`

Install a role from Galaxy.

Example: `ansible-galaxy install community.general`

14. `ansible-galaxy init myrole`

Create a new role structure.

Example: `ansible-galaxy init apache`

15. `ansible-config view`

View Ansible configuration.

Example: `ansible-config dump`

16. `ansible-doc -l`

List all installed modules.

Example: `ansible-doc -l`

17. `ansible-doc copy`

Display module documentation.

Example: `ansible-doc yum`

18. `ansible-playbook play.yml --tags "install"`

Run selectively based on tags.

Example: `ansible-playbook setup.yml --tags "config"`

19. `ansible-playbook play.yml --limit web`

Run playbook for specific hosts.

Example: `ansible-playbook deploy.yml --limit db`

20. `ansible-playbook play.yml -e "var=value"`

Pass extra variables.

Example: `ansible-playbook app.yml -e "env=prod"`