

Jenkins Declarative Pipeline – Complete Hands-On Guide (With Cleanup Steps)

This document contains end-to-end Jenkins Declarative Pipeline hands-on practice. It includes Jenkins installation, tool setup, CI/CD pipelines, deployment, AND proper cleanup steps like stopping containers, removing images, and shutting down Jenkins.

12. Post-Practice Cleanup Steps (VERY IMPORTANT)

After completing Jenkins hands-on practice, always clean your environment to avoid resource wastage and billing issues.

STEP 1: Stop Running Docker Containers

```
docker ps
docker stop demo
docker stop
```

STEP 2: Remove Docker Containers

```
docker rm demo
docker rm
```

STEP 3: Remove Docker Images

```
docker images
docker rmi YOUR_DOCKERHUB_USER/demo-app
docker rmi
```

STEP 4: Remove Unused Docker Resources

```
docker system prune -a
(Press y when prompted)
```

STEP 5: Logout from Docker Hub

```
docker logout
```

STEP 6: Stop Jenkins Service

```
sudo systemctl stop jenkins
```

STEP 7: Disable Jenkins (Optional)

```
sudo systemctl disable jenkins
```

STEP 8: Remove Jenkins (Optional – Only if no longer needed)

```
sudo apt remove jenkins -y
sudo apt autoremove -y
```

STEP 9: Delete EC2 Instance (If using AWS)

Go to AWS Console → EC2 → Instances → Terminate instance

This ensures no unnecessary cost or security risk.

13. Best Practices Summary

- Never store secrets in Jenkinsfile
- Always use Jenkins Credentials Store
- Use Declarative pipelines for readability
- Clean up Docker containers after deployments
- Delete EC2 instances after practice
- Follow least-privilege access

Congratulations! ■

You have completed Jenkins Declarative Pipeline Hands-On practice successfully.