

THE DEVOPS POWER GUIDE



Every command you need at your fingertips



Shruthi Chikkela
Learnwithshruthi

Basic Linux Commands -

Linux is the foundation of DevOps operations - it's like a Swiss Army knife for servers. These commands help you navigate systems, manage files, configure permissions, and automate tasks in terminal environments.

1. **pwd** - Print the current working directory.
 2. **ls** - List files and directories.
 3. **cd** - Change directory.
 4. **touch** - Create an empty file.
 5. **mkdir** - Create a new directory.
 6. **rm** - Remove files or directories.
 7. **rmdir** - Remove empty directories.
 8. **cp** - Copy files or directories.
 9. **mv** - Move or rename files and directories.
 10. **cat** - Display the content of a file.
 11. **echo** - Display a line of text.
 12. **clear** - Clear the terminal screen.
-

Intermediate Linux Commands

13. **chmod** - Change file permissions.
14. **chown** - Change file ownership.
15. **find** - Search for files and directories.
16. **grep** - Search for text in a file.
17. **wc** - Count lines, words, and characters in a file.
18. **head** - Display the first few lines of a file.
19. **tail** - Display the last few lines of a file.
20. **sort** - Sort the contents of a file.
21. **uniq** - Remove duplicate lines from a file.
22. **diff** - Compare two files line by line.
23. **tar** - Archive files into a tarball.
24. **zip/unzip** - Compress and extract ZIP files.
25. **df** - Display disk space usage.
26. **du** - Display directory size.
27. **top** - Monitor system processes in real time.
28. **ps** - Display active processes.
29. **kill** - Terminate a process by its PID.
30. **ping** - Check network connectivity.
31. **wget** - Download files from the internet.
32. **curl** - Transfer data from or to a server.
33. **scp** - Securely copy files between systems.
34. **rsync** - Synchronize files and directories.

Advanced Linux Commands

- 35. **awk** - Text processing and pattern scanning.
- 36. **sed** - Stream editor for filtering and transforming text.
- 37. **cut** - Remove sections from each line of a file.
- 38. **tr** - Translate or delete characters.
- 39. **xargs** - Build and execute command lines from standard input.
- 40. **ln** - Create symbolic or hard links.
- 41. **df -h** - Display disk usage in human-readable format.
- 42. **free** - Display memory usage.
- 43. **iostat** - Display CPU and I/O statistics.
- 44. **netstat** - Network statistics (use **ss** as modern alternative).
- 45. **ifconfig/ip** - Configure network interfaces (use **ip** as modern alternative).
- 46. **iptables** - Configure firewall rules.
- 47. **systemctl** - Control the systemd system and service manager.
- 48. **journalctl** - View system logs.
- 49. **crontab** - Schedule recurring tasks.
- 50. **at** - Schedule tasks for a specific time.
- 51. **uptime** - Display system uptime.
- 52. **whoami** - Display the current user.
- 53. **users** - List all users currently logged in.
- 54. **hostname** - Display or set the system hostname.
- 55. **env** - Display environment variables.
- 56. **export** - Set environment variables.

Networking Commands

- 57. **ip addr** - Display or configure IP addresses.
- 58. **ip route** - Show or manipulate routing tables.
- 59. **traceroute** - Trace the route packets take to a host.
- 60. **nslookup** - Query DNS records.
- 61. **dig** - Query DNS servers.
- 62. **ssh** - Connect to a remote server via SSH.
- 63. **ftp** - Transfer files using the FTP protocol.
- 64. **nmap** - Network scanning and discovery.
- 65. **telnet** - Communicate with remote hosts.
- 66. **netcat (nc)** - Read/write data over networks.

File Management and Search

- 67. **locate** - Find files quickly using a database.
- 68. **stat** - Display detailed information about a file.