

API QUICK REFERENCE

★ HTTP Verbs

ATUL KUMAR (LINKEDIN / TWITTER)
 NOTES GALLERY / CODING BUGS (TELEGRAM)

- GET :- Retrieve data from the server
- POST :- Send data to the server to create a resource.
- PUT :- Send data to the server to update a resource.
- PATCH :- Send data to the server to update a resource partially.
- DELETE :- Delete a resource from the server.
- TRACE :- Returns the full HTTP request received by the server for debugging and diagnostic purposes.
- OPTIONS :- Returns the HTTP methods supported by the server for the request URL.
- CONNECT :- Converts the request connection to a transparent TCP/IP tunnel for secure communication.

- PURGE :- Invalidates a cached resource.
 - LOCK :- Locks the resource for exclusive use by the client.
 - UNLOCK :- Unlock the resource previously locked by the client.
 - MKCOL :- Creates a new collection resource.
 - COPY :- Copies the resource identified by the Request - URI to the destination URI.
-

★ HTTP Status Codes

- 1xx :- Informational
- 2xx :- Success
- 3xx :- Redirection
- 4xx :- Client Errors
- 5xx :- Server Errors

★ API QUICK REFERENCE

Response Headers

- Content-type :- Specifies the MIME type of the data in the response body.
- Content-Length :- Specifies the length of the response body in bytes.
- Cache-Control :- Specifies the caching behavior of the response.
- Location :- Specifies the URI of a resource that can be used to retrieve the requested resource.
- Server :- Specifies the name and version of the server software that generated the response.
- Access-Control-Allow-Origin :- Specifies which Origins are allowed to access the resource.
- Set-Cookie :- Specifies a Cookie that should be stored by the client and sent back to the server with future requests.