
## Platform Info.

- □ Operating System CentOS Linux release 7.2.1511 (Core)
- # Web front REST API / PHP 7.0.10 (cli) (built: Aug 31 2016 18:07:34) (NTS)
- ■ Web Server Version (Nginx/1.10.1)
- RDB Version (10.1.19-MariaDB)
- Cache (Redis-cli 3.2.3)
- www framework (Slim3 PHP Framework)
- □ Database connector (PHP Data Object)
- # Cache Driver ( Predis )

- # Windows Server 2012 R2 64bit
- Serialize (FlatBuffers 1.3.0 / jsoncpp )
- □ Native Code ( Visual studio 2013 C/C++ )
- # Cache (hiredis connector)
- # Http/Https Plugins (lib curl)
- # Socket (winsock2, IOCP)
- # RDB Connector (x)

Socket type.



Encrypt key value

- a. publisher private key
- b. session key

## Packet header

a. packet max size ( mtu ) ( 65535 )

b. packet byte order ( little-endian )

c. packet stack

tcp header [ size : 8 ]	unsigned short	2byte	data size	
	unsigned short	2byte	protocol id	
	unsigned long	4byte	sequence number ( +@ )	
body	bool	1byte	is compressed	
	long	4byte	body size	
			- is_compressed => true [ zlib size ]	
			- is_compressed => false [ body all size ]	
	unsigned char	1byte	encrypt key value	
	flat buffers [ byte array ]		data [ data stream ] : encode [ x-or, key value 1 ]	

udp header [ size : 15 ]	unsigned short	2byte	data size	]
	unsigned char	1byte	version	// 0 ~ 25
	unsigned long	4byte	security	// peer u
	unsigned char	1byte	peer id	]
	unsigned char	1byte	flags	
	unsigned long	4byte	sequence number ( +@ )	
	unsigned short	2byte	protocol id	]
body	flat buffers [ byte array ]		data [ memory stream ]	]

255

unique serial key