

APD FUSES



DESCRIPTION

Adler APD series Special Purpose fuses are specially engineered and tested to provide best protection and high breaking capacity in DMI (Digital Multimeter and Instrument) applications. With a rated voltage of 1000 Vac/dc in ratings from 0.44A to 15A.


AGENCY INFORMATION

- Designed to IEC 60269-4: UL 248
- Manufactured under IATF 16949 quality system
- RoHS and REACH Compliant

FEATURES


- Reliable clearing of AC & DC fault currents
- Low watt losses
- Ultra-compact size and power density
- High breaking capacity up to 30kA
- QR code marks on each fuse for traceability

PART NUMBERING SYSTEM





DIMENSIONS (mm):

APDxxxx700



APDxxxx7TH





ELECTRICAL SPECIFICATIONS


Size	Part Number			Rated Current	Ampere Code	Rated Voltage	Breaking Capacity
(mm)	Cylindrical	PCB Mount	Central Mount				UL **
10x38	APD0440700	APD04407TH	APD04407AP	0.44A	440	1000Vac/dc	30kA
	APD0500700	APD05007TH	APD05007AP	0.5A	500	1000Vac/dc	30kA
	APD1100700	APD11007TH	APD11007AP	1A	1100	1000Vac/dc	30kA
	APD1150700	APD11507TH	APD11507AP	1.5A	1150	1000Vac/dc	30kA
	APD1200700	APD12007TH	APD12007AP	2A	1200	1000Vac/dc	30kA
	APD1400700	APD14007TH	APD14007AP	4A	1400	1000Vac/dc	30kA
	APD2100700	APD21007TH	APD21007AP	10A	2100	1000Vac/dc	30kA
	APD2110700	APD21107TH	APD21107AP	11A	2110	1000Vac/dc	30kA
	APD2120700	APD21207TH	APD21207AP	12A	2120	1000Vac/dc	30kA
	APD2150700	APD21507TH	APD21507AP	15A	2150	1000Vac/dc	30kA

Table 2

1. ** --- UL File: E485737

TIME CURRENT CURVE

APDxxxx7xx 0.44A – 15A



PACKAGING INFORMATION

Part No	Inner box				Outer box					
	L (mm)	W (mm)	H (mm)	Qty (pcs)	Qty boxes / outer box	Net Weight (kg)	Gross Weight (kg)	L (mm)	W (mm)	H (mm)
APDxxx700	115	110	45	100	18	19.8	20.785	380	245	200
APDxxx7TH	100	80	43	20	35	8.4	10.164	385	250	210
APDxxx7AP	58	50	72	20	60	15.6	17.780	385	250	210

WEB RESOURCES

Download the latest technical documents: www.adlerelectric.com. Specifications are subject to change without notice.