



Automotive Parts > Automotive Terminals > AMP MCP, RECEPTACLE AND TAB



Terminal Type: **Receptacle**
Wire Size: **13 – 11 AWG**
Mating Tab Width: **2.8 mm [.11 in]**
Interface Plating: **Silver (Ag)**

[All AMP MCP, RECEPTACLE AND TAB \(105\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Unsealed
--------------------	----------

Contact Features

Typical Current Rating	27 A
Crimp Type	F-Crimp
Contact Size	2.8mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Silver
Terminal Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Interface Plating	Silver (Ag)

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	2.7 – 3.7 mm[.106 – .146 in]
Wire Size	13 – 11 AWG
Wire Size Search	2.6 mm², 3.3 mm², 4.17 mm²
Tab Length	22.6 mm[.88 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Conforms to Automation Guideline	Yes, DIN 72036 Automation of Wiring Harness Production, Version June 2024, Yes, KOMAX Guideline for automatic component insertion for electrical connections, Version 5.0 (March 2018)

Industry Standards

Compatible With Agency/Standards Products	LV214
---	-------

Packaging Features

Packaging Method	Reel
Packaging Quantity	2700

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per



homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 1587902-6 Plug Pig Tail Assy, HV, HVA280 2P	 TE Part # 1587902-4 Plug Pig Tail Assy, HV, HVA280 2P	 TE Part # 1-2208103-4 2POS,HVA,2 PHM,SHUNTED,HYB ASSY	 TE Part # 1-2208103-1 2POS,HVA,2 PHM,SHUNTED,HYB ASSY
 TE Part # 2151634-2 OCEAN-2.0-APPLICATOR-S-120F160OV-RSA	 TE Part # 2-2208103-1 2POS,HVA,2 PHM,SHUNTED,HYB ASSY	 TE Part # 2209895-1 BCM 14P MCP2.8 COVER ASSY	 TE Part # 2-2208103-3 2POS,HVA,2 PHM,SHUNTED,HYB ASSY
 TE Part # 1897543-2 22POS MIXED MQS REC	 TE Part # 4-2208103-3 2POS,HVA,2 PHM,SHUNTED,HYB ASSY	 TE Part # 1801567-1 MINIFUSE HOLDER, 8 POS, MCP	 TE Part # 2103534-5 PLUG SUBASSY, E, HVA280





TE Part # 2103534-6
PLUG SUBASSY, F, HVA280



TE Part # 1-2379991-1
HVA280, 2POS, MCP, 4SQMM, CABLE ASSEMBLY



TE Part # 2-2208103-2
2POS,HVA,2 PHM,SHUNTED,HYB ASSY



TE Part # 2112856-1
5POS MIXED MQS REC COD A ASSY



KIT
REPRESENTATION ONLY

TE Part # 7-2266370-7
OC-120F160OV-752-CRIMPTOOLINGKIT



TE Part # CAT-AM705-CH8173
AMP Unsealed Connector Housing



TE Part # 1-2208103-5
2POS,HVA,2 PHM,SHUNTED,HYB ASSY



TE Part # YHV280-2PM-P-4MM-D
YHV280-2pm-p-4mm-D

Also in the Series | AMP MCP 2.8




Automotive Connector Caps & Covers (1)



Automotive Housings(159)



Automotive Signal & Power Connector Housings(77)



Automotive Terminals(51)

Customers Also Bought



TE Part #1587724-3
OUTER FERRULE, SIZE C, HVA280



TE Part #1587827-3
CABLE SEAL RETAINER, SIZE C, HVA280-2PI



TE Part #2103154-1
CABLE SEAL, SIZE 1, HVA280



TE Part #2103157-1
SHIELD, PLUG, SIZE 1, Sn, HVA280



TE Part #2103177-1
PLUG ASSY, KEY A, TA,CPA, HVA280-2PHI XE



TE Part #2103177-4
PLUG ASSY, KEY D, TA,CPA, HVA280-2PHI XE



TE Part #4-2103177-5
PLUG ASSY, KEY E, FA,CPA, HVA280-2PHI XE



TE Part #2103181-2
CABLE SEAL RTNR, SIZE B, HVA280-2PI XE



Documents

Product Drawings

AMP MCP 2.8, CONTACT

English

AMP MCP 2.8, CONTACT

English

AMP MCP 2.8, CONTACT

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-968853-3_F.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-968853-3_F.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-968853-3_F.3d_stp.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

English

Application Specification

English

Application Specification

English

Application Specification

German

Application Specification

1-968853-3

Receptacle Terminal, 13 – 11 AWG, 2.5 – 4 mm² Wire, 2.8 mm [.11 in] Tab Width,
Silver (Ag), Unsealed, Terminates To Wire, AMP MCP 2.8



English