




Automotive Parts > Automotive Terminals > TIMER, RECEPTACLE AND TAB



Terminal Type: **Tab**

Wire Size: **17 – 13 AWG**

Mating Tab Width: **2.8 mm [.11 in]**

Interface Plating: **Silver (Ag)**

[All TIMER, RECEPTACLE AND TAB \(280\)](#)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Integrated in Housing
Sealable	No

Body Features

Terminal Seal Type	Unsealed
--------------------	----------

Contact Features

Typical Current Rating	30 A
Crimp Type	F-Crimp
Contact Size	2.8mm
Contact Fabrication	Stamped & Formed
Terminal Type	Tab
Mating Tab Width	2.8 mm[.11 in]
Interface Plating	Silver (Ag)
Mating Tab Thickness	.8 mm[.031 in]

Termination Features

Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire



Dimensions

Compatible Insulation Diameter Range	2.4 – 3.7 mm[.094 – .145 in]
Wire Size	17 – 13 AWG
Wire Size Search	1.5 mm², 2 mm², 2.5 mm²
Tab Length	31.1 mm[1.22 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Packaging Features

Packaging Method	Reel
Packaging Quantity	2700

Other

Terminal Transmits	25 – 40 A (Power)
--------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts


TE Part # 2151620-1 OCEAN_2.0_Applicator-S-100F155O-RSM	TE Part # 1-2103124-4 HEADER ASSY, Ag SHIELD, KEY D, HVA280-2P	TE Part # 1-2103124-2 HEADER ASSY, Ag SHIELD, KEY B, HVA280-2P	TE Part # 2305570-1 Strip Terminal Cutter-Side Feed-No Crimp
TE Part # 5-2151620-2 OCEAN_2.0_Applicator-S-100F155O-RSA	TE Part # 5-2151620-1 OCEAN_2.0_Applicator-S-100F155O-RSM	TE Part # 7-2151620-7 OCEAN_2.0_SPARE_PART_KIT-100F155O	TE Part # 1-1579026-1 ERGOCRIMP DIE SET, TAB 2.8, 1.5/2.5SQ.MM
TE Part # 2151620-2 OCEAN_2.0_Applicator-S-100F155O-RSA	TE Part # 2103124-7 HVA280 2P HEADER ASSY, KEY G		

Also in the Series | Junior Power Timer


Automotive Connector Caps & Covers (12)	Automotive Connector Locks & Position Assurance(15)	Automotive Housings(188)	Automotive Seals & Cavity Plugs(32)
--	--	---------------------------------	--



Automotive Signal & Power Connector Housings(138)



Automotive Terminals(110)




Special Purpose Terminals(2)


Also in the Series | Timer Connector System



Automotive Connector Locks & Position Assurance(15)




Automotive Housings(188)




Automotive Seals & Cavity Plugs(32)



Automotive Signal & Power Connector Housings(138)



Crimp Terminal Housings(13)



Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #182485-4
FF 187 REC 0.5-1.5MM2 TPPB LP



TE Part #1604001-5
120A SGL POLE HSG SUBASY,RED



TE Part #5-2103177-1
PLUG ASSY, KEY A, FA, HVA280-2PHI XE



TE Part #2103236-1
INNER HOUSING, CAP, HVA280-3PM



TE Part #2103245-5
Inner Housing, Split Hdr, Key E, HVA280





TE Part #2103340-1
HVA280 3 Bay Header Sub-Assy, KEY A,D,E



TE Part #2310540-5
HVA280 2P HEADER ASSY, KEY E



TE Part #2310541-1
SPLIT HEADER ASSY, KEY A, HVA280, V0



Documents

Product Drawings

TAB 2.8x0.8 CONTACT CF SRC Ag

English

TAB 2.8x0.8 CONTACT CF SRC Ag

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2141598-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2141598-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2141598-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

German

Application Specification

English

Application Specification

English